



3 1761 11653476 9

CA2 ON
PS 31
-V37



REGISTRATION REPORT

ONTARIO.

1886.

614.1


058

(1886)



Library
of the
Academy of Medicine,
Toronto.

6169



Digitized by the Internet Archive
in 2023 with funding from
University of Toronto

<https://archive.org/details/31761116534769>

REPORT

RELATING TO THE REGISTRATION OF

BIRTHS, MARRIAGES AND DEATHS

IN THE

PROVINCE OF ONTARIO

FOR THE YEAR ENDING 31ST DECEMBER,

1886.

Printed by Order of the Legislative Assembly.



Toronto:

PRINTED BY WARWICK & SONS, 26 & 28 FRONT STREET WEST.
1887.

6169



REGISTRAR GENERAL'S OFFICE, ONTARIO,
TORONTO, December 1st, 1887.

*To His Honour Sir Alexander Campbell, K.C. M.G.,
Lieutenant-Governor of the Province of Ontario.*

MAY IT PLEASE YOUR HONOUR :

In compliance with the Statute in that behalf, the undersigned respectfully presents to Your Honour the Annual Report of Births, Marriages and Deaths for the year ending 31st December, 1886.

Respectfully submitted,

ARTHUR S. HARDY,
Registrar-General.

CONTENTS.

	PAGE.
Total Registrations of Births, Marriages and Deaths in 1886.....	1
Estimated increase in the population in 1886.....	1
Births.—Ratio and proportion to population.....	2
“ Sex, and excess of males over females.....	2
“ By seasons	2
“ Plural and illegitimate	3
Marriages.—Number, ratio and proportion to population	3
“ Denominations and months.....	3
“ Ages of males and females when married.....	4
“ At advanced ages.....	4
“ Youthful marriages.....	4
Diagram 1.—Showing the ratio of Births to population in each County in the Province	36
“ 2.— “ “ “ City and Town	36
“ 3.— “ Deaths “ County in the Province	36
“ 4.— “ “ “ City and Town	36
Table 1.—Births, Marriages and Deaths in each County	5-6
“ 2.— “ “ “ City	7
“ 3.— “ “ “ Town	8
“ 4.— “ by months and proportion of males to females in the whole Province....	9
“ 4.— “ “ “ “ Cities.....	9
“ 5.— “ Priority by months	10
“ 6.— “ “ quarters	10
“ 7.— “ in specified periods.....	10
“ 8.— “ Illegitimate, twins and triplets	11
“ 9.—Marriages. By denominations, percentage, etc.....	12-13
“ 10.— “ “ months in numerical order	14
“ 11.— “ “ ages for six years	15
“ 12.— “ Exhibiting great disparity of age	16
“ 13.—Deaths. Ratio per 1,000 in each County for six years.....	19
“ “ “ City “ 	19
“ 14.— “ Quarterly and monthly in the Province	20
“ 15.— “ “ “ Cities	21
“ 16.— “ Ages at, with percentages	22
“ 17.— Nationalities of those over 60 years of age.....	23
“ 18.— Centenarians	24
“ 19.— “ Ten highest causes of deaths with percentages for ten years.....	25-26-27
“ 20.— “ Number and ratio of the ten highest causes of death in the Province.....	28-29
“ 21.— “ “ “ “ “ Cities....	30-31
“ 22.— “ “ “ “ “ “ Towns...	30-31
“ 23.— “ “ “ “ “ “ Rural Districts	32-33
“ 24.— “ By occupations	34
“ 25.— “ “ Statistical classification	35-36
Remarks on Death Tables	37-38
“ Centenarians.....	38
Nationality of Decedents	38

	PAGE.
Table showing the five highest causes of death in each period of age.....	39
Remarks on preceding Table.....	40
Diagram 1.—Showing the death wave in the Province, Cities, Towns and Rural Districts.....	40
“ 2 and 3 exhibits a comparison of percentage of mortality from four causes	40
Explanations of the Diagrams	41

CLASSIFIED CAUSES OF DEATH.

Zymotic Diseases. Remarks thereon with Table	42-43-44
Constitutional Diseases. Remarks on.....	45
Local “ “	46
Developmental “ “	47
Violent Deaths. “	47
Deaths by occupations “	47, 48, 49

APPENDIX.

Table A.—Births by Months	iv.
“ B.—Marriages by Denominations.....	xvi.
“ C.— “ Months	xxiv.
“ D.— “ Ages.....	xxx.
“ E.—Deaths by Months, Ages and Diseases.....	xxxiv.
Recapitulation of Table E	lxviii.
“ F.—Deaths by Counties with causes of death.....	lxx.
“ G.— “ Cities “	c.
Recapitulation of Table G.....	cxxii.
Deaths by Towns with causes of death.....	cxxxiv.
Recapitulation	clxxii.
“ H.—Deaths by occupations.....	clxxiv

REPORT

RELATING TO THE

REGISTRATION OF BIRTHS, MARRIAGES AND DEATHS

IN THE

PROVINCE OF ONTARIO,

FOR THE YEAR ENDING 31ST DECEMBER, 1886.

PARLIAMENT BUILDINGS,

TORONTO, December 1st, 1887.

To the Honourable A. S. HARDY,

Registrar-General, Province of Ontario.

SIR,—I have the honour to present the Annual Report of the returns of Births, Marriages and Deaths registered in the Province for the year ending 31st December, 1886.

The total number of Births, Marriages and Deaths registered during the year was 83,487, as against 81,008 in 1885, an increase of 2,479, or 3 per cent.

There were 1,230 more births, 170 more marriages, and 1,079 more deaths registered.

The approximate rates for the year are as follows :

Births, 22.0 per 1,000 of estimated population.

Marriages, 6.5 per 1,000 of estimated population.

Deaths, 11.0 per 1,000 of estimated population.

The excess of Births over deaths, 11.0 per 1,000 of estimated population.

This shows that there was one birth to every 45.4 persons living, one marriage to every 76., and one death to every 91.2 living.

The population of the Province in 1886 is estimated to be 2,115,971, an increase of about ten per cent. over the population as given by the census of 1881, and has been used in making the calculations of the ratios, percentages, etc., for the whole Province. The following factors have been used to show how this estimated increase has been arrived at, and is believed in the absence of an annual census to be as reliable as can be devised :

Population by census of 1881	1,923,610
Increase from excess of births over deaths	111,013
Immigrants settled in the Province, according to the report of the Immigration Department	101,971

Total

2,135,971

Deduct from this total the number of emigrants who left the
Province, estimated at about

20,000

Estimated population in 1886

2,115,971

The population of the Cities and Towns is taken direct from the Assessor's returns, and the calculations for these places based upon them.

BIRTHS.

(See Tables 1, 2 and 3).

The usual abstracts from the full Tables of Births in the appendix will be found on pages 7 to 14.

The ratio of Births for the whole Province was	22.0	per 1,000.
“ “ “ Cities	27.0	“ “
“ “ “ Towns	22.7	“ “
“ “ “ Rural Districts	20.7	“ “

Twenty-eight out of the forty counties returned more births than in 1885, and twelve less. The increases were principally in the Counties of Carleton, York, Hastings and Lambton, and the decreases in Middlesex, Frontenac, Northumberland and Durham (united), and Peterborough.

In nearly all the Cities the number of Births appears to have increased, the exceptions were Kingston, which returned 81 less; Guelph, 8 less; and Belleville, 6 less.

Of the 24 Towns included in Table 3, thirteen gave a total increase of 209 births, and the remaining eleven showed a decrease of 171. The total returns therefore gave an increase of 38 births.

The proportion of births to population was as follows :

In the Province one to every 45.5 living.	
“ Cities “ “ 33.8 “	
“ Towns “ “ 44.0 “	
“ Rural districts “ 48.2 “	

SEX.

(See Table 4).

There were 24,071 male births to 22,387 female, a difference of 1,684 in favour of the males. An excess of male over female births has always been shown in the returns from the Province in every month of the year. The largest excess was in January, 114 males to 100 females, and the smallest in June, 102 to 100; the average for the year was 107.5 to 100. In the eleven cities the male births numbered 4,436 to 4,092 female, 344 more, but the proportion between the sexes was more varied in the different months of the year than in the returns from the whole Province.

In the month of September the proportion of male to female births in the cities was 128 to 100, while in the month of November the proportion was slightly in favour of the females, being 100.8 females to 100 males.

MONTHLY AND QUARTERLY.

(See Tables 5, 6 and 7).

The largest number of births always occur in March, and the smallest generally in November. The births in March exceeded those in November by 775.

The average number of births per month was 3,871, per week 893, and per day 128. More births were recorded in the first quarter of the year than in any one of the other three, and the least in the third quarter, and with few exceptions this position was maintained in the quarterly returns since the Registration Act came into operation.

PLURAL BIRTHS.

(See Table 8).

In 1886, 378 women gave birth to 759 children, of whom 750 were twin children, and nine triplets, showing an increase of 274 in the number of twins and a decrease in the number of triplets of twelve.

In proportion to the total number of births in each county, Oxford had the largest percentage of twin births, 2.7; Wellington and York nearly equal, 2.5. One case of triplets was reported from each of the Counties of Brant, Lennox and Addington and York.

ILLEGITIMATE.

(See Table 8).

Of the 671 illegitimate births which took place in the Province, 190 of them, or 28.1 per cent occurred in the County of Carleton. The proportion of these births to the whole number in the county was 7 per cent. This illegitimate birth rate in Carleton, in which Ottawa is situated, was exceptionally high. The largest percentage of these births in the other counties was in those counties in which the cities were situated, viz.: York 4 per cent., Wentworth 3 per cent., Middlesex 1.5 per cent., Brant 1.7 percent., and Lincoln 1.3 per cent.

MARRIAGES.

(See Tables 1, 2 and 3).

The number of marriages reported as having been celebrated in the Province during the year 1886 was 13,845, an increase of 170. In the eleven cities, 3,300 marriages were celebrated, an increase of 222, and the 24 towns returned 1,376 marriages, 66 less than in 1885. The ratio per 1,000 living of these marriages was much larger in the cities and towns than in the rural districts. In the cities it was 11.04 per 1,000; in the towns 11.3 per 1,000—In the rural districts it was only 5.4 per 1,000. The proportion to population was one marriage to every 90 of the living in the cities; one in every 89 in the towns, and one in every 184 in the rural districts.

DENOMINATIONS.

(See Table 9).

Methodists again head the list in this Table with increased numbers, nearly 40 per cent. of all the persons married in 1886 were Methodists. Those registered as Presbyterians when married numbered more in 1886 than in 1885 by 521. They were 21.9 per cent. of the whole. The Table also shows that fewer marriages were registered by Episcopalians, Roman Catholics, Baptists, Lutherans, and those belonging to the Evangelical Association; while a small increase in the marriages of Congregationalists, Quakers and Mennonites is shown.

MONTHS.

(See Table 10).

October and December have in previous years been the favourite months for marrying, and in 1886 December still ranked the highest, but March returned as many marriages as October, which was quite exceptionable, as during the last six years March

never ranked higher than fifth, generally sixth and seventh in the numerical order of months. The month of August ranked the lowest in the number of marriages the same as in former years.

The difference between the month returning the largest number of marriages and the one returning the lowest number was 902, or 52 per cent. less.

AGES.

(See Table 11).

The proportion between the sexes as regards their ages when married, was largely in favour of the females in the periods under 20 years of age and between 20 and 25. The table shows that 9,160 females were married in those two periods of life, and only 5,017 males, being 82 per cent. more females than males, but in the succeeding periods the proportion was altogether in favour of the males.

The following abstract shows the percentage of each sex to the whole number married in the different periods of life :

Males				Females			
under 20 years when married	1.1	per cent.		17.3	per cent.		
" between 20 and 25	35.3	"	"	48.9	"	"	"
" " 25 " 30	36.5	"	"	22.0	"	"	"
" " 30 " 35	13.2	"	"	5.5	"	"	"
" " 35 " 40	5.8	"	"	2.8	"	"	"
" " 40 " 45	3.0	"	"	1.5	"	"	"
" " 45 " 50	1.7	"	"	.7	"	"	"
" " 50 " 55	1.2	"	"	.4	"	"	"
" " 55 " 60	.7	"	"	.1	"	"	"
" " 60 " 65	.7	"	"	.2	"	"	"
" " 65 " 70	.3	"	"	.103	"	"	"
" " 70 " 75	.1	"	"	.035	"	"	"
" " 75 " 80	.07	"	"	.001	"	"	"
" " 80 and over	.02	"	"	.001	"	"	"
Ages not given	.31	"	"	.46	"	"	"
	100			100			

MARRIAGES AT ADVANCED AGES.

(See Table 12).

There were 31 marriages recorded, in which either the bridegroom or bride was 70 years of age or over. Two of the bridegrooms were each 82 years old when married, and in one marriage the bride and bridegroom were each 80 years of age. Their united ages, 160 years, was greater than the total ages of any couple married in Ontario as far as the returns show.

YOUTHFUL MARRIAGES.

As usual a number of instances of girls marrying at tender years appear in the return. Five were married at 14 years, and 28 at 15 years. The boys do not appear to have been in such haste to marry, as the returns show that none engaged in matrimony under 18 years of age.

TABLE I.

TABLE showing the total number of Births, Marriages and Deaths in each County in 1885 and 1886.

COUNTIES.	BIRTHS.			MARRIAGES.			DEATHS.			TOTALS.			RATIO TO 1,000 OF THE POPULATION.		
	Number in 1888.	Number in 1886.	Increase.	Decrease.	Number in 1885.	Number in 1886.	Increase.	Decrease.	Number in 1885.	Number in 1886.	Increase.	Decrease.	Births.	Marriages.	Deaths.
Algonia.....	22350	542	576	34	237	142	95	285	234	51	1064	952
Brant.....	37259	782	792	10	238	245	3	426	428	2	1446	1465
Bruce.....	71244	1379	1410	31	356	353	7	489	509	20	2224	2272
Carleton.....	70513	2452	2753	301	545	606	61	1256	1486	230	4253	4845
Dufferin.....	22589	548	570	22	137	176	39	177	238	61	862	984
Elgin.....	46597	846	870	24	334	294	40	371	373	2	1551	1337
Essex.....	51218	1501	1502	1	342	376	34	554	760	106	2497	2638
Frontenac.....	46812	887	775	112	331	294	37	543	581	38	1777	1625
Grey.....	77582	1486	1450	73	36	419	470	51	236	225	11	905	952
Haldimand.....	27491	477	550	73	192	177	15	236	225	819	829
Halton.....	24112	461	473	12	120	113	7	238	243	5	244	244
Haliburton.....	6511	173	173	28	28	43	43	2183	2183
Hastings.....	60712	1104	1265	161	488	431	57	626	497	129	2218	2193
Huron.....	84179	1582	1557	25	477	461	16	611	581	30	2670	2399
Kent.....	59769	1109	1038	71	370	386	16	531	526	5	2010	1950
Lambton.....	57238	1130	1245	115	301	319	18	479	548	69	1910	2112
Leamark.....	37372	809	791	18	267	270	3	306	375	69	1382	1436
Leeds and Grenville.....	66181	962	1047	85	420	361	59	701	654	47	2083	2062
Lennox and Addington.....	29133	425	372	53	186	212	26	225	209	16	836	793
Lincoln.....	34719	637	669	28	206	194	12	411	431	20	1314	1294
Middlesex.....	102389	1983	1798	190	586	668	82	1085	1041	44	3659	3507
Muskoka and Parry Sound.....	29926	987	969	32	196	225	29	325	304	21	1458	1498
Norfolk.....	39879	643	708	65	236	206	30	297	322	25	1176	1236
Northumberland and Durham.....	85129	1417	1328	89	470	516	46	856	674	182	2743	2518
Ontario.....	53693	1058	1142	84	290	266	24	502	473	29	1850	1881
Oxford.....	55176	1111	1121	10	310	360	50	472	471	47	1893	2000
Peel.....	28793	519	568	49	151	137	14	255	296	41	925	1001
Perry.....	59055	1128	1138	10	332	339	7	440	537	97	1900	2014

TABLE 1.--Continued.

COUNTIES.	Population.	BIRTHS.				MARRIAGES.				DEATHS. *				TOTALS.				RATIO TO 1,000 OF THE POPULATION.		
		Number in 1885.	Number in 1886.	Increase.	Decrease.	Number in 1885.	Number in 1886.	Increase.	Decrease.	Number in 1885.	Number in 1886.	Increase.	Decrease.	Number in 1885.	Number in 1886.	Increase.	Decrease.	Births.	Marriages.	Deaths.
Peterborough	33270	859	787	72	272	241	31	381	321	60	1512	1349	163	23.6	7.2	9.6
Prescott and Russell	41826	1377	1410	33	250	238	12	636	668	32	2263	2316	53	23.7	5.6	15.1
Prince Edward	23149	361	357	4	142	125	17	271	282	11	774	761	10	15.4	5.4	12.1
Renfrew	44271	1204	1246	42	316	264	52	373	423	50	1893	1933	40	28.1	5.9	9.5
Simcoe	82394	1639	1687	48	481	517	36	601	587	14	2721	2791	70	20.4	6.2	7.1
Stromont, Dundas and Glengarry	72618	1139	1143	4	382	378	4	610	589	21	2131	2110	21	15.7	5.2	8.1
Victoria	37021	792	826	34	194	194	296	296	1282	1316	34	22.3	5.2	8.0
Waterloo	47008	1242	1337	95	331	381	50	469	536	67	2042	2254	212	28.4	8.1	11.4
Welland	34948	719	731	12	213	197	16	377	307	70	1369	1235	74	20.8	5.6	8.7
Wellington	72808	1357	1348	9	408	391	17	643	702	57	2410	2441	31	18.5	5.3	9.6
Wentworth	73649	1807	1891	84	609	551	58	1091	1224	127	3513	3666	153	25.6	7.4	16.6
York	168408	4752	5045	293	1540	1743	203	2993	3586	593	9285	10374	1089	30.0	10.3	21.3
Totals	2115971	45228	46458	1937	707	13675	13845	786	616	22105	23184	1812	733	81008	83487	3642	1163	22.0	6.5	11.0
		Increase, 1230.				Increase, 170.				Increase, 1079.				Total increase in B., M. and D., 2479.						

Returns from Haliburton in 1885 included in Victoria and Peterborough.

TABLE 2.

Births, Marriages and Deaths in the Cities in 1885 and 1886.

CITIES.	Population as returned by Assessors.	BIRTHS.				MARRIAGES.				DEATHS.				TOTALS.				RATIO TO 1,000 OF THE POPULATION.			
		Number in 1885.	Number in 1886.	Increase.	Decrease.	Number in 1885.	Number in 1886.	Increase.	Decrease.	Number in 1885.	Number in 1886.	Increase.	Decrease.	Births.	Marriages.	Deaths.					
Toronto.....	118403	3324	3462	138	1216	1364	148	2393	2850	457	6983	7676	743	29.2	11.5	24.2	
Hamilton.....	41712	1080	1128	48	453	389	64	684	768	84	2217	2285	68	27.0	9.3	18.4	
Ottawa.....	34857	1481	1725	244	375	427	52	927	1100	173	2783	3252	469	50.0	12.2	31.5	
London.....	26047	497	524	27	232	315	83	386	389	3	1115	1228	113	20.0	12.1	14.9	
Kingston....	15827	350	269	81	163	176	13	272	282	10	785	727	58	17.0	11.1	17.7	
Brantford.....	12570	312	315	3	110	126	16	175	193	18	597	634	37	25.6	10.0	15.3	
St. Thomas.....	10127	254	270	16	154	143	11	115	137	22	523	550	27	26.6	14.1	13.5	
Guelph.....	10216	258	250	8	96	107	11	159	182	23	513	539	26	24.4	10.4	17.8	
St. Catharines.....	9779	180	182	2	95	81	14	156	172	16	431	435	4	18.6	8.2	17.6	
Belleville.....	10076	209	203	6	116	107	9	184	150	34	509	460	49	20.1	10.6	14.8	
Stratford.....	9069	200	200	68	65	3	89	125	36	357	390	33	22.0	7.1	13.7	
	298683	8145	8528	473	95	3078	3300	323	101	5540	6348	842	34	16763	18176	1520	107	27.1	11.4	21.2	
		Increase, 833.				Increase, 222.				Increase, 808.				Total increase in B., M. and D., 1413.							

TABLE 3

BIRTHS, MARRIAGES AND DEATHS, IN THE TOWNS IN 1885 AND 1886.

TOWNS.	Population as returned by Assessors.	BIRTHS.			MARRIAGES.			DEATHS.			TOTALS.			RATIO TO 1,000 OF THE POPULATION.		
		Number in 1885.	Number in 1886.	Increase. Decrease.	Number in 1885.	Number in 1886.	Increase. Decrease.	Number in 1885.	Number in 1886.	Increase. Decrease.	Number in 1885.	Number in 1886.	Increase. Decrease.	Births.	Marriages.	Deaths.
Kincardine	2886	52	67	15	15	21	6	37	43	6	104	131	27	23.2	7.2	15.0
Windsor	7336	182	217	35	69	91	22	102	130	28	353	438	85	29.5	12.4	17.7
Owen Sound	5672	150	141	9	65	57	8	55	87	32	270	285	15	24.8	10.0	15.3
Goderich	3827	63	72	9	44	31	13	45	40	5	152	143	9	18.3	7.9	10.1
Chatham	8457	134	147	13	132	122	10	113	119	6	379	388	9	17.3	14.4	14.0
Sarnia	5288	112	140	28	49	56	7	46	60	14	207	256	49	26.4	10.7	11.3
Perth	3930	112	99	13	57	62	5	62	81	19	231	242	11	25.2	15.7	20.6
Napanee	3414	72	65	7	62	61	1	56	50	6	190	176	14	19.0	17.8	14.6
Brockville	8320	182	139	43	97	50	47	143	149	6	422	338	84	16.7	6.0	17.9
Cobourg	4940	100	64	36	49	52	3	38	39	1	187	155	32	13.0	10.5	8.0
Port Hope	5514	102	92	10	47	57	10	51	46	5	200	195	5	16.6	10.3	8.4
Whitby	3023	47	70	23	23	19	6	42	36	6	112	125	13	23.1	6.2	11.9
Woodstock	6718	156	157	1	66	72	6	58	60	2	280	289	9	23.3	10.7	9.0
Brampton	3313	77	74	3	49	35	14	66	76	10	192	185	7	22.3	10.5	22.9
Peterborough	8149	160	192	32	115	113	2	102	121	19	377	426	49	19.6	13.8	14.8
Cornwall	5710	112	98	14	68	72	4	79	74	5	259	244	15	17.1	12.6	12.9
Pictou	2825	52	52	38	56	38	18	57	50	7	165	140	25	18.4	13.4	17.7
Barrie	4412	89	114	25	82	72	10	59	57	83	230	243	13	25.8	16.3	12.9
Pembroke	3666	137	142	5	76	37	39	46	83	37	259	262	3	38.7	10.0	22.6
Lindsay	5512	99	108	9	57	61	4	72	59	13	228	228	0	19.5	11.0	22.6
Berlin	5343	172	153	19	32	68	36	52	72	19	257	293	36	18.6	12.7	13.4
Galt	6322	187	188	1	54	59	5	83	93	10	324	340	16	29.5	9.3	14.7
Orangeville	3100	69	52	17	48	49	1	36	69	33	153	170	17	16.7	15.8	22.2
Paris	3311	95	108	13	30	21	9	48	47	1	173	176	3	32.6	6.3	14.1
Total	121088	2713	2751	209	1442	1376	109	1549	1741	242	5704	5868	355	22.7	11.3	14.3
		Increase, 38.			Decrease, 66.			Increase, 192.			Total increase in B., M. and D., 164.					

TABLE 4.

Births by Months in the Province, 1886, shewing the proportion of Male to Female Births in the Province, and also in the Cities.

SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Males.....	2092	1888	2243	2102	2030	1878	1993	2095	2033	1943	1800	1974	24071
Females	1831	1848	2049	1932	1837	1839	1843	1964	1930	1835	1717	1762	22387
Total	3923	3736	4292	4034	3867	3717	3836	4059	3963	3778	3517	3736	46458
Male births to 100 female births.....	114.2	102.1	109.4	108.8	110.5	102.1	108.1	106.6	105.3	105.8	104.8	112.0	107.5

CITIES.

SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Males.....	333	331	406	360	357	346	428	392	409	352	340	382	4436
Females	315	302	368	321	346	338	348	391	318	347	343	355	4092
Total ...	648	633	774	681	703	684	776	783	727	699	683	737	8528
Male Births to 100 female births.....	105.7	109.6	110.3	112.1	103.1	102.3	123.0	100.3	128.6	104.4	99.1	107.6	108.4

TABLE 5.
Order of Births, by Months, in 1885 and 1886.

MONTHS.	1885.			MONTHS.	1886.		
	Male.	Female.	Total.		Male.	Female.	Total.
March	2090	1976	4066	March	2243	2049	4292
May	2067	1920	3987	August	2095	1964	4059
September	2021	1916	3937	April	2102	1932	4034
April	2027	1858	3885	September	2033	1930	3963
August	2023	1835	3858	January	2092	1831	3923
February	1913	1878	3791	May	2030	1837	3867
July	1952	1803	3755	July	1993	1843	3836
October	1914	1796	3710	October	1943	1835	3778
January	1889	1716	3705	February	1888	1848	3736
December	1888	1744	3632	December	1974	1762	3736
June	1898	1591	3489	June	1878	1839	3717
November	1805	1608	3413	November	1800	1717	3517
Total	23587	21641	45228	Total	24071	22387	46458

TABLE 6.
Quarterly Return of Births in 1885 and 1886.

QUARTERS.	1885.			1886.		
	Male.	Female.	Total.	Male.	Female.	Total.
Quarter ending March 31st	5992	5570	11562	6223	5728	11951
“ June 30th	5992	5369	11361	6010	5608	11618
“ September 30th	5996	5554	11550	6121	5737	11858
“ December 31st	5607	5148	10755	5717	5314	11031
Total	23587	21641	45228	24071	22387	46458

TABLE 7.

The number of births within the several specified periods was as follows :—

For the year	46,458	—	Males, 24,071 ;	Females, 22,387
“ month	3,871	“	2,006	“ 1,865
“ week	893	“	463	“ 430
“ day	127	“	66	“ 61

The difference between the male and female births reported in each year, for the last ten years, is shown to have been as follows :—

In 1877 there were 1,361 more male than female births.				
“ 1878 “	1,780	“	“	“
“ 1879 “	1,651	“	“	“
“ 1880 “	1,726	“	“	“
“ 1881 “	1,580	“	“	“
“ 1882 “	1,373	“	“	“
“ 1883 “	1,249	“	“	“
“ 1884 “	1,484	“	“	“
“ 1885 “	1,946	“	“	“
“ 1886 “	1,684	“	“	“

TABLE 8.
ILLEGITIMATE BIRTHS, TWINS AND TRIPLETS

YEAR.	ILLEGITIMATE BIRTHS.			No. of Pairs of Twins.	No. of cases of Triplets.
	No.	Proportion to the whole Number of Births.	Ratio in every 1,000 Births.		
1872.....	235	One in every 99 Births.....	10.0	76	0
1873.....	229	“ “ 129 “.....	8.3	200	1
1874.....	196	“ “ 144 “.....	6.9	255	2
1875.....	198	“ “ 131 “.....	4.8	264	1
1876.....	392	“ “ 98 “.....	10.1	349	1
1877.....	529	“ “ 75 “.....	13.2	411	5
1878.....	575	“ “ 70 “.....	14.2	425	9
1879.....	524	“ “ 78 “.....	12.7	378	1
1880.....	671	“ “ 63 “.....	15.8	407	6
1881.....	748	“ “ 54 “.....	18.3	384	3
1882.....	966	“ “ 43 “.....	22.7	389	5
1883.....	989	“ “ 43 “.....	23.0	377	8
1884.....	644	“ “ 69 “.....	14.4	382	8
1885.....	621	“ “ 72 “.....	13.7	238	7
1886.....	671	“ “ 69 “.....	14.4	375	3
Average for 15 years....	546	One in every 82 Births.	317	4

TABLE 9.

Marriages by Denominations, with Percentage and Proportion to the Whole.

DENOMINATIONS.	1881.				1882.				1883.			
	Number of persons Married.	Per cent. of the whole.	PROPORTION TO THE WHOLE NUMBER OF PERSONS MARRIED.		Number of persons Married.	Per cent. of the whole.	PROPORTION TO THE WHOLE NUMBER OF PERSONS MARRIED.		Number of persons Married.	Per cent. of the whole.	PROPORTION TO THE WHOLE NUMBER OF PERSONS MARRIED.	
Methodists	9147	35.29	1	in every 2.83	9496	35.66	1	in every 2.80	9907	35.04	1	in every 2.85
Presbyterians	5202	20.07	1	" 4.98	5469	20.59	1	" 4.87	5635	19.94	1	" 5.01
Episcopalians	4593	17.72	1	" 5.64	4673	17.54	1	" 5.69	5067	17.93	1	" 5.58
Roman Catholics ..	3526	13.60	1	" 7.35	3602	13.52	1	" 7.39	4106	14.53	1	" 6.89
Baptists	1519	5.85	1	" 17.06	1462	5.48	1	" 18.21	1454	5.14	1	" 19.50
Lutherans	578	2.23	1	" 44.85	506	1.89	1	" 52.63	561	1.98	1	" 50.37
Congregationalists ..	233	.90	1	" 111.26	237	.88	1	" 112.88	304	1.08	1	" 92.90
Evangelical Association					157	.58	1	" 169.64	174	.61	1	" 160.42
Mennonites	152	.58	1	" 170.55	145	.54	1	" 183.69	145	.52	1	" 194.22
Bible Christians	561	2.17	1	" 46.21	520	1.93	1	" 51.22	559	1.98	1	" 50.55
Quakers	15	.05	1	" 1728.33	9	.05	1	" 2959.33	27	.10	1	" 1046.74
Other Denominations	399	1.54	1	" 64.97	359	1.34	1	" 74.19	323	1.15	1	" 87.50
Total	25925	100.00			26635	100.00			28262	100.00		

Marriage by Denominations, with Percentage and Proportion to the Whole.

13

DENOMINATIONS.	1884.				1885.				1886.			
	Number of persons Married.	Per cent. of the whole.	PROPORTION TO THE WHOLE NUMBER OF PERSONS MARRIED.		Number of persons Married.	Per cent. of the whole.	PROPORTION TO THE WHOLE NUMBER OF PERSONS MARRIED.		Number of persons Married.	Per cent. of the whole.	PROPORTION TO THE WHOLE NUMBER OF PERSONS MARRIED.	
Methodists	10211	37.80	1	in every 2.64	10054	37.02	1	in every 2.70	11005	39.92	1	in every 2.50
Presbyterians	5496	20.41	1	" 4.92	5267	19.38	1	" 5.15	5788	21.00	1	" 4.72
Episcopalians	4637	17.22	1	" 5.82	4657	17.15	1	" 5.83	4389	15.92	1	" 6.28
Roman Catholics	3890	14.40	1	" 6.94	4132	15.21	1	" 6.57	3843	13.95	1	" 7.17
Baptists	1291	4.74	1	" 20.92	1482	5.45	1	" 18.32	1250	4.54	1	" 22.04
Lutherans	504	1.84	1	" 53.59	534	1.96	1	" 50.86	480	1.74	1	" 57.41
Congregationalists	294	1.08	1	" 91.87	237	.87	1	" 114.64	269	.97	1	" 102.45
Evangelical Association	170	.62	1	" 158.82	181	.66	1	" 150.77	145	.53	1	" 190.11
Mennonites	148	.54	1	" 182.50	138	.57	1	" 196.81	141	.52	1	" 195.46
Quakers	13	.04	1	" 2077.68	11	.04	1	" 2469.45	17	.06	1	" 1621.18
Other Denominations	356	1.31	1	" 75.87	461	1.69	1	" 58.92	233	.85	1	" 118.28
Total	27010	100.00			27154	100.00			27560	100.00		

Those marriages in which the denomination of the parties married were not given are omitted in this Table.

TABLE 10.

Marriages by Months, in numerical order, for Six Years.

1881.		1882.		1883.		1884.		1885.		1886.	
December	1593	December	1573	December	1614	December	1543	December	1736	December	1717
October	1314	October	1340	October	1347	October	1437	October	1330	October	1342
November	1250	November	1330	January	1519	January	1271	September	1297	March	1342
September	1180	January	1232	November	1263	November	1256	November	1252	November	1305
March	1169	September	1202	March	1167	September	1147	January	1246	September	1286
January	1165	March	1164	September	1139	February	1124	March	1114	June	1188
February	1023	February	1158	April	1130	April	1109	February	1105	January	1118
June	1010	April	1004	February	1044	March	1090	June	1065	February	1068
April	918	May	921	June	1018	June	1066	April	1043	May	903
May	902	June	880	May	1014	July	961	July	941	April	894
August	801	July	834	July	942	May	855	May	768	July	830
July	724	August	753	August	821	August	735	August	746	August	815
No date given		No date given ..	58	No date given ..	59	No date given ..	52	No date given ..	32	No date given ..	37
Total	13049	Total	13449	Total	14277	Total	13646	Total	13675	Total	13845

The average number of Marriages per quarter was 3,461
 " " " month " 1,154
 " " " week " 266
 " " " day " 38

TABLE 11.

Marriages by Ages for Six Years.

QUINQUENNIAL PERIODS OF LIFE.	1881.		1882.		1883.		1884.		1885.		1886.		Total No. of Marriages, 81,998.			
	Whole No. of Marriages, 13,106		Whole No. of Marriages, 13,449		Whole No. of Marriages, 14,277		Whole No. of Marriages, 13,646		Whole No. of Marriages, 13,675		Whole No. of Marriages, 13,845		Males.	Per cent. of whole.	Females.	Per cent. of whole.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Per cent. of whole.	Females.	Per cent. of whole.
Under 20 years	162	2703	175	2808	175	2841	141	2657	144	2542	148	2399	945	1.15	16040	19.56
From 20 to 25 years	4859	6578	5072	6659	5341	7168	5125	6849	5007	6781	4869	6761	30273	36.91	40798	50.00
“ 25 to 30 “	4193	2272	4758	2516	4944	2599	4784	2580	4862	2765	5065	3030	28906	35.25	15762	19.22
“ 30 to 35 “	1738	652	1657	681	1869	771	1740	710	1752	1746	1832	766	10588	12.91	4326	5.27
“ 35 to 40 “	767	312	733	303	734	337	724	320	788	354	811	390	4557	5.55	2016	2.45
“ 40 to 45 “	374	186	381	174	429	212	381	189	410	178	408	199	2383	2.90	1138	1.38
“ 45 to 50 “	241	108	207	93	240	117	247	109	229	106	234	105	1398	1.70	641	.78
“ 50 to 55 “	135	72	149	72	177	58	162	48	149	58	163	57	955	1.16	365	.44
“ 55 to 60 “	115	38	107	35	116	60	104	36	114	40	99	28	655	.80	237	.29
“ 60 to 65 “	74	29	77	22	87	22	66	23	70	19	97	30	471	.57	145	.17
“ 65 to 70 “	40	12	44	6	61	8	33	9	45	4	41	12	269	.32	51	.05
“ 70 to 75 “	31	5	26	7	31	5	22	4	14	2	15	4	139	.17	27	.03
“ 75 to 80 “	18	1	11	2	9	1	6	8	10	1	62	.07	5	.006
“ 80 and over	2	2	6	1	3	1	14	.01	1	.001
Ages not given	37	48	50	68	64	78	100	112	82	80	50	62	383	.46	448	.54
Total.	13106	13106	13449	13449	14277	14277	13646	13646	13675	13675	13845	13845	81998	81998

TABLE 12.

MARRIAGES exhibiting great disparity of age between Bridegroom and Bride in 1886.

COUNTIES.	BRIDEGROOM THE ELDER.			COUNTIES.	BRIDEGROOM THE ELDER.			COUNTIES.	BRIDE THE ELDER.		
	Occupation of Bridegroom.	Age of Bride- groom.	Age of Bride.		Occupation of Bridegroom.	Age of Bride- groom.	Age of Bride.		Occupation of Bridegroom.	Age of Bride- groom.	Age of Bride.
Brant	Farmer	71	50	Middlesex.....	Farmer	74	60	Brant	Laborer	56	72
"	"	71	65	Norfolk.	"	70	60	Bruce	Farmer	69	70
Carleton	"	70	45	"	"	82	73	Norfolk	Gentleman	72	76
Essex	"	77	60	Oxford.	"	82	53	Wellington.....	Laborer	58	70
Haldimand.....	"	70	55	"	"	80	80				
Hastings	Gentleman	72	44	"	"	72	53				
Huron	Farmer	72	54	Perth.	"	70	69				
Kent	Laborer	72	67	Prince Edward	Gentleman	75	58				
Lambton	Chemist.	75	55	Waterloo.....	Farmer	75	53				
Leeds and Grenville ..	Farmer	71	65	Wentworth.....	"	75	60				
Lennox and Addington	"	75	46	York.	Blacksmith.....	78	67				
"	"	71	66	"	Major, British Army	78	35				
Lincoln	Coach-builder.	76	33	"	Not stated	76	50				
"	Shoe-maker....	71	51								

DEATHS.

TABLE 13.—Shewing the Death Rate per 1000 of population, in each County of the Province, for six years; also average for that time.

COUNTIES.	1881.	1882.	1883.	1884.	1885.	1886.	Ave for six yrs.
Algoma.....	5.9	6.7	6.7	9.5	14.02	10.4	8.8
Brant.....	12.9	10.4	11.3	11.4	12.5	11.5	11.6
Bruce.....	8.5	8.1	7.4	7.3	7.5	7.1	7.6
Carleton.....	17.9	23.6	23.0	19.8	19.5	21.7	20.9
Dufferin.....	8.4	9.1	8.4	9.1	8.6	10.5	9.0
Elgin.....	9.3	7.5	7.7	8.2	8.7	8.0	8.2
Essex.....	18.8	14.5	12.6	14.4	14.04	14.8	14.8
Frontenac.....	14.2	14.8	15.8	12.9	13.1	12.0	13.8
Grey.....	6.9	8.3	6.4	7.0	7.6	7.4	7.3
Haldimand.....	12.4	9.2	7.5	8.7	9.4	8.2	9.2
Halton.....	12.5	11.7	9.4	10.9	10.8	10.0	10.9
Hastings.....	11.5	10.6	10.4	13.0	11.3	8.1	10.8
Huron.....	10.0	8.9	8.2	8.0	7.9	7.0	8.3
Kent.....	10.6	10.0	9.2	9.9	9.7	8.8	9.7
Lambton.....	10.4	8.2	8.1	10.4	9.2	9.5	9.3
Lanark.....	8.1	7.2	7.5	9.4	9.0	10.0	8.3
Leeds and Grenville.....	11.4	10.7	9.4	9.1	11.6	10.0	10.3
Lennox and Addington.....	10.7	10.0	9.8	8.7	8.5	7.1	9.1
Lincoln.....	14.3	12.6	12.7	13.8	13.02	12.4	13.1
Middlesex.....	16.2	11.8	10.4	12.2	11.6	10.1	12.1
Muskoka and Parry Sound.....	8.5	10.5	9.4	8.6	11.9	10.1	9.8
Norfolk.....	11.7	10.2	8.8	9.2	8.8	8.9	9.6
Northumberland and Durham.....	9.7	9.0	8.9	9.5	11.06	7.9	9.3
Ontario.....	11.9	10.2	11.8	11.1	10.2	8.8	10.6
Oxford.....	11.3	12.0	11.2	10.3	9.4	9.4	10.6
Peel.....	10.7	12.8	10.0	11.5	9.7	10.3	10.8
Perrh.....	10.5	9.5	8.2	7.7	8.1	9.1	9.0
Peterboro'.....	11.4	10.4	11.8	10.9	10.9	9.6	10.8
Prescott and Russell.....	9.9	11.4	10.2	11.1	16.7	15.1	12.4
Prince Edward.....	12.3	16.5	11.9	13.7	12.8	12.1	13.2
Renfrew.....	8.4	8.1	7.9	8.3	9.2	9.5	8.5
Simcoe.....	8.3	8.3	8.1	8.5	8.02	7.1	8.0
Stormont, Dundas and Glengarry.....	9.5	8.2	7.2	8.8	9.2	8.1	8.5
Victoria.....	8.9	9.5	10.3	10.4	8.4	8.0	9.3
Waterloo.....	13.9	13.5	11.5	10.9	10.9	11.4	12.0
Welland.....	12.8	12.1	10.0	10.4	11.8	8.7	10.9
Wellington.....	12.0	10.9	10.8	10.8	9.7	9.6	10.6
Wentworth.....	17.1	15.9	18.1	17.0	16.3	16.6	16.8
York.....	16.4	16.1	17.8	18.1	19.5	21.3	18.2
Total.....	11.8	11.3	10.9	11.2	11.4	11.0	11.2

Death rate to 1,000 of population, during the last six years in the eleven Cities.

CITIES.	1881.	1882.	1883.	1884.	1885.	1886.	Average for the six yrs.
Toronto.....	19.5	20.0	21.3	20.4	21.4	24.2	21.1
Hamilton.....	18.0	17.7	20.9	18.4	17.1	18.4	18.4
Ottawa.....	30.7	44.9	39.4	34.0	28.3	33.4	35.1
London.....	18.9	16.0	13.3	15.8	14.7	14.9	15.6
Kingston.....	20.0	22.2	25.1	17.5	18.0	17.7	20.1
Brantford.....	18.4	16.2	13.5	12.0	14.3	15.3	14.9
St. Thomas.....	11.8	9.8	8.4	8.4	10.3	13.5	10.4
Guelph.....	18.5	17.0	14.7	17.1	15.6	17.8	16.8
St. Catharines.....	20.2	16.2	16.5	19.0	15.7	17.6	17.5
Belleville.....	17.7	18.0	16.8	20.0	18.0	14.8	17.5
Stratford.....	12.7	8.6	6.8	9.2	10.1	13.7	10.1
Total.....	19.9	21.3	20.2	19.7	19.2	21.4	20.2

TABLE 14.

Quarterly Return of Deaths in 1886 for the Province.

QUARTERS.	Males.	Females.	Total.	Per cent. of the whole.
Quarter ending March 31st.....	3114	3110	6224	26.9
“ “ June 30th.....	2884	2606	5490	23.7
“ “ September 30th	3097	2810	5907	25.4
“ “ December 31st	2827	2736	5563	24.0
Totals	11922	11262	23184	100.0

Monthly Return of Deaths, arranged according to numbers.

MONTHS.	Males.	MONTHS.	Females.	TOTALS.		Per cent. of the whole.
				Months.	No.	
March	1131	March	1109	March	2240	9.7
September.....	1127	April.....	1033	September.....	2122	9.2
April	1064	February.....	1032	April	2097	9.0
August.....	1038	September	995	August.....	2091	8.7
January.....	1022	January.....	969	February.....	1993	8.6
October.....	963	August.....	963	January.....	1991	8.6
February.....	961	October	952	October	1915	8.2
May	961	December	910	December	1866	8.1
December	956	November.....	874	May	1803	7.8
July	932	July	852	July	1784	7.6
November.....	908	May	842	November.....	1782	7.6
June.....	859	June.....	731	June.....	1590	6.9
	11922		11262		23184	100.0

TABLE 15.

Quarterly Return of Deaths in 1886 for the Cities.

QUARTERS.	Males.	Females.	Total.	Per Cent. of the Whole.
Quarter ending March 31st	827	320	1647	26.0
“ June 30th	859	735	1594	25.1
“ September 30th	924	787	1711	26.9
“ December 31st	724	672	1396	22.0
Totals	3334	3014	6348	100.0

Monthly Return of Deaths, arranged according to numbers.

MONTHS.	Males.	MONTHS.	Females.	TOTALS.	
				Months.	No.
September	319	February	291	April	599
April	311	April	288	July	574
July	307	August	275	August	573
May	305	July	267	September	564
August	298	January	265	May	553
March	288	March	264	March	552
January	284	May	248	January	549
December	265	September	245	February	546
February	255	December	231	December	496
June	243	October	222	October	460
October	238	November	219	June	442
November	221	June	199	November	440
	3334		3014		6348

TABLE 16.

Deaths at different ages with percentage for six years from 1881 to 1886.

	1881.		1882.		1883.		1884.		1885.		1886.		Total in six yrs.		Cities for 1886.	
	No. of deaths.	Per cent. of the whole.	No. of deaths.	Per cent. of the whole.	No. of deaths.	Per cent. of the whole.	No. of deaths.	Per cent. of the whole.	No. of deaths.	Per cent. of the whole.	No. of deaths.	Per cent. of the whole.	Total deaths.	Per cent. of the whole.	Total deaths.	Per cent. of the whole.
Total under 1 year	5246	22.9	4874	22.3	4882	23.2	5242	24.1	4885	21.9	5293	22.8	30392	22.92	2016	31.8
“ from 1 to 5 years	3120	13.7	2952	13.6	2215	10.5	2157	9.9	2299	10.5	2805	12.1	15548	11.8	990	15.5
Total under 5 years	8366	36.6	7826	35.9	7097	33.7	7399	34.0	7154	32.4	8098	34.9	45940	34.7	3006	47.3
Total from 5 to 10 years	1144	5.1	1150	5.2	825	3.9	806	3.7	951	4.3	1157	4.9	6033	4.5	320	5.1
“ 10 “ 20 “	1499	6.5	1449	6.6	1377	6.5	1296	6.0	1336	6.0	1428	6.3	8385	6.4	311	5.0
“ 20 “ 30 “	2027	8.9	1930	8.8	2105	10.0	2075	9.6	2203	9.9	2049	8.9	12389	9.4	476	7.5
“ 30 “ 40 “	1451	6.3	1359	6.3	1519	7.2	1477	6.8	1605	7.3	1521	6.5	8932	6.7	387	6.1
“ 40 “ 50 “	1302	5.7	1301	5.5	1249	5.9	1267	5.8	1375	6.2	1333	5.8	7727	5.8	355	5.6
“ 50 “ 60 “	1278	5.6	1257	5.8	1283	6.1	1285	5.9	1358	6.1	1376	5.9	7837	5.9	352	5.5
“ 60 “ 70 “	1549	6.8	1590	7.4	1587	7.4	1617	7.4	1701	7.7	1693	7.2	9707	7.4	344	5.4
“ 70 “ 80 “	2059	9.1	1952	8.9	1903	9.1	2251	10.4	2176	9.8	2163	9.3	12503	9.3	437	6.9
“ 80 “ 90 “	1269	5.6	1250	5.8	1254	6.0	1367	6.3	1371	6.4	1486	6.4	7997	6.0	231	3.6
“ 90 “ 100 “ and over....	265	1.1	273	1.2	223	1.1	266	1.4	287	1.3	261	1.2	1575	2.7	40	.6
Ages not given.....	613	2.7	563	2.6	637	3.1	596	2.7	588	2.6	619	2.7	3636	2.7	89	1.4
Total.....	22821	100.00	21800	100.00	21049	100.00	21702	100.00	22105	100.00	23184	100.00	132661	100.00	6348	100.00

TABLE 17.

Nationalities of Decedents over Sixty Years of Age.

PERIODS.		English.	Irish.	Scotch.	Canadian.	American.	German.	French.	Swiss.	Other Countries.	Unknown.	Total.
Deaths between 60 and 70 years	390	467	238	450	54	63	7	2	8	14	1693
" 70 " 80	"	452	661	368	400	125	71	9	5	19	53	2163
" 80 " 90	"	287	477	283	254	92	51	8	3	4	27	1486
" 90 " 100	"	69	87	59	36	41	14	2	6	3	20	337
" 100 " 110	"	1	12	1	6	20
" 110 " 120	"	1	1
" 120 " 130	"	3	3
Total Deaths over 60 years.	1199	1705	949	1146	315	199	26	16	34	114	5703

TABLE 18.
List of Centenarians, 1886.

No.	Name.	Sex.	Occupation.	Where Born.	Age at Birth.	Cause of Death.	Where Died.
1	Andrew Lucas	M.	Labourer	United States	120	Paralysis	Brantford, City.
2	Lucy Thompson	F.		"	103	Old age	Amherstburgh, County of Essex.
3	Calman Freeman	M.	Carpenter	"	121	"	Windsor,
4	Catharine McAuley	F.	Farmer's wife	Ireland	100	Dropsy	Richmond,
5	Edward McCusker	M.	Farmer	"	101	Old age	"
6	Mary Webb	F.	Widow	"	110	"	Sheffield,
7	Sarah Taylor	F.	"	Virginia, U. S.	120	"	Prescott,
8	Matilda McKee	F.	Farmer's wife	Ireland	101	Pneumonia	Louth,
9	James Brown	M.	Farmer	"	100	Old age	Mulmur,
10	Sarah Coulter	F.	Farmer's wife	"	100	"	Melancthon,
11	Antoine Golder	M.	Farmer	"	104	"	Downie,
12	Francois Lalonde	M.	Labourer	Wood Roy, Quebec.	103	"	Renfrew Village, County of Renfrew.
13	Jane Rowan	F.	Farmer's wife	St. Augustine, "	100	"	Caulbridge, County of Prescott and Russell.
14	Thomas McMullen	M.	Farmer	Ireland	104	"	Erin,
15	Nicholas Brennan	M.	"	"	106	"	Arthur,
16	Isabella Heaslip	F.	"	"	100	"	Nepean,
17	Julia Andrews	F.	Indian Woman	Ontario	105	"	Cavan,
18	James Watson	M.	Farmer	Ireland	100	"	Alnwick,
19	Catharine Ross	F.	Widow	Scotland	106	Gangrene	Brighton,
20	Bridget Rogers	F.	"	Ireland	107	Old age	Kinloss,
21	Mary Hurley	F.	Widow	"	100	"	Toronto,
22	Jacobi Miller	M.	Farmer	"	103	"	Barrie, Tp.
23	William Cornell	M.	"	"	107	"	Kingston,
24	Mary Walsh	F.	"	"	100	"	"

TABLE 19.

Ten Highest Causes of Death, with their percentage of the whole number of Deaths from specified causes, for the years 1877 to 1886, inclusive.

1877.			1878.			1879.			1880.		
Whole number of Deaths from specified causes 19,203			Whole number of Deaths from specified causes 16,852			Whole number of Deaths from specified causes 16,897			Whole number of Deaths from specified causes 19,152		
DISEASES.	No. of Deaths.	Per cent. of the whole.	DISEASES.	Number of Deaths.	Per cent. of the whole.	DISEASES.	Number of Deaths.	Per cent. of the whole.	DISEASES.	Number of Deaths.	Per cent. of the whole.
Phthisis.....	2157	11.2	Phthisis.....	1999	11.8	Phthisis.....	2065	12.2	Phthisis.....	1254	11.2
Old Age.....	1661	8.6	Old Age.....	1722	10.2	Old Age.....	1749	10.3	Old Age.....	1658	8.6
Infantile Debility....	1164	6.0	Infantile Debility....	1100	6.5	Infantile Debility....	955	5.6	Infantile Debility....	1300	6.7
Pneumonia.....	1060	5.4	Diphtheria.....	986	5.8	Pneumonia.....	942	5.5	Pneumonia.....	1257	6.5
Diphtheria.....	964	5.0	Pneumonia.....	836	4.9	Heart Disease.....	784	4.6	Diphtheria.....	822	4.2
Scarlet Fever.....	717	3.7	Heart Disease.....	621	3.6	Diphtheria.....	574	3.4	Heart Disease.....	760	3.0
Heart Disease.....	697	3.6	Convulsions.....	454	2.1	Convulsions.....	445	2.6	Convulsions.....	518	2.7
Diarrhea.....	666	3.4	Enteritis.....	417	2.4	Dropsy.....	400	2.3	Bronchitis.....	438	2.3
Convulsions.....	573	2.9	Diarrhea.....	401	2.3	Enteritis.....	393	2.3	Croup.....	429	2.2
Enteritis.....	497	2.5	Typhoid Fever.....	379	2.1	Diarrhea.....	340	2.0	Congestion of Lungs.	419	2.1

TABLE 19—Continued.

1881.			1882.			1883.			1884.		
Whole number of Deaths from specified causes 21,997			Whole number of Deaths from specified causes 21,097			Whole number of Deaths from specified causes 20,299			Whole number of deaths from specified causes 21,149		
DISEASES.	Number of Deaths.	Per cent. of the whole.	DISEASES.	Number of Deaths.	Per cent. of the whole.	DISEASES.	Number of Deaths.	Per cent. of the whole.	DISEASES.	Number of Deaths.	Per cent. of the whole.
Phthisis	2397	10.8	Phthisis	2464	11.6	Phthisis	2500	12.3	Phthisis	2347	11.1
Old Age	1972	8.9	Anæmia	1895	8.9	Old Age	1731	8.5	Old Age	2065	9.7
Infantile Debility	1481	6.7	Old Age	1841	8.7	Anæmia	1600	7.8	Anæmia	1697	8.0
Diphtheria	1171	5.3	Pneumonia	1322	6.2	Pneumonia	1335	6.5	Pneumonia	1255	5.9
Pneumonia	1137	5.1	Diphtheria	1239	5.8	Heart Disease	921	4.5	Heart Disease	929	4.3
Heart Disease	886	4.0	Heart Disease	753	3.5	Diphtheria	709	3.5	Diphtheria	668	3.1
Diarrhoea	818	3.7	Typhoid Fever	555	2.6	Convulsions	548	2.7	Paralysis	535	2.5
Typhoid Fever	616	2.8	Scarlatina	543	2.5	Bronchitis	497	2.4	Diarrhoea	531	2.5
Croup	533	2.4	Diarrhoea	497	2.3	Diarrhoea	471	2.3	Convulsions	527	2.4
Convulsions	509	2.3	Convulsions	492	2.3	Typhoid Fever	469	2.2	Enteritis	512	2.4

TABLE 20.—Shewing the Population and Deaths in each County; also

COUNTIES.	Estimated Population for 1886.	No. of Deaths.	Ratio to Population.	PHTHISIS.		OLD AGE.		ANÆMIA.	
				No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.
Algoma	22350	234	10.4	17	.7	10	.4	22	1.0
Braut	37239	428	11.5	44	1.1	40	1.0	14	.4
Bruce	71244	509	7.1	60	.8	54	.8	67	.9
Carleton	70513	1486	21.7	140	2.0	106	1.5	164	2.3
Dufferin	22589	238	10.5	13	.6	26	1.1	22	.9
Elgin	46597	373	8.0	39	.8	37	.8	31	.7
Essex	51218	760	14.8	77	1.1	42	.8	77	1.5
Frontenac	46812	556	12.0	60	1.2	64	1.3	35	.7
Grey	77582	581	7.4	43	.5	67	.8	39	.8
Haldimand	27491	225	8.2	18	.5	25	.9	10	.3
Halton	24112	243	10.0	24	1.0	13	.5	11	.4
Haliburton	6511	43	6.9	5	.7
Hastings	60712	497	8.1	62	1.2	56	.9	31	.5
Huron	84179	581	7.0	66	.8	60	.7	37	.4
Kent	59769	526	8.8	58	.9	43	.7	16	.2
Lambton	57238	548	9.5	49	.8	30	.5	38	.6
Lanark	37372	375	10.0	40	1.0	49	1.3	12	.3
Leeds and Grenville	66181	654	10.0	102	1.5	75	1.1	35	.5
Lemnox and Addington	29133	209	7.1	35	1.2	24	.8	8	.2
Lincoln	34719	431	12.4	54	1.5	41	1.2	22	.6
Middlesex	102389	1041	10.1	109	1.0	96	.9	64	.6
Muskoka and Parry Sound	29936	304	10.1	21	.7	20	.6	33	1.1
Norfolk	36879	322	8.9	43	1.1	36	1.0	10	.3
Northumberland and Durham	85129	674	7.9	91	1.1	92	1.0	42	.5
Ontario	53693	473	8.8	51	.9	53	.9	25	.4
Oxford	55176	519	9.4	58	1.0	50	.9	36	.6
Peel	28793	296	10.3	31	1.0	43	1.5	19	.6
Perth	59055	537	9.1	50	.8	58	.9	31	.5
Peterborough	33270	321	9.6	29	.8	26	.8	18	.5
Prescott and Russell	41826	668	15.1	41	.9	45	1.0	140	3.3
Prince Edward	23149	282	12.1	41	1.7	37	1.6	14	.6
Renfrew	44271	423	9.5	41	.9	40	.8	38	.8
Simcoe	82394	587	7.1	58	.7	62	.7	46	.5
Stormont, Dundas and Glengarry	72618	589	8.1	83	1.1	81	1.1	44	.6
Victoria	37021	296	8.0	33	.8	25	.7	18	.4
Waterloo	47008	536	11.4	49	1.0	58	1.2	27	.6
Welland	34948	307	8.7	42	1.2	39	1.1	6	.1
Wellington	72808	702	9.6	74	1.0	74	1.0	49	.6
Wentworth	73649	1224	16.6	137	1.8	86	1.1	59	.8
York	168408	3586	21.3	336	2.0	240	1.4	248	1.4
	2115971	23184	11.0	2419	1.14	2121	1.0	1664	.78

the ten highest Causes of Death, with their ratio to Population in 1886.

PNEUMONIA.		DIPHTHERIA.		HEART DISEASE.		CONVULSIONS.		DIARRHŒA.		ENTERITIS.		PARALYSIS.	
No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.
12	.5	18	.8	7	.3	7	.3	7	.3	5	.2	1	.05
40	1.0	32	.8	24	.6	14	.4	10	.2	16	.4	22	.6
39	.5	6	.08	15	.2	9	.1	13	.2	17	.2	12	.1
71	1.0	57	.8	78	1.1	25	.3	80	1.1	27	.3	32	.4
18	.8	15	.6	7	.3	9	.4	3	.1	7	.2		
15	.3	28	.6	24	.5	8	.1	3	.6	8	.1	15	.3
50	.9	102	2.0	22	.4	7	.1	19	.3	13	.2	14	.2
17	.3	22	.5	42	.9	20	.4	12	.2	14	.3	12	.2
40	.5	9	.1	30	.4	10	.1	12	.1	12	.1	14	.1
17	.2	7	.2	12	.4	3	.1	5	.1	5	.1	14	.5
23	.9	12	.5	14	.5	9	.3	6	.2	2	.08	9	.3
2	.3	14	2.0	2	.3	1	.1	1	.1	1	.01	1	.01
21	.3	12	.2	21	.3	15	.2	3	.05	8	.1	9	.1
41	.4	11	.1	45	.5	17	.2	13	.1	16	.2	19	.2
40	.6	40	.6	40	.6	9	.1	24	.4	19	.3	14	.2
37	.7	39	.7	24	.4	12	.2	19	.3	11	.2	5	.08
30	.8	15	.4	17	.4	4	.1	8	.2	5	.1	4	.1
32	.5	21	.3	36	.5	10	.1	17	.2	21	.3	8	.1
7	.2	22	.7	11	.4	3	.1	2	.06	6	.2	10	.3
31	.9	9	.2	25	.7	12	.4	9	.2	4	.1	17	.5
78	.7	51	.5	55	.5	23	.2	24	.2	31	.3	27	.2
24	.8	28	.9	14	.4	14	.5	6	.2	9	.3	1	.03
23	.6	8	.2	21	.5	12	.3	12	.3	6	.1	3	.03
43	.5	16	.2	32	.4	9	.1	12	.1	20	.2	21	.2
27	.5	16	.3	14	.2	21	.4	8	.1	11	.2	11	.2
52	.9	14	.2	39	.7	18	.3	5	.09	14	.2	17	.3
21	.7	13	.4	15	.5	2	.07	1	.03	2	.07	14	.4
55	.9	13	.2	26	.4	16	.2	13	.2	14	.2	10	.1
33	1.0	21	.6	9	.2	13	.4	18	.5	12	.3	7	.2
11	.2	159	3.8	13	.3	5	.1	5	.1	4	.09	5	.1
9	.3	9	.4	18	.7	5	.2			8	.3	3	.1
14	.3	64	1.4	10	.2	3	.06	7	.1	8	.2	4	.09
30	.3	51	.6	27	.3	21	.2	18	.2	19	.2	17	.2
29	.4	45	.6	14	.2	9	.1	21	.3	10	.1	13	.2
21	.5	13	.3	13	.1	10	.2	2	.05	13	.3	8	.2
49	1.0	16	.3	22	.4	26	.5	26	.5	15	.3	8	.1
12	.3	14	.4	24	.7	9	.1	6	.1	5	.1	11	.3
59	.8	19	.2	37	1.0	22	.3	11	.1	15	.2	20	.2
95	1.2	117	1.5	54	.7	26	.3	42	.5	30	.4	18	.2
239	1.4	228	1.3	137	.8	154	.9	100	.6	53	.3	57	.3
1507	.71	1406	.66	1090	.51	622	.29	603	.28	516	.24	507	.23

TABLE 21.—Showing the Population and Deaths in each City ;

CITIES.	Population according to Assessors.	Total Deaths.	Ratio to Population.	NERVOUS DISEASES.		PNEUMONIA & BRONCHITIS.		PHTHISIS.		ANEMIA.	
				No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.
Toronto.....	118403	2850	24.2	340	2.8	339	2.8	294	2.4	251	2.1
Hamilton	41712	768	18.4	74	1.7	83	1.9	91	2.1	46	1.8
Ottawa	34857	1100	31.5	89	2.5	87	2.5	96	2.7	143	4.1
London	26047	389	14.9	49	2.8	47	1.8	31	1.1	23	.9
Kingston	15827	282	17.7	24	1.5	31	1.9	32	2.0	19	1.2
Brantford	12570	193	15.3	33	2.6	26	2.0	22	1.7	3	.2
St. Thomas	10127	137	13.5	16	1.5	11	1.1	14	1.3	17	1.6
Guelph	10216	182	17.8	16	1.5	24	2.3	15	1.0	21	2.0
St. Catharines	9779	172	17.6	22	2.2	14	1.4	24	2.4	15	1.5
Bellville	10076	150	14.8	29	2.8	12	1.1	17	1.6	3	.3
Stratford	9069	125	13.7	15	1.6	22	2.4	6	.6	11	1.2
Total	298683	6348	21.2	707	2.36	696	2.3	642	2.07	552	1.8

TABLE 22.—Showing the Population and Deaths in each Town ; also

TOWNS.	Population by Assessors.	Number of Deaths.	Ratio to Population.	PHTHISIS.		NERVOUS DISEASES.*		PNEUMONIA.*		OLD AGE.	
				No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.
Kincardine	2886	43	14.9	7	2.4	3	1.0	2	.6	7	2.4
Windsor	7336	130	17.7	8	1.1	12	1.6	12	1.6	7	.9
Owen Sound	5672	87	15.3	5	.9	3	.5	13	2.2	4	.7
Goderich	3927	40	10.1	4	1.0	8	2.0	4	1.0	3	.7
Chatham	8457	119	14.0	19	2.2	11	1.3	13	1.5	11	1.3
Sarnia	5288	60	11.3	6	1.1	3	.5	7	1.3	1	.2
Perth	3930	81	20.6	10	2.2	9	2.2	6	1.5	7	1.7
Napanee	3414	50	14.6	11	3.2	11	3.2	4	1.1	1	.3
Brockville	8320	149	17.9	21	2.5	18	2.1	9	1.0	11	1.3
Cobourg	4940	39	8.0	7	1.4	5	1.0	5	1.0	6	1.2
Port Hope	5514	46	8.4	6	1.1	10	1.8	3	.5	6	1.8
Whitby	3023	36	11.9	4	1.2	5	1.6	3	1.0	4	1.3
Woodstock	6718	60	9.0	6	.8	10	1.5	5	.7	4	.6
Brampton	3313	76	22.9	9	2.3	9	2.3	4	1.2	10	3.0
Peterborough	8149	121	14.8	8	1.0	21	2.5	18	2.2	6	.7
Camwall	5710	74	12.9	13	2.1	4	.7	8	1.4	2	.3
Pictou	2825	50	17.7	6	2.0	1	.3	7	2.4	6	2.1
Baie	4412	57	12.9	3	.7	5	1.1	10	2.2	6	1.3
Pembroke	3666	83	22.6	5	1.3	7	1.9	6	1.6	4	1.1
Lindsay	5512	59	10.7	9	1.6	12	2.1	5	.9	4	.7
Berlin	5343	72	13.4	6	1.1	8	1.4	3	.5	15	2.8
Galt	6322	93	14.7	15	2.3	7	1.1	19	3.0	6	.9
Orangeville	3100	69	22.2	4	1.3	1	.3	5	1.6	5	1.6
Paris	3311	47	14.1	7	2.1	6	1.7	1	.3	4	1.2
Total	121088	1741	14.3	199	1.6	189	1.5	172	1.4	140	1.1

*Nervous diseases include Infantile Convulsions. *Pneumonia

also the ten highest causes of death with their ratio to Population.

DIPHTHERIA.		OLD AGE.		HEART DISEASES.		DIARRHŒAL DISEASES.		ENTERITIS AND GASTRITIS.		CHOLERA INFANTUM.	
No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.
177	1.5	128	1.0	136	1.1	106	.9	96	.8	76	.6
78	1.8	28	.7	37	.8	44	1.0	39	.9	28	.6
38	1.1	53	1.5	44	1.2	76	2.2	32	1.0	26	.7
19	.7	16	.6	18	.7	11	.4	14	.5	12	.4
9	.5	33	2.1	14	.9	9	.5	9	.5	5	.3
14	1.1	10	.8	17	1.3	7	.5	7	.5	2	.1
8	.7	6	.6	7	.7	2	.2	6	.6	12	1.1
5	.4	17	1.6	16	1.5	8	.8	5	.5	1	.1
5	.5	9	.9	7	.7	2	.2	3	.3	11	1.1
1	.1	20	2.0	9	.9	1	.1	3	.3	4	.4
1	.1	13	1.4	6	.6	6	.6	4	.4	3	.3
355	1.2	333	1.1	311	1.04	272	.9	218	.7	180	.6

the ten highest causes of Death, with their ratio to Population in 1886.

ANÆMIA. *		DIPHTHERIA.		HEART DISEASE.		ENTERITIS.		DIARRHŒA AND DYSENTERY.		KIDNEY DISEASE.	
No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.	No. of Deaths.	Ratio to Population.
13	4.5			2	.7					1	.4
18	2.4	23	3.1	9	1.2	5	.6	2	.4	1	.1
9	1.5			6	1.0	13	2.2	2	.3	2	.2
3	.7			1	.2	4	1.0			2	.5
4	.4	8	.9	5	.6	7	.8	3	.3	4	.4
8	1.5	7	1.3	3	.5	1	.2	3	.5	2	.3
5	1.2	3	.7	2	.6			3	.7		
		2	.6	3	.7	2	.7	1	.3	1	.3
11	1.3	3	.3	10	1.2	7	.8	8	.9	4	.4
1	2.0			10	2.0					2	.4
				3	.5	3	.5	1	.1	3	.5
4	1.3			1	.3	1	.3	1	.3	2	.6
7	1.0	1	.1	3	.4	2	.2			6	.8
6	1.8	3	.9	6	1.8			2	.6	1	.3
3	.3	16	1.9	2	.2	6	.7	1	.1	4	.4
8	1.4	7	1.2	1	1.7	5	.8	7	1.2	2	.3
6	2.1	1	.3	3	1.0	6	2.1			1	.3
		3	.7	2	.4	1	.2	4	.9	4	.9
3	.8	29	7.9	2	.5	4	1.0	2	.5	2	.5
		6	1.0	6	1.1	1	.1			1	.1
7	1.3			1	.1	3	.5	3	.5	2	.3
1	.1	4	.6	7	1.1	3	.5	3	.5		
12	4.0	2	.6	1	.3	1	.3			1	.3
3	.9			2	.6	2	.6	5	1.5	1	.3
132	1.0	118	.98	91	.7	78	.6	66	.5	49	.4

includes Bronchitis. *Anæmia includes Infantile Debility.

TABLE 23.—Showing the Population and Deaths in the rural districts of each

COUNTIES.	Population.	Total No. of Deaths, 1886.	Ratio to Population.	OLD AGE.	
				No. of Deaths.	Ratio to 1000 of Population.
Algoma	22350	234	10.4	10	.4
Brant	19787	188	9.5	26	1.3
Bruce	68075	466	6.8	47	.7
Carleton	32171	386	12.0	53	1.6
Dufferin	19180	169	8.8	21	1.9
Elgin	35457	236	6.6	31	.8
Essex	43143	630	13.1	35	.8
Frontenac	29401	274	9.3	31	1.0
Grey	71341	494	6.9	63	.8
Haldimand	27490	225	8.2	25	.9
Halton	24119	243	10.0	13	.5
Haliburton	6511	43	6.6		
Hastings	49627	347	7.0	36	.7
Huron	79856	541	6.7	57	.7
Kent	50464	407	8.0	32	.6
Lambton	51421	488	9.4	29	.5
Lanark	33050	294	8.9	42	1.2
Leeds and Grenville	57027	505	8.8	62	1.0
Lennox and Addington	25375	159	6.2	23	.9
Lincoln	23962	259	10.7	32	1.4
Middlesex	73737	652	8.7	80	1.0
Muskoka and Parry Sound	39924	304	10.1	20	.7
Norfolk	36880	322	8.9	36	1.0
Northumberland and Durham	73630	589	8.0	80	1.1
Ontario	50368	437	8.6	49	.9
Oxford	47782	459	9.6	46	.9
Peel	25146	220	8.7	33	1.3
Perth	49079	412	8.3	45	.9
Peterborough	24305	200	8.2	20	.8
Prescott and Russell	41826	668	15.1	45	1.7
Prince Edward	20040	232	11.5	31	1.5
Renfrew	40237	340	8.4	36	.8
Simcoe	77541	530	6.8	56	.7
Stormont, Dundas and Glengarry	66337	515	7.7	79	1.1
Victoria	30957	237	7.6	21	.6
Waterloo	34179	371	10.8	37	1.0
Welland	34948	307	9.0	39	1.1
Wellington	61573	520	8.4	57	.9
Wentworth	27764	456	16.4	58	2.0
York	38165	736	19.2	112	3.2
Total	1654223	15095	9.1	1648	1.0

County ; also the five highest causes of Death, with their ratio to Population.

PHTHISIS.		DIPHTHERIA.		DIARRHŒAL AFFECTIONS.		TYPHOID FEVER.	
No. of Deaths.	Ratio to 1000 of Population.	No. of Deaths.	Ratio to 1000 of Population.	No. of Deaths.	Ratio to 1000 of Population.	No. of Deaths.	Ratio to 1000 of Population.
17	.8	18	.8	10	.4	1	.04
15	.7	18	.9			6	.3
53	.8	6	.09	13	.2	9	.1
44	1.3	19	.6	9	.3		
9	.4	13	.7	4	.2	1	.05
25	.7	20	.5	1	.02	5	.1
69	1.6	79	1.8	19	.4	21	.5
28	.9	13	.4	3	.1	2	.07
38	.5	9	.1	13	.1	3	.04
18	.6	7	.2	5	.2	2	.7
24	1.0	12	.5	7	.2	3	.1
		14	2.3	1	.1		
45	.9	11	.2	2	.04	6	.1
62	.7	11	1.3	23	.3	12	.1
39	.7	32	.6	24	.4	4	.08
43	.8	32	.6	22	.4	11	.2
30	.9	12	.3	7	.2	2	.06
81	1.4	18	.3	10	.2	4	.07
24	.9	20	.8	1	.03	4	.1
30	1.2	4	.1	7	.3	4	.1
78	1.0	32	.4	21	.2	14	.2
21	.7	28	.9	8	.2	1	.03
43	1.1	8	.2	14	.4	16	.2
78	1.0	16	.2	13	.1	5	.06
47	.9	16	.3	11	.2	11	.2
52	1.1	13	.2	8	.1	13	.2
22	.8	10	.4	3	.1	4	.1
44	.9	12	.2	13	.2	14	.3
21	.8	5	.2	5	.2	2	.08
41	1.0	159	.3	6	.1	2	.04
35	1.7	8	.2			5	.2
36	.9	35	.8	7	.1	3	.07
55	.7	48	.6	15	.2	5	.06
70	1.0	38	.5	18	.2	6	.09
24	.7	7	.2	5	.1	2	.06
28	.8	12	.3	23	.6	2	.06
42	1.2	14	.4	6	.2	10	.3
59	.9	14	.2	6	.1	9	.1
46	1.6	39	.1	7	.2	10	.3
42	1.1	51	.1	8	.1	13	.3
1578	.95	933	.56	378	.23	247	.15

TABLE 24.

DEATHS BY OCCUPATIONS.

Average Age - - - - - 57.5 years.

List of those who died over the Average Age. Number 3,264.

OCCUPATIONS.	No. of Deaths.	Average Age at Death.	OCCUPATIONS.	No. of Deaths.	Average Age at Death.
Dentists.....	1	77 yrs.	Masons	46	61.5 yrs.
Coopers	21	70 "	Tailors	48	61.0 "
Gentlemen	214	69 "	Miners	10	60.2 "
Volunteers, Soldiers, etc	47	68.5 "	Gardeners....	34	59.6 "
Weavers.....	30	64.7 "	Shoemakers	89	59.2 "
Clergymen	33	63.5 "	Teachers, male.....	38	58.0 "
Farmers	2642	62.8 "	Bricklayers.....	11	57.8 "

List of those who died under the Average Age. Number 2,536.

OCCUPATIONS.	No. of Deaths.	Average Age at Death.	OCCUPATIONS.	No. of Deaths.	Average Age at Death.
Millwrights	7	57.1 yrs.	Hunters and Fishermen.....	13	45.6 yrs.
Plasterers	15	56.0 "	Lawyers	22	45.0 "
Contractors and Builders.....	30	55.8 "	Peddlars	7	44.7 "
Tanners and Curriers	7	55.5 "	Engineers	35	44.5 "
Carpenters	173	55.3 "	Editors	3	44.3 "
Bakers and Confectioners	21	55.1 "	Saddlers and Harness-makers.	18	44.0 "
Manufacturers.....	46	54.3 "	Painters.....	28	43.8 "
Millers.....	31	54.1 "	Watchmakers and Jewellers ..	13	43.2 "
Physicians	36	54.0 "	Musicians	7	43.0 "
Labourers	795	53.4 "	Servants (Female)	77	42.7 "
Brewers and Distillers	11	53.0 "	Moulders.....	20	42.6 "
Merchants.....	150	53.0 "	Lumbermen	30	42.5 "
Butchers	45	53.0 "	Tinsmiths	19	41.4 "
Chemists and Druggists.....	15	52.1 "	Stonecutters.....	13	41.0 "
Brickmakers	8	51.8 "	Machinists	40	40.3 "
Carriage and Waggon-makers..	37	51.0 "	Artists	11	38.7 "
Cabinet-makers	18	50.8 "	Printers.....	22	38.2 "
Public Officials	90	50.0 "	Barbers	16	37.4 "
Bankers.....	14	50.0 "	Book-keepers	123	37.3 "
Blacksmiths	75	49.0 "	Milliners and Dressmakers....	27	35.6 "
Sailors	35	47.0 "	Provincial Land Surveyors....	2	35.0 "
Agents	38	47.0 "	Railroad Employees	55	35.0 "
Other Mechanics	82	46.3 "	Seamstresses	30	34.8 "
Teamsters	38	46.2 "	Telegraph Operators.....	4	31.6 "
Tavern-keepers	56	45.8 "	Tobacconists	9	29.2 "
Cooks	3	45.6 "	Teachers (Female)	16	25.2 "

TABLE 25.

A STATISTICAL CLASSIFICATION of the number of Deaths of persons whose occupations were specified (not including Farmers' Wives and Housewives) and giving the Number, Aggregate and Average Age.

OCCUPATIONS.	NUMBER OF PERSONS.	AGES AT DEATH.	
		Aggregate.	Average.
CLASSES AND OCCUPATIONS.			
I. CULTIVATORS OF THE SOIL	2676	168164	62.8 years.
II. MECHANICS	1016	53300	52.4 "
III. LABOURERS	840	44625	53.1 "
IV. MERCHANTS, FINANCIERS, ETC.	476	22400	47.0 "
V. PROFESSIONAL MEN	508	29476	58.0 "
VI. OTHER EMPLOYMENTS	150	7416	49.4 "
VII. FEMALES AT WORK	134	5301	39.5 "
Total	5800	330682	37.0 "
CLASS I.—CULTIVATORS OF THE SOIL.			
Farmers	2642	166135	62.8 year
Gardeners	34	2029	59.6 "
Total Class I	2676	168164	62.8 "
CLASS II.—MECHANICS.			
Blacksmiths	75	3684	49.0 years.
Brickmakers	8	415	51.8 "
Brewers and Distillers	11	588	53.4 "
Bricklayers	11	636	57.8 "
Barbers	16	599	37.4 "
Butchers	45	2386	53.0 "
Bakers and Confectioners	21	1158	55.1 "
Carpenters	173	9577	55.3 "
Cabinet-makers	18	915	50.8 "
Carriage and Waggon-makers	37	1886	51.0 "
Coopers	21	1469	70.0 "
Cooks	3	137	45.6 "
Contractors and Builders	30	1676	55.8 "
Masons	46	2832	61.5 "
Machinists	40	1615	40.3 "
Moulders	20	855	42.6 "
Millers	31	1677	54.1 "
Millwrights	7	400	57.1 "
Miners	10	602	60.2 "
Other Mechanics	82	3756	46.0 "
Painters	28	1229	43.8 "
Printers	22	842	58.2 "
Plasterers	15	840	56.0 "
Stone-cutters	13	534	41.0 "
Shoemakers	89	5276	59.2 "
Saddlers and Harness-makers	18	800	44.4 "
Tinsmiths	19	788	41.4 "
Tobacconists	9	263	29.2 "
Tailors	48	2932	61.0 "
Tanners and Curriers	7	389	55.5 "
Watchmakers and Jewellers	13	562	43.2 "
Weavers	30	1942	64.7 "
Total Class II	1016	53300	52.4 "

TABLE 25—Continued.

OCCUPATIONS.	NUMBER OF PERSONS.	AGE AT DEATH.	
		Aggregate.	Average.
CLASS III.—LABOURERS.			
Labourers	795	42554	53.4
Pedlars	7	313	44.7
Teamsters	38	1758	46.2
Total Class III	840	44625	53.1
CLASS IV.—MERCHANTS, ETC.			
Agents	38	1786	47.0
Book-keepers, Salesmen and Clerks	123	4606	37.3
Bankers	14	701	50.0
Chemists and Druggists	15	782	52.1
Manufacturers	46	2484	54.3
Merchants	150	7944	53.0
Tavern-keepers	56	2569	45.8
Telegraph Operators	4	126	31.6
Lumbermen	30	1402	42.5
Total Class IV	476	22400	47.0
CLASS V.—PROFESSIONAL MEN.			
Artists	11	427	38.7
Clergymen	33	2096	63.5
Dentists	1	77	77.0
Engineers	35	1560	44.5
Editors	3	133	44.3
Lawyers	22	990	45.0
Musicians	7	301	43.0
Physicians	36	1943	54.0
Public Officials	90	4503	50.0
Provincial Land Surveyors	2	70	35.0
Teachers, Male	38	2209	58.0
“ Female	16	404	25.2
Gentlemen	214	14763	69.0
Total Class V	508	29476	58.0
CLASS VI.—OTHER EMPLOYMENTS.			
Hunters and Fishermen	13	593	45.6
Railroad Employees	55	1958	35.0
Sailors	35	1645	47.0
Volunteers, Soldiers and Pensioners	47	3220	68.5
Total Class VI	150	7416	49.4
CLASS VII.—FEMALES AT WORK.			
Domestic Servants	77	3293	42.7
Milliners and Dressmakers	27	962	35.6
Seamstresses	30	1046	34.8
Total Class VII	134	5301	39.5

Diagram showing the ratio of Births to each 1000 of the Population in each County of the Province in 1886.





Diagram showing the ratio of Births to each 1000 of the Population in each City and Town in the Province in 1888.



The figures at the top of the perpendicular lines indicate the ratio of births to each 1000 of the population during the year. The spaces are fractional parts of one.

Diagram showing the ratio of Deaths to each 1000 of the Population in each County of the Province in 1886.





Diagram showing the ratio of Deaths to each 1000 of the Population in each City and Town in the Province in 1886.



The figures at the top of the perpendicular line indicate the ratio of deaths during the year to each 1000 of the population. The spaces are fractional parts of one.

REMARKS ON THE TABLES OF DEATHS.

Tables showing the causes of death, the ages and months of those who died in each city, town, and also for the rural districts apart from the Province, have been compiled (see Appendix, Table G page C. to CLXIII.) with the object of comparing the ratio of death from different diseases in those divisions. Abstracts and deductions will be found in Tables 20, 21, 22 and 23, pages 28 to 33 inclusive.

As the population of the Province increases, so will the number of deaths naturally increase; if the ratio of increase, however, is not exceptionally high, it does not predicate an unhealthy condition of the Province.

A comparison between the mortality in the year 1882 with that in 1886 appears to prove this. In 1882 (the year in which the census of 1881 was used) the population of the Province was 1,923,610, the deaths registered numbered 21,800, or a ratio of 11.3 per 1,000 of the population; in 1886 the number of deaths registered was 23,184, an increase of 1,384 deaths, the ratio being 11.0 per 1000, slightly lower than in 1882, although the population is estimated to have increased to 2,115,971 in 1886.

(See Tables 1, 2 and 3.)

There was an increase of 1,076 deaths in 1886, principally in the following Counties, which contain the large cities:—York, including Toronto, 593; Carleton, including Ottawa, 230 and Wentworth, including Hamilton, 127. The principal decreases were in the Counties of Northumberland and Durham (united), 182; Hastings, 129; Welland, 70; and Peterborough, 60.

CITIES.

The returns show that the mortality increases proportionately more rapidly in cities than in the rural districts. The total number of deaths in the eleven cities in 1882 was 5,031; the population was 239,888, and the ratio 20.2 per 1000. In 1886 the deaths numbered 6,348, and the population was 298,683, giving a ratio of 21.2 per 1,000; this shows an increase of 1,317 deaths; of population, 58,795; and of ratio, 1.0 per 1,000; whereas, in the whole Province for the same period, although there was an increase both of deaths and population, the ratio per 1,000 had not increased. Every city, except Belleville, returned an increase in the number of deaths in 1886, principally the City of Toronto, where the increase was 457. There was also a large increase in the returns of deaths from Ottawa, viz., 173. This city has always returned the highest death rate of the cities. One of the causes is that a large number of the deaths which take place in the Hospitals and other Institutions in the city are of those who were temporary residents of Ottawa at the time of death. If the deaths of these temporary residents were kept separate for the purpose of statistics, the true death-rate of the city would not appear so exceptionally high.

TOWNS.

The following towns returned the highest increase in the number of deaths, viz., Pembroke, 37; Orangeville, 33; Owen Sound, 32; and Windsor, 28; and the towns returning the largest decrease were Lindsay, 13; Picton, 7; and Napanee and Whitby, 6 each.

The highest mortality to population was in Brampton, 22.9 per 1000; Pembroke, 22.6 per 1,000; Orangeville, 22.2 per 1000; and Perth, 20.6 per 1000.

There was one death in every 91.2 of the population of the Province, one in every 47 in the cities, one in every 70 in the towns, and one in every 109.5 in the rural districts.

SEX.

(See Table 14.)

There were registered during the year the deaths of 11,922 males and 11,262 females. The death-rate of the males was 11 per 1,000, of the females 10·8 per 1,000, slightly below the average rates for the last six years. The proportion between the males and females was as 1,058·6 males to 1,000 females.

SEASONS.

(See Tables 14 and 15.)

The influence of the seasons upon mortality is shown in tables 14 and 15. They present the number and percentage of deaths in each month and quarter of the year. The mortality was the highest in March, but numerically not so large as in 1885. The number of deaths registered in September was 417 more than in that month in the previous year, causing it to rank second in the order of deaths by months. In 1885, September ranked lowest but one. This large increase in the number of deaths was owing to the more than average mortality from Cholera Infantum, Diarrhoeal diseases and Diphtheria during that month. The deaths were the most numerous in the first quarter of the year, and the least in the second. Last year the fourth quarter returned the lowest number of deaths.

AGES.

(See Table 16.)

Table 16 shows the percentage of decedents in each division of ages to the whole number of deaths in each of the last six years, also the total number of deaths. There was an increase in the period under five years of 944; also, an increase of 206 in the period between five and ten years, being a total increase in these two periods of 1,150 deaths. There was, however, a decrease in nearly all the other periods. The large increase in the early periods of life was principally in the cities, as they returned 220 more deaths under one year, 393 more in the period between one and five years, and 57 more in the period from five to ten years, a total increase in those places in the three periods of 670, of which Ottawa returned 135. The number and percentage of deaths of persons over seventy years of age to the total mortality was as follows:—In the cities, 708 persons died at that age, 11·1 per cent. of all the deaths; in the towns, 256, or 14·7 per cent.; and in the rural districts, 2,946, or 19 per cent., showing that the largest percentage of deaths of persons over seventy years of age died in the rural districts.

CENTENARIANS.

The return of persons dying at the age of 100 years and over is given in Table 18. It will be noticed that two of them are reported as having reached the extraordinary age of 120 years, and in one case to 121 years. Enquiries were made respecting these centenarians and, with the exception of the case of Mary Webb, whose birth is recorded in the family bible as having been born in Tyrone, Ireland, November 2nd, 1774, no reliable evidence has been furnished to establish that the parties named were of the ages given at the time of death.

NATIONALITY OF DECEDENTS OVER 60 YEARS OF AGE.

There were 5,703 persons registered whose ages at death were over sixty years, an increase in the number so returned in 1885 of 168. Nearly 30 per cent., or 1,705, were Irish; 1,199, or 21 per cent., were English; 1,146, or 20 per cent., were Canadians; 49, or 16·6 per cent., were Scotch; 315, or 5·5 per cent., were Americans, and the remainder were Germans, French, and Swiss.


Table showing the Five Highest Causes of Death in Each Period of Age.

Ages.	Total deaths.	1.	2.	3.	4.	5.
Under one year.....	5293	Anæmia..... 1273	Diarrhea..... 476	Convulsions 471	Cholera Infantum. 370	Pneumonia..... 268
1 to 5 years.....	2805	Diphtheria..... 580	Croup..... 252	Pneumonia..... 235	Anæmia..... 166	Scarlet Fever... 147
5 " 10 ".....	1157	Diphtheria..... 470	Croup..... 74	Pneumonia..... 66	Teething 52	Scarlet Fever... 50
10 " 15 ".....	594	Diphtheria..... 147	Pthisis..... 36	Pneumonia..... 32	Typhoid Fever... 30	Heart disease... 22
15 " 20 ".....	834	Pthisis..... 235	Pneumonia..... 59	Diphtheria..... 57	Typhoid Fever... 55	Heart disease... 41
20 " 30 ".....	2049	Pthisis..... 872	Pneumonia..... 138	Typhoid Fever.. 101	Heart disease..... 75	Enteritis..... 37
30 " 40 ".....	1521	Pthisis..... 462	Pneumonia..... 128	Heart disease... 92	Typhoid Fever... 58	Enteritis..... 37
40 " 50 ".....	1333	Pthisis..... 261	Pneumonia..... 114	Heart disease... 89	Cancer 52	Apoplexy..... 39
50 " 60 ".....	1376	Pthisis..... 191	Pneumonia..... 124	Heart disease... 134	Cancer 83	Paralysis..... 58
60 " 70 ".....	1693	Heart disease... 206	Paralysis..... 140	Cancer 135	Pneumonia..... 133	Pthisis..... 122
70 " 80 ".....	2163	Old Age..... 895	Heart disease... 183	Paralysis..... 122	Pneumonia..... 122	Dropsy..... 85
80 " 90 ".....	1747	Old Age..... 1226	Paralysis..... 73	Heart disease... 52	Pneumonia..... 51	Dropsy..... 43
Not stated.....	619
Total.....	23184


This table shows the principal causes of death, according to priority, in each period of age. It will be seen that Anæmia, Diarrhœa, and Convulsions were the prevailing cause of death in the period under one year. In the next period, between one and five years, Diphtheria ranked as the highest cause of death, with Croup and Pneumonia second and third, and they occupied the same position in the periods from five to ten years and from ten to fifteen years, with the exception that Phthisis takes the place of Croup in the latter period. In the next five periods, ending at sixty years, Phthisis and Pneumonia rank first and second as the principal causes of death in all of those periods. Heart disease held the third place in three of these periods, and Diphtheria and Typhoid Fever were each third in the fifth and sixth period of age respectively. In the period between sixty and seventy years, Heart Disease was the most fatal, Paralysis second, and Cancer third. Between seventy and eighty years 42 per cent. of all the deaths were from old age. The next highest was Heart Disease, followed by Paralysis. In the next and last period, eighty years and over, Old Age again ranks as the highest cause of death, Paralysis second, and Heart Disease third. Scarlet Fever, Enteritis, Apoplexy, and Dropsy did not either of them rank higher than the fifth cause of death in any period.

No. 1.


Death Wave in the Province, in the Cities, Towns and Rural Districts for 1896.



The Following Diagrams present a Comparison of the Per Centages of Deaths from



Old Age, Phthisis, Diphtheria and Typhoid Fever in each month of the year 1886.



EXPLANATION OF DIAGRAMS.

(Diagram No. 1.)

DEATH WAVE 1886.

The percentage of mortality in each of the four divisions of the Province is shown in this diagram.

The following is an explanation of the various lines:—The four divisions of the Province are indicated by different lines, viz., the Province by short straight lines — — —, the cities by a continuous straight line ———, the towns by dotted lines, and the rural districts by crosses + +. The round dot on these lines in each column indicates the percentage of deaths in each month, *i. e.*, in the month of January a dot is placed on the line for the Province opposite the figure 7·6 in the column of the percentages, therefore, 7·6 per cent. of all the deaths in the Province took place in January. In like manner, the dot on the line for the cities in January is opposite 8·6, therefore, 8·6 per cent. of all the deaths in the cities were in that month; and similarly the dots on the lines for the towns and rural districts show the percentage of deaths in those places. In the same manner, the dots on the different lines in the other months show the percentage of deaths in each of the months.

The two high points of mortality were for the Province, in March and September; and they were the same in the rural districts. In the cities, the two high points of mortality were in April and July, and, in the towns, in April and August. The largest percentage of deaths in these high points was, in the towns in August, 10·2 per cent., and the lowest, in the cities in July, 9·0 per cent., a difference of 1·2 per cent. between those two high points. The two low points in the death wave were the same in the Province, in the cities, and in the rural districts, viz., June and November. In the towns, the low points of mortality were in January and December.

The lowest of these low points was in the towns, 6·4 in December, and the highest in the Province, 7·7 per cent. in November.

Diagrams 2 and 3,

Percentage of deaths from Old Age, Phthisis, Diphtheria and Typhoid Fever.

OLD AGE.

It will be seen that the percentage of mortality from Old Age was the highest in March in the rural districts, being 12·6 per cent. of all the deaths from that cause in those localities; in the cities it was the highest in December, 10·6 per cent., not quite so high as in the rural districts. The highest percentage, 9·8 per cent. in the towns, was in April; it was also the same in May and October. The lowest percentage of deaths from Old Age was in the cities in October, 4·5 per cent.; it was nearly as low, 5·4 per cent. in June, in the rural districts. In the towns the lowest points reached were 6·4 per cent. in February, June, July and November. The difference in the mortality from Old Age in the cities in the months of October and December was remarkable, 4·5 per cent. in the former month and 10·6 per cent. in the latter.

PHTHISIS.

In comparing the mortality from this disease in the cities and towns with the rural districts, it will be seen that the percentage of deaths was the greatest in the month of March in the cities and towns—more particularly in the towns, as 11 per cent. died in those places in March and also in May; while in the cities only 10 per cent. died in March and 8·4 per cent. in May. In the rural districts the deaths were the highest in February, 9·8 per cent. The towns also returned the lowest percentage, 5·5 in September; while in the cities the lowest point was in November, 6·4 per cent. In the rural districts the percentage did not in any month fall as low as in the cities or towns, the lowest point being 6·8 per cent. in January.

DIPHTHERIA.

In this disease the towns reached the highest percentage in November, viz., 14; the next highest point was in the cities in December, viz., 14 per cent. The point in the rural districts was nearly the same, 13·5 per cent. in January. The mortality was also very large in October in the rural districts, reaching 12 per cent. The diagram also shows that the high points of death from Diphtheria in all three localities were in January, February, October, November and December, no locality returning less than 11·2 per cent. Again, in the three months June, July and August, the three localities were equally low, being 4 per cent. In the other months there was considerable variation in the percentage of mortality.

TYPHOID FEVER.

The two high points of mortality from this fever in the Province, cities and towns and rural districts, were in September and October; the highest point reached in the cities and towns was in October, 23·5 per cent. of the total deaths from that fever in those localities.

In the Province and rural districts the highest point was also in October, 18·5 per cent. in the former and 16 per cent. in the latter.

The waves of mortality from this fever in the different localities start at a low point in January; they then rise and fall through the next six months, but not to any great extent; they ascend with great rapidity through August, September and October, and then as rapidly descend through November and December.

CLASSIFIED CAUSES OF DEATH.

CLASS I.—ZYMOTIC DISEASES.

(See Appendix, Table E: also, Tables 20, 21, 22 and 23.)

Thirty different diseases are included in this class, of which the principal were Diphtheria, Diarrhoeal diseases and Fevers. The total deaths in the whole Province in this class was 4,639; of males, 2,401, and of females, 2,238; the ratio to population was 2·1 per 1,000. In the cities the deaths numbered 1,302, or 4·3 per 1,000. In the towns 331 deaths, or 2·7 per 1,000, and in the rural districts 3,006 deaths, or 1·8 per 1,000.

DIPHTHERIA.

The number of deaths from this cause was 1,406, an increase of 400 over the deaths from the same cause in 1885. This increase was principally in the following counties, viz., York, which increased 122; Renfrew, 41; Wentworth, 28; Middlesex, 27; Prescott and Russell (united), 25; Brant, 23; and Lambton, 21. The mortality from this disease has been excessive for several years in the Counties of Prescott and Russell (united), Essex and Renfrew, and no diminution appears in 1886, as the returns show that there were 159 deaths from this cause in Prescott and Russell (united), a ratio of 3·8 per 1,000 of the population; 102 deaths, or a ratio of 2·0 per 1,000 in Essex; and 64 deaths, or a ratio of 1·4 per 1,000 in Renfrew. The ratio for the whole Province was ·66 per 1,000.

The following Table exhibits the number of deaths in each county from Diphtheria during ten years, with the average mortality and ratio per 1,000.

The total deaths for the ten years was 9,445, the average per year, 944·5, and the average ratio to population, ·49. Eleven counties had higher ratios than this and twenty-eight lower. The two high points of mortality were in 1882 and 1886, and the two low points in 1879 and 1884. The year 1886 was the most fatal, and the year 1879 the least so.

COUNTIES.	Population.	1876.	1878.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.	Total 10 years	Average	Average Ratio.
Algoma.....	20320										18	74	7.4	.36
Brant.....	33869	1	2	10	15	15	9	8	5	25	32	188	18.8	.55
Bruce.....	64774	33	14	28	21	35	16	13	15	3	6	176	17.6	.26
Carleton.....	64103	20	20	21	54	99	26	46	13	44	57	445	44.5	.70
Dufferin.....	20536										15	45	7.5	.36
Elgin.....	42351	15		6	5	18	6	1	4	1	15	28	14.4	.34
Essex.....	46359	20	16	18	76	59	47	31	71	94	102	534	53.4	1.14
Frontenac.....	42555	3	39	9	8	11	20	5	14	13	22	144	14.4	.33
Grey.....	70528	20	83	18	18	33	25	13	15		9	234	23.4	.33
Haldimand.....	24931	17	2	5	5	16	9	6	1	8	7	76	7.6	.30
Huron.....	21919	17	9	7	4	7	8	7	1	3	12	81	8.1	.37
Hastings.....	55192	44	45	22	4	20	34	16	20	37	12	254	25.4	.46
Huron.....	76525	38	20	32	30	41	25	33	10	4	11	244	24.4	.32
Kent.....	54335	35	22	12	19	47	33	8	15	29	40	260	26.0	.47
Lambton.....	52034	4	37	20	14	29	18	11	8	18	39	198	19.8	.38
Lanark.....	33975	6	20	8	7	19	10	20	30	8	15	143	14.3	.42
Leeds and Grenville.....	60164	9	38	20	14	62	79	68	66	59	21	526	52.6	.87
Lennox and Addington.....	26484	27	16		8	5	18	8	9	7	22	120	12.0	.45
Lincoln.....	31563	11	44	16	10	18	19	9	6	6	9	148	14.8	.46
Middlesex.....	93081	10	30	29	35	53	47	8	13	24	51	300	30.0	.32
Mississauga.....	27204	11	5	2	10	11	10	7	5	12	28	101	10.1	.37
Northumberland and Durham.....	33527	38	19	14	23	24	22	7		6	8	161	16.1	.48
Oxford.....	48812	18	27	4	12	43	48	7	20	12	16	227	22.7	.29
Peel.....	50159	96	17	15	19	31	25	21	21	11	16	151	15.1	.48
Peterborough.....	26175	19	11	11	3	3	15	17	11	8	13	111	11.1	.42
Perth.....	53586	17	23	14	71	44	34	11	3	9	13	239	23.9	.44
Peterborough.....	34048	11	9	5	2	17	16	15	8	7	21	101	10.1	.29
Prescott and Russell.....	38022	2	84	42	45	34	27	26	18	134	159	571	57.1	1.50
Prince Edward.....	21045	2		5	5	12	48	3	4	6	9	102	10.2	.50
Renfrew.....	40246	16	8	3	21	45	38	22	21	23	64	244	24.4	.60
Simcoe.....	94903	31	32	18	49	31	28	20	28	51	51	314	31.4	.45
Stormont, Dundas and Glengarry.....	66017	14	138	22	30	57	33	14	17	49	45	436	43.6	.66
Victoria.....	25163	11	6	3	9	2	27	6	30	16	13	123	12.3	.35
Waterloo.....	42735	16	23	18	39	21	47	14	5	4	16	203	20.3	.47
Welland.....	31771	13	8	6	21	5	19	7	9	10	14	112	11.2	.35
Wellington.....	66189	52	29	23	35	50	37	22	12	22	19	284	28.4	.43
Wentworth.....	69552	77	29	36	38	27	29	26	63	89	117	428	42.8	.63
York.....	153098	48	43	50	51	78	117	85	54	106	228	860	86.0	.56
Totals.....	1925610	864	986	574	822	1171	1239	709	668	1006	1406	9445	944.5	.49

It is to be regretted that this disease has so largely increased during 1886, notwithstanding the energetic measures adopted by the Provincial Board of Health for its suppression ; but it is fair to presume that if the sanitary measures recommended by the Board had not been adopted in many localities, the mortality, great as it was, would have been much greater. Municipalities have it in their power, by carrying out the provisions of the Health Act, to check, and, to a certain extent, root out this disease ; but evidently there has been, in some localities, great apathy displayed in enforcing sanitary measures, and not until this disease becomes epidemic do they appear to realize the necessity of sanitary precautions. As Diphtheria belongs to the class of preventible diseases, the mortality from it should decrease instead of otherwise.

The fall and winter months are the most fatal. October, December, and January returned respectively 151, 159, and 170 deaths—67 more than the five months from April to August. The young are the principal victims from this disease. 1,146, or 81 per cent. of all, died under ten years of age.

The ratio to population of deaths from this cause in the 11 cities was 1·2 per 1,000, in the towns ·98, and in the rural districts ·56 per 1,000, showing that Diphtheria was more fatal in the cities and towns than in the rural districts.

The city of Hamilton returned the highest death rate, 1·8 per 1,000, and Toronto was next, 1·5 per 1,000. Ottawa and Brantford returned each 1·1 per 1,000, and London and St. Thomas each ·7 per 1,000. Belleville and Stratford returned only one death each.

The towns of Pembroke and Windsor suffered severely from an epidemic of Diphtheria in 1886, as 29 deaths, or a ratio of 7·9 per 1,000, were caused by it in the former town, and 23 deaths, or a ratio of 3·1 per 1,000 in the latter. It was also prevalent in the towns of Sarnia, Peterborough, Cornwall, and Lindsay, the ratios being above the average, ·98 per 1,000. No deaths from this cause were reported from eight towns.

In the rural districts, although the mortality was, on the whole, much less than in the cities and towns, yet in some localities it was very fatal. For instance, in the rural portion of the county of Essex the deaths numbered 79, or a ratio of 1·8 per 1,000 of the population ; and, also, in the rural portions of the following counties the ratio was above the average, ·56 per 1,000, viz., Huron 1·3 per 1,000, Brant and Renfrew each ·9 per 1,000, and Algoma and Lennox and Addington ·8 per cent. per 1,000.

DIARRHOEAL DISEASES.

There was an increase of 187 deaths from Diarrhoea and Dysentery in 1886. Diarrhoea is most prevalent in those counties in which the large cities and towns are situated. July and August return the highest number of deaths from these two diseases. The young are chiefly the victims—492, or 82 per cent. of all, died from Diarrhoea under the age of five years. There were 70 people died from Diarrhoeal diseases at and over seventy years of age.

In the cities, Toronto returned the largest number of deaths—viz., 106—from these two diseases ; but the proportion to population was the same as the average for the eleven cities, ·9 per 1,000. Hamilton and Ottawa returned a less number of deaths from the same causes, although the ratio was higher. In the former city the deaths were only 44, but the ratio to population was 1·0 per 1,000, and in the latter there were 76 deaths with a ratio of 2·2 per 1,000. In the other cities the ratio was below the average, although it was rather high in Guelph. The towns and rural districts returned a much lower death rate—·5 in the former, and ·23 per 1,000 in the latter.

FEVERS.

The total deaths from the various kinds of fever numbered 861—of males 451, and of females 410.

The deaths from Typhoid Fever were 386. A gradual falling off in the number of deaths from this fever has taken place since 1881. In 1881 the mortality from it was

616; in 1886, as above stated, the deaths were only 386, a decrease of 230, or 37 per cent. The ratio to population of the deaths from this fever in the whole Province was .18 per 1,000, in the cities .36 per 1,000, in the towns .24 per 1,000, and in the rural districts .15 per 1,000.

The cities of London, St. Catharines, Brantford, and Toronto returned a rather high death rate in proportion to their population from this fever—in London it was .53 per 1,000, in St. Catharines .5 per 1,000, in Brantford .47 per 1,000, and in Toronto .45 per 1,000. In the other cities the ratio was below the average.

The returns show that 260 deaths were registered from Scarlet Fever, a decrease of 54 as compared with 1885. This fever was prevalent in Toronto, Kingston and Ottawa, although not to a very great extent. The mortality was the lowest in the rural districts, numbering only 191, or .11 per 1,000 of the population. In the cities the deaths were 43 and ratio .14 per 1,000, and in the towns 26 deaths, or .21 per 1,000.

About the same mortality was returned from the other fevers in 1886 as in 1885.

CLASS II.—CONSTITUTIONAL DISEASES.

Thirteen diseases are included in this class, and they were the cause of 5,438 deaths—2,613 males and 2,825 females, a ratio of 2.5 per 1,000 of the population. In the cities the deaths in this class numbered 1,402, or a ratio of 4.7 per 1,000. In the towns there were 393 deaths, a ratio of 3.2 per 1,000; and in the rural districts, 3,643 deaths and a ratio of 2.2 per 1,000. The prominent diseases of this class are Phthisis, Anæmia, Cancer and Rheumatism.

PHTHISIS.

The excessive mortality from this disease continues. In 1886 the deaths from it were 2,419, an increase of 106; the ratio, however, was lower, 1.1 per 1,000 to 1.2 per 1,000 in 1885, in consequence of the increase in the population. The ratio in the cities was 2.07 per 1,000; in the towns, 1.6 per 1,000; and in the rural districts, .95 per 1,000.

The following counties have for some years returned a higher death rate from this cause than the average rate for the whole Province, viz., Brant, Carleton, Frontenac, Hastings, Prince Edward, Wentworth and York.

The mortality from Phthisis has always been greater among females, varying in different years. Thus, in 1884, there were 475 more deaths of females than males; in 1883 there was only 258 more.

The most fatal period of life from this cause was between the ages of 20 and 40 years; over fifty per cent. of all the deaths occurred during that period.

The months of February, March and April, are always dangerous months to those afflicted with this disease. In the Province the short month of February returned the highest number of deaths of any month, 236, and November the lowest, 171.

March returned the highest mortality in the cities, although January and February were nearly as fatal. In the towns Phthisis was the most prevalent in the months of March and May.

The city of Ottawa returned the highest ratio of deaths, 2.7 per 1,000; Toronto and St. Catharines were the next highest, 2.4 per 1,000 each. In all the other cities the ratio was below the average, 2.07 per 1,000.

In some of the towns the ratio of mortality from Phthisis was very high, viz., in Napanee it was 3.2 per 1,000; in Brockville, 2.5 per 1,000; in Kincardine, 2.4 per 1,000; in Brampton and Galt, each 2.3 per 1,000; and in Chatham and Perth, each 2.2 per 1,000. Whereas in the following towns the ratio was low, less than the average, 1.6 per 1,000, for all the towns, viz., Goderich and Peterboro', 1.0 per 1,000 each; Owen Sound, .9 per 1,000; Woodstock, .8 per 1,000; and Barrie, .7 per 1,000.

The rural portions of York, Wentworth, Carleton, Lincoln, Essex and Leeds and Grenville (united), exhibit a high death rate from this cause, and the rural portions of Brant, Elgin, Grey, Huron and Wellington, a comparatively low rate.

ANÆMIA.

This is a general term given as the cause of death of those dying from general debility, without any specific disease, or which has not been diagnosed. The deaths were principally amongst the young, 1,439, or 86 per cent. of all the deaths were of children under one year; the remainder were principally of persons between 20 and 70 years of age. The mortality was greatest in September and least in December.

CANCER.

Cancer, after increasing steadily for years, has, it appears, fallen off in 1886, the returns showing a decrease of deaths of 47 females and an increase of 24 males, leaving a total decrease of 23 deaths from this cause. There was also a small decrease in the return of deaths from Rheumatism.

CLASS III.—LOCAL DISEASES.

This class comprises 71 causes of death, and the mortality from them in the whole Province was 8,014—of males 4,293, and of females 3,721—a death rate of 3·7 per 1,000 of the population; in the cities there were 2,139 deaths, or 7·2 per 1,000; in the towns 597 deaths, or 4·9 per 1,000; and in the rural districts 5,278 deaths, or 3·1 per 1,000 of the population.

The chief diseases in this class were of the nervous system, such as Apoplexy, Paralysis, etc.; diseases of the circulatory system, as the various affections of the Heart, etc.; diseases of the respiratory organs, as Congestion of the Lungs, Bronchitis, and Pneumonia; diseases of the digestive system, such as Hepatic Disease, Enteritis and Gastritis, and Urinary diseases, etc., which include Kidney complaints.

NERVOUS DISEASES.

The total deaths from the different nervous diseases were about the same as in 1885, viz., 2,280. In two of them, however, Convulsions and Meningitis (inflammation of membranes of the Brain), there was an increase of 123 deaths; but in Necrencephalus (softening of the Brain) and Paralysis there was a decrease of 58 deaths.

In the cities, the deaths from nervous complaints increased 7 per cent.

CIRCULATORY SYSTEM.

There was an increase of 50 in the deaths from diseases of the circulatory system.

Nearly all the diseases of the circulatory system are connected with the Heart, and the mortality from diseases of that organ in 1886 numbered 1,090 as against 1,046 in 1885, an increase of only 44. The deaths attributable to Heart Disease are, however, becoming more prevalent in the Province every year. In 1870 they only numbered 213, therefore the increase in 1886 as compared with 1870 was 877, or 418 per cent. more. The ratio to population in 1870 was .1 per 1,000, in 1886 it was .5 per 1,000. Amongst the most potent causes of this increase is the so called progress in civilization with its attendant excitement and rush and business anxiety. It is about equally fatal in the sexes, as the deaths of 546 and 544 females were reported in 1886. The proportion of mortality from Heart Disease in the three divisions of the Province was, for the cities 311, or 1.04 per 1,000 of their population; for the towns 91, or a ratio of .98 per 1,000; for the rural districts 688 deaths, or a ratio of .41 per 1,000.

RESPIRATORY SYSTEM.

Pneumonia and Bronchitis are the two most fatal diseases of the respiratory system. The mortality from them in 1886 was 2,005, an increase of 156. There was also an increase of 13 in the deaths from Congestion of the Lungs, another disease of the respiratory system. In the cities, the deaths from Pneumonia and Bronchitis increased by 93, in the towns the increase was 57, and in the rural districts 32. These two causes of death were not so fatal in the rural districts as in the cities and towns. In the cities and towns the ratio of deaths was 2.0 per 1,000, in the rural districts .1 per 1,000.

URINARY DISEASES.

Diseases of the digestive and urinary systems show no great change in the number of deaths caused by them. The numbers were 1,296 in 1886 as against 1,327 in 1885, a decrease of 31 deaths, chiefly of Liver complaints. There was a small increase in the deaths from Enteritis and Gastritis.

CLASS IV.—DEVELOPMENTAL DISEASES.

Eighteen diseases are grouped in this class, and they are composed of those incidental to childhood, to women, and to the old. There were 35 more cases of premature birth and fewer deaths from teething, and the returns show a decrease of 83 in the deaths from childbirth.

The deaths of those who died in 1886 over 70 years of age, without any special disease except that attendant upon old age, numbered 2121, an increase of 48 over the number so recorded in 1885.

CLASS V.—VIOLENT DEATHS.

The eighteen causes of death in this class complete the 150 divisions of the classification of diseases in Table E. The deaths in this class numbered 760, as against 822 in 1885. The majority of these violent deaths were from wounds and drowning; 301 deaths from the former cause, and 170 from the latter. There were a few more cases of suicide, and a decrease in the number killed by cars.

DEATHS BY OCCUPATIONS.

(See Table 24.)

There were 12,297 deaths at the age of 21 years and over in 1886, and of this number the occupations of 9614 were given. Deducting the farmers' wives, housewives, and those whose occupation were not distinctly given, there remains 5800 actual workers, 83 less than in 1885. Table 24 designates the particular occupation that they followed, and 66 different kinds of employment are given, of which 14 lived to be over the average age, which was 57.5 years, an increase of 1.1 year over the average in 1885. Amongst these 14 were male teachers, who appear for the first time in this list, their average age having increased from 49.6 years in 1885 to 58 years in 1886, whereas the ages of female teachers at the time of death have decreased.

The ages at which tailors, miners and bricklayers, died in 1886, was greater than in 1885, therefore, they now appear in the list of those who died at ages above the average; while the ages of brewers, millwrights and contractors having decreased, they are now classified with those who died under the average age.

STATISTICAL CLASSIFICATION.

CLASS I.—CULTIVATORS OF THE SOIL.

(See Table 25.)

There was only a difference of three in the number of deaths of tillers of the soil, two less of farmers and five more of gardeners; their average age was about the same as in 1885.

CLASS II.—MECHANICS.

Of the 32 mechanical trades the average age of Coopers was the highest, 70 years. Weavers were next, 64.7 years, and Masons third, 61.5 years. Tobacconists were the lowest, 29.2 years, but there were only nine deaths amongst them.

The four trades Carpenters, Shoemakers, Blacksmiths and Tailors, generally grouped together, show an increase in their ages at death. They numbered together 385, being 30 more than in 1885, and their average age was 56.7 years as against 55.7 in 1885.

The returns show that painters and printers are short-lived, and in 1886 their ages at death were less than in 1885. Comparing those mechanics whose occupations were chiefly carried on out of doors with those whose work was within shops, factories, etc., the returns show that the former lived longer than the latter. Of the former 324 died at an average age of 55 years, while of the latter 610 died at an average age of 52 years. As in former years, some striking exceptions are noticed, viz., Weavers, Shoemakers, Tailors and Coopers, who, although indoor workers, were longer-lived than the out-door workers, their average age was 61 years.

CLASS III.—LABOURERS.

The number of deaths in this class was 65 less than in 1885; but the average age was about the same.

CLASS IV.—MERCHANTS, ETC.

The nine occupations included in this class returned 476 deaths, 24 less than in 1885 but the average length of life was 1.4 years longer. Several changes are observed in the age of some of the members of this class. The age of chemists and druggists in 1885 was only 33.5, in 1886 it was 52.4 years. The ages of telegraph operators increased from 24.1 years in 1885 to 31.6 years in 1886; manufacturers from 50.6 to 54.3 years; while the tavern keepers, bankers, manufacturers who died in 1886 were not so long lived as those who died in 1885.

CLASS V.—PROFESSIONAL MEN.

There were registered in 1886 the deaths of 508 persons belonging to this class, 71 less than in 1885; but their average age was slightly higher. Only 1 dentist died in 1886; his age was 77 years. Two died in 1885 at an average age of 61 years. There was an increase of 8 years in the ages of male teachers and engineers. Editors, lawyers, musicians, and those designated as gentlemen averaged the same age as in 1885. There was a decrease in the ages of female teachers, public officials, physicians, and artists, especially in the ages of female teachers. In 1885 their average age was 36.5 years, in 1886 it was only 25.2 years; but there were 15 less deaths of them. The average age of the members of the three professions, divinity, law, and medicine, was 55.2 years, nearly two years less than in 1885, caused by a decrease of five years in the average age of physicians. Clergymen have always attained a greater age than lawyers and doctors.

CLASS VI.—OTHER EMPLOYMENTS.

Many of the occupations included in this class are attended, more or less, with danger to life, and therefore their average ages were low, only 40 years. There was the same number of deaths of railroad employees, but their average age was 6 years less.

CLASS VII.—FEMALES AT WORK.

The deaths in this class were not so numerous as in 1885, but their average age was higher by 2.3 years. There was an increase in the ages of servants and milliners and dressmakers of 5 and 3 years respectively. Seamstresses show a decrease in their average age of 7 years.

I have the honor to be,

Sir,

Your obedient Servant,

H. S. CREWE,

Inspector.



APPENDIX.



BIRTHS.

TABLE A.—BIRTHS BY MONTHS, 1886.

COUNTY.	MONTHS.												Total.	No. of Pairs of Twins.	Triplets.	Miscellaneous.	Still Born.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.					
Albany and Thunder Bay.	21	21	30	28	28	16	25	20	28	24	26	27	300	1		2	1
	28	25	33	21	23	26	26	25	12	17	21	19	276	2		4	1
	52	49	63	49	51	42	51	45	40	41	47	46	576	3 pairs.		6	5
Total.																	
Brant.	11	43	34	36	32	23	40	40	40	40	28	25	422	7	2	9	7
	22	21	40	30	31	31	29	31	39	36	30	30	370	7	1	5	2
	63	64	74	66	63	54	69	71	79	76	58	55	792	7 pairs, 1 case.		14	9
Total.																	
Bruce.	50	69	65	80	73	53	61	48	57	54	53	51	714	13		6	2
	54	64	63	71	66	63	51	46	73	51	32	59	696	11		4	3
	104	133	128	151	139	116	115	94	130	105	85	110	1410	12 pairs.		10	5
Total.																	
Chapelon.	123	140	134	127	131	109	133	122	99	110	99	116	1445	15		80	10
	101	128	125	112	115	120	101	109	92	91	95	116	1308	21		110	8
	229	268	259	239	246	229	234	231	191	201	194	232	2753	18 pairs.		190	18
Total.																	
Dufferin.	23	16	35	42	19	35	31	23	18	14	17	30	303	4		1	2
	29	15	25	32	11	29	26	18	18	21	14	29	267	4		2	2
	52	31	60	74	30	64	57	41	36	35	31	59	570	4 pairs.		3	4
Total.																	
Elgin.	44	36	37	41	42	46	37	32	34	44	32	40	465	11		3	1
	39	37	29	34	30	49	32	24	37	43	24	27	405	3		2	3
	83	73	66	75	72	95	69	56	71	87	56	67	870	7 pairs.		5	4
Total.																	

Lessex:	Males.....	76	66	72	71	72	57	55	73	58	70	57	51	781	3
	Females.....	68	68	71	65	66	12	45	57	77	52	45	62	721	4
Total.....		144	134	146	136	138	99	100	130	135	122	102	116	1502	7
Frontenac:	Males.....	42	32	30	33	20	36	24	30	38	36	27	34	391	3
	Females.....	35	33	25	30	30	33	37	35	33	38	36	21	384	3
Total.....		75	65	64	63	50	69	61	65	71	74	63	55	775	6
Grey:	Males.....	73	52	74	55	62	61	59	66	54	69	56	62	743	2
	Females.....	72	61	70	51	53	68	55	56	46	66	57	52	707	3
Total.....		145	113	144	106	115	129	114	122	100	135	113	114	1450	6
Haldimand:	Males.....	20	20	28	32	25	17	26	25	30	21	25	23	292	3
	Females.....	30	18	21	24	17	21	27	18	21	17	26	18	258	2
Total.....		50	38	49	56	42	38	53	43	51	38	51	41	550	5
Halton:	Males.....	25	16	20	29	15	21	24	16	19	22	22	20	249	1
	Females.....	15	18	10	25	15	27	17	11	21	29	22	14	224	2
Total.....		40	34	30	54	30	48	41	27	40	51	44	34	473	3
Haliburton:	Males.....	10	8	12	8	6	6	3	10	5	5	6	5	84	1
	Females.....	4	12	6	5	12	11	11	5	6	7	4	6	89	1
Total.....		14	20	18	13	18	17	14	15	11	12	10	11	173	1
Hastings:	Males.....	62	48	63	66	54	50	56	48	44	46	50	52	639	1
	Females.....	41	46	68	47	66	58	46	67	60	42	38	47	626	3
Total.....		103	94	131	113	120	108	102	115	104	88	88	99	1265	4
Huron:	Males.....	61	65	77	67	76	60	65	79	59	63	58	66	796	3
	Females.....	65	64	55	60	65	57	52	90	66	71	60	56	761	6
Total.....		126	129	132	127	141	117	117	169	125	134	118	122	1557	9

TABLE A.—BIRTHS BY MONTHS, 1886—Continued.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of Pairs.	Triples.	Illegitimate.	Still Born.
Kent:																	
Males	47	43	47	56	39	36	36	45	51	43	45	45	533	6	3	3
Females	43	49	60	38	34	40	53	55	41	33	28	31	505	12	3	2
Total	90	92	107	94	73	76	89	100	92	76	73	76	1038	9 pairs.	6	5
Lambton:																	
Males	57	46	62	49	54	54	39	60	53	50	62	55	641	9	2	3
Females	47	48	57	51	60	43	50	61	57	56	37	37	604	7	3	1
Total	104	94	119	100	114	97	89	121	110	106	99	92	1245	8 pairs.	5	4
Lenark:																	
Males	40	37	36	38	36	35	32	36	28	34	34	29	415	6	4	2
Females	30	40	30	47	26	26	31	29	29	31	25	32	376	2	3	1
Total	70	77	66	85	62	61	63	65	57	65	59	61	791	4 pairs.	..	7	3
Leeds and Greenville:																	
Males	19	43	43	39	40	41	51	36	43	38	37	45	505	4	3	3
Females	40	38	55	42	43	38	50	56	50	39	44	47	542	8	4	3
Total	59	81	98	81	83	79	101	92	93	77	81	92	1047	6 pairs.	7	6
Lennox and Addington:																	
Males	26	17	19	14	11	15	11	17	19	17	14	12	192	3	1	3	2
Females	16	15	11	11	19	17	16	12	19	12	13	19	180	5	2	2	3
Total	42	32	30	25	30	32	27	29	38	29	27	31	372	4 pairs.	1 case.	5	5
Lincoln:																	
Males	25	20	29	35	26	28	33	35	29	24	21	26	331	9	6	3
Females	22	31	25	31	22	32	30	36	36	27	31	12	338	5	3	4
Total	47	51	54	66	48	60	63	71	65	51	55	38	669	7 pairs.	9	7

Middlesex :	88	71	88	85	73	83	82	76	75	82	52	88	943	16	15	8
Males	80	64	92	66	80	68	81	60	73	75	58	58	855	16	12	7
Females	168	135	180	151	153	151	163	136	148	157	110	146	1798	16 pairs.	27	15
Total																	
Muskoka and Parry Sound :																	
Males	45	39	43	39	46	45	43	42	46	39	29	36	492	9	2	2
Females	35	29	45	36	42	49	50	31	39	38	48	35	477	13	3	3
Total	80	68	88	75	88	94	93	73	85	77	77	71	969	11 pairs.	5	5
Norfolk :																	
Males	42	20	39	30	23	26	36	41	28	29	26	28	368	2	4	1
Females	24	23	25	44	23	23	31	31	34	28	27	27	340	4	1	2
Total	66	43	64	74	46	49	67	72	62	57	53	55	708	3 pairs.	5	3
Northumberland and Durham :																	
Males	60	60	55	57	68	46	56	62	45	51	56	62	678	10	2	2
Females	53	50	49	65	63	41	59	60	54	50	53	53	650	10	3	3
Total	113	110	104	122	131	87	115	122	99	101	109	115	1328	10 pairs.	5	5
Ontario :																	
Males	58	49	37	57	67	47	41	38	56	52	49	57	608	10	2	2
Females	50	51	51	44	44	37	42	45	43	40	48	39	584	6	3	2
Total	108	100	88	101	111	84	83	83	99	92	97	96	1142	8 pairs.	5	4
Oxford :																	
Males	61	32	55	48	51	41	39	52	41	44	53	47	564	14	4	2
Females	50	48	48	53	48	56	39	49	38	46	37	45	557	16	5	1
Total	111	80	103	101	99	97	78	101	79	90	90	92	1121	15 pairs.	9	3
Peel :																	
Males	20	25	22	18	26	17	26	36	28	29	23	29	299	5	1	1
Females	16	26	33	23	11	17	20	25	35	19	10	34	269	5	1	1
Total	36	51	55	41	37	34	46	61	63	48	33	63	568	5 pairs.	2	2
Perth :																	
Males	43	39	53	53	44	43	40	41	70	54	40	49	569	5	2	3
Females	50	42	59	36	40	50	39	62	54	47	41	49	569	7	1	3
Total	93	81	112	89	84	93	79	103	124	101	81	98	1138	6 pairs.	3	6

TABLE A.—BIRTHS BY MONTHS, 1886.—Continued.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of Pairs of Twins.	Triples.	Illegitimate.	Still Born.
Peterborough:																	
Males.....	36	27	33	41	58	41	30	29	39	32	33	34	433	1			1
Females.....	21	32	21	37	42	35	26	23	31	36	25	25	354	7			
Total.....	57	59	54	78	100	76	56	52	70	68	58	59	787	4 pairs			1
Prescott and Russell:																	
Males.....	64	76	76	56	57	58	65	76	66	55	47	44	740	18		3	2
Females.....	43	65	69	66	61	51	51	58	55	57	55	39	670	6		1	2
Total.....	107	141	145	122	118	109	116	134	121	112	102	83	1410	12 pairs		4	4
Prince Edward:																	
Males.....	24	10	22	12	14	14	9	23	19	13	20	18	198	3			
Females.....	15	17	10	14	15	8	14	17	14	9	12	14	159	3			
Total.....	39	27	32	26	29	22	23	40	33	22	32	32	357	3 pairs			
Renfrew:																	
Males.....	58	45	71	65	51	53	66	57	56	50	39	48	659	10		6	3
Females.....	36	46	65	54	40	45	50	49	50	48	41	43	587	6		1	2
Total.....	114	91	136	119	91	98	116	106	106	98	80	91	1246	8 pairs		7	5
Simcoe:																	
Males.....	69	55	79	78	77	71	77	70	70	76	65	71	858	11		2	4
Females.....	63	65	70	75	58	81	71	76	66	68	67	69	829	17		2	3
Total.....	132	120	149	153	135	152	148	146	136	144	132	140	1687	14 pairs		4	7
Stormont, Dundas and Glengarry:																	
Males.....	60	57	61	52	45	46	38	48	47	46	50	44	594	4		1	
Females.....	38	66	51	48	44	34	37	44	50	54	44	39	549	12		1	1
Total.....	98	123	112	100	89	80	75	92	97	100	94	83	1143	8 pairs		2	1

Victoria:	42	39	43	39	76	76	73	57	34	23	37	38	48	43	21	36	443	8	3	2
Males.....	38	37	33	31					23	38	38	74	80	32	26	21	383	1	1	1
Females.....																		6 pairs	7	3
Total.....	75	76	76	73	57	34	23	37	38	48	43	21	36	443	8	3	2	1	1
Waterloo:																					
Males.....	52	51	67	62	55	57	41	53	54	65	54	54	42	49	59	49	666	9	10	7
Females.....	58	56	62	55	57	41	53	54	54	61	53	53	49	59	49	65	671	13	3	5
Total.....	110	107	129	117	120	91	109	126	107	126	107	113	114	1337	11 pairs	13	13	12
Welland:																					
Males.....	42	30	31	29	21	29	26	33	47	27	35	32	393	4	2	1	2	1
Females.....	35	19	31	26	18	24	26	24	43	29	39	24	388	8	3	1	3	1
Total.....	77	49	62	55	39	53	63	57	90	56	74	56	731	6 pairs	5	2	5	2
Wellington:																					
Males.....	54	59	78	60	66	56	60	66	54	58	61	48	720	15	3	10	3	10
Females.....	45	50	51	59	49	63	56	57	59	49	42	48	628	19	6	6	6	6
Total.....	99	109	129	119	115	119	116	123	113	107	103	96	1348	17 pairs	9	16	9	16
Wentworth:																					
Males.....	80	92	86	80	75	76	86	82	98	100	66	102	1023	9	37	6	37	6
Females.....	83	61	71	67	66	68	76	69	78	73	81	75	868	11	20	3	20	3
Total.....	163	153	157	147	141	144	162	151	176	173	147	177	1891	10 pairs	57	9	57	9
York:																					
Males.....	174	171	248	195	210	211	230	259	240	197	212	235	2582	74	1	106	1	106
Females.....	181	170	231	203	209	179	194	246	196	209	219	226	2463	48	2	95	2	95
Total.....	355	341	479	398	419	390	424	505	436	406	431	461	5045	61 pairs	1 case	201	1 case	201
Total Males.....	2092	1888	2243	2102	2030	1878	1993	2095	2033	1943	1800	1974	24071	380	4	338	4	338
“ Females.....	1831	1848	2049	1982	1837	1839	1843	1964	1990	1835	1717	1762	22387	370	5	333	5	333
Grand Totals.....	3923	3736	4292	4034	3867	3717	3836	4059	3963	3778	3517	3736	46438	375 pairs	8 cases	671	671	233

H. S. CREWE,
Inspector.

TABLE A.—BIRTHS BY MONTHS—1886—CITIES.

CITIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of Pairs of Twins.	Triplets.	Illegitimate.	Still Born.
Toronto :																	
Males.....	113	102	108	130	144	141	169	164	184	135	138	164	1752	52	1	103	10
Females.....	113	116	163	139	143	136	142	172	139	144	150	169	1710	38	2	92	4
Total.....	226	212	331	269	287	267	311	336	323	279	288	333	3462	45 pairs.	1 case.	195	14
Hamilton :																	
Males.....	43	57	55	49	39	50	57	50	60	53	40	69	622	4	29	3
Females.....	44	33	41	38	37	44	52	40	42	50	45	40	506	6	16	4
Total.....	87	90	96	87	76	94	109	90	102	103	85	109	1128	5 pairs.	45	7
Ottawa :																	
Males.....	88	77	85	79	92	63	90	81	63	70	61	74	923	8	23	1
Females.....	69	85	80	58	70	77	57	74	52	59	52	69	802	6	39
Total.....	157	162	165	137	162	140	147	155	115	129	113	143	1725	7 pairs.	62	1
London :																	
Males.....	17	20	24	19	21	23	26	25	20	27	19	25	266	3	10	7
Females.....	27	21	20	18	24	18	33	15	15	18	26	23	258	1	6	6
Total.....	44	41	44	37	45	41	59	40	35	45	45	48	524	2 pairs.	16	13
St. Catharines :																	
Males.....	6	8	7	8	8	8	12	8	11	5	6	6	93	3	2	3
Females.....	6	10	6	13	3	9	6	11	9	4	10	2	89	3	2	1
Total.....	12	18	13	21	11	17	18	19	20	9	16	8	182	3 pairs.	4	4
Kingston :																	
Males.....	14	13	10	12	5	17	9	10	15	10	18	2	135	3
Females.....	13	8	8	10	11	8	8	14	16	17	17	4	134	3	1
Total.....	27	21	18	22	16	25	17	24	31	27	35	6	269	2 pairs.	1

MARRIAGES.

TABLE B. MARRIAGES BY DENOMINATION, 1886.

The following Table shows the number of Marriages returned as having been solemnized during the year 1886, the religious denomination of the parties married, and whether by license or banns.

COUNTIES.	RELIGIOUS DENOMINATION OF BRIDE AND BRIDEGROOM.											HOW MARRIED.							
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Evangelical Association.	Quaker.	Mennonite.	Other denominations.	No denomination given.	Total.	License.	Banns.	Not Stated.	Total Marriages.	Widowers.	Widows.
Algoma and Thunder Bay :	28	36	35	33	1	4	1	4	142
	Males.....	36	36	35	3	1	6	1	4	142
	Females.....	20
Total	48	72	71	68	4	1	10	2	8	284	121	18	3	142	11	12
Brant :	33	36	84	25	51	11	3	2	245
	Males.....	37	26	97	41	12	3	2	245
	Females.....	57
Total	70	62	181	50	95	23	5	4	490	226	15	4	245	30	16
Bruce :	29	128	116	34	19	4	7	9	2	5	353
	Males.....	27	141	107	31	19	5	14	1	4	353
	Females.....
Total	56	269	223	65	38	8	12	23	3	9	706	313	38	2	353	30	10
Carleton :	138	93	115	223	10	4	21	2	606
	Males.....	123	100	115	11	1	22	3	606
	Females.....
Total	261	193	230	451	21	5	43	5	1212	426	173	7	606	82	36

[illegible]

TABLE B.—MARRIAGES BY DENOMINATIONS, 1886. *Continued.*

COUNTIES.	RELIGIOUS DENOMINATION OF BRIDE AND BRIDEGROOM.												HOW MARRIED.			Total Marriages.	Widowers.	Widows.
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Evangelical Association.	Quaker.	Mennonite.	Other Denominations.	No Denomination given.	Total.	License.	Banns.			
Norfolk :																		
Males.....	15	25	98	6	51	1	2				6	2	206					
Females.....	15	19	114	6	45		2				3	2	206					
Total	30	44	212	12	96	1	4				9	4	412	201	4	1	206	15
Northumberland and Durham :																		
Males.....	69	83	316	32	8	3			2		2	1	516					
Females.....	60	87	322	39	4	1			2		1		516					
Total	129	170	638	71	12	4			4		3	1	1032	432	30	4	516	24
Ontario :																		
Males.....	32	60	142	18	9		1				4		266					
Females.....	25	62	148	17	10						4		266					
Total	57	122	290	35	19		1				8		532	253	13		266	11
Oxford :																		
Males.....	35	83	162	8	48	1	3			7	10	3	360					
Females.....	23	82	170	10	46	3	6	1		6	9	2	360					
Total	58	165	332	18	96	4	9	1		13	19	5	720	348	10	2	360	19

[illegible]

TABLE B. MARRIAGES BY DENOMINATIONS, 1886.—Continued.

COUNTIES.	RELIGIOUS DENOMINATION OF BRIDE AND BRIDEGROOM.										HOW MARRIED.				Total.	Total Marriages.	Widowers.	Widows.
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Evangelical Association.	Quaker.	Menonite.	Other Denominations.	No Denomination given.	License.	Banns.	Not Stated.			
Stormont, Dundas and Glengarry:																		
Males	37	90	97	135	9	3	5	1	1
Females	36	95	97	133	7	7	2	1
Total	73	185	194	268	16	3	12	3	2	252	124	2	378	43	8
Victoria:																		
Males	32	41	84	28	3	1	1	4
Females	24	51	80	28	8	3
Total	56	92	164	56	11	1	1	7	170	24	194	13	4
Waterloo:																		
Males	19	84	81	59	10	3	53	18	39	5	10
Females	20	79	85	65	14	1	50	19	36	4	8
Total	39	163	166	124	24	4	103	37	75	9	18	264	116	1	381	41	17
Welland:																		
Males	34	29	73	18	9	11	2	1	14	6
Females	36	22	87	22	4	9	1	1	13	2
Total	70	51	160	40	13	20	3	2	27	8	184	12	1	197	30	17

TABLE C.

MARRIAGES BY MONTHS.

TABLE C.—MARRIAGES BY MONTHS, 1886.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	No Date given.	Total Number of Couples Married.
Algoma and Thunder Bay.....	8	19	8	10	7	21	9	7	10	16	10	16	1	142
Brant.....	23	24	14	14	14	24	11	14	26	25	29	27	245
Bruce.....	26	36	36	24	24	23	24	15	31	27	31	35	1	353
Carleton.....	48	39	46	34	50	66	51	46	56	53	69	45	3	606
Dufferin.....	26	14	27	11	9	17	8	3	7	18	12	24	176
Elgin.....	24	16	35	22	19	17	16	18	32	24	36	35	294
Essex.....	32	29	37	15	36	28	20	21	34	50	38	35	1	376
Frontenac.....	21	14	22	20	16	29	26	22	36	22	34	28	4	294
Grey.....	42	46	41	26	29	29	22	24	40	43	51	76	1	470
Haldimand.....	19	12	13	19	18	14	4	4	10	16	14	34	177
Halton.....	13	8	13	8	6	7	7	3	9	16	6	17	113
Haliburton.....	3	4	3	3	1	4	2	2	2	2	2	28
Hastings.....	42	24	38	32	25	38	29	27	38	44	46	48	431
Huron.....	36	42	57	30	33	43	23	17	30	46	33	70	1	461
Kent.....	28	21	26	20	32	25	17	15	32	46	43	78	3	386
Lambton.....	24	26	28	19	14	28	20	15	24	34	36	51	319
Lanark.....	22	15	24	17	17	23	15	19	30	17	28	43	270
Leeds and Grenville.....	35	22	35	36	24	35	16	17	21	39	35	46	361

Lennox and Addington	18	24	24	13	9	17	9	15	22	18	16	27	212
Lincoln	15	18	9	11	10	13	15	11	17	21	23	29	194
Middlesex	52	58	62	37	48	68	37	33	61	78	57	76	668
Muskoka and Parry Sound	12	11	23	25	15	14	21	18	26	21	16	21	225
Norfolk	18	19	16	19	16	6	7	15	14	17	24	34	206
Northumberland and Durham	43	51	62	28	26	49	32	22	40	30	51	82	516
Ontario	24	26	34	12	9	13	14	13	26	29	16	49	266
Oxford	31	33	58	25	23	25	23	17	30	27	25	43	300
Peel	16	15	14	9	4	10	5	6	10	7	14	27	137
Perth	34	23	32	22	34	26	17	20	23	31	31	45	339
Peterborough	26	14	34	20	16	25	9	10	23	22	19	23	241
Prescott and Russell	18	17	23	9	10	15	26	18	32	36	27	7	238
Prince Edward	10	15	15	8	3	8	4	8	20	6	10	16	125
Renfrew	16	11	37	18	25	29	14	19	27	22	23	21	264
Simcoe	36	33	59	31	38	36	35	18	47	60	45	75	517
Stormont, Dundas and Glengarry	28	38	51	15	22	40	21	25	37	36	33	29	378
Victoria	13	14	21	11	12	24	15	11	19	18	20	16	194
Waterloo	40	30	36	25	24	36	15	23	34	38	34	46	381
Welland	14	15	17	10	12	11	9	16	30	25	18	20	197
Wellington	46	38	34	26	22	65	22	10	25	39	33	60	391
Wentworth	29	43	47	36	36	67	40	38	62	43	49	61	551
York	110	112	130	124	113	153	118	160	193	180	168	180	1743
Totals	1118	1068	1342	894	903	1188	830	815	1286	1342	1305	1717	13845

H. S. CREWE,
Inspector.

TABLE D.—MARRIAGES BY AGES, 1886.

COUNTIES.	Under 20.	20 and under 25.	25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.	70 and under 75.	75 and under 80.	(Over 80.	Ages not given.	Total.
Algoma and Thunder Bay :																
Males		47	51	19	8	1	4	1	2		1					142
Females	31	61	26	9	3	1	2								9	142
Total	31	108	77	28	11	2	6	1	2		1				17	284
Brant :																
Males	4	83	91	30	14	9	4	4	2	2		2				245
Females	48	108	51	17	7	4	3	3	1		1	1			1	245
Total	52	191	142	47	21	13	7	7	3	2	1	3			1	490
Bruce :																
Males	3	113	156	53	10	10		2	2	3	1					353
Females	67	184	75	15	4	5				1		1			1	353
Total	70	297	231	68	14	15		2	2	4	1	1			1	706
Carleton :																
Males	10	211	203	99	29	20	14	5	5	2	4	1			3	606
Females	90	302	132	40	16	17	3			2					4	606
Total	100	513	335	139	45	37	17	5	5	4	4	1			7	1212
Dufferin :																
Males		57	77	21	7	3	3	4		2	1				1	176
Females	29	99	35	6	3	1		2	1							176
Total	29	156	112	27	10	4	3	6	1	2	1				1	352
Elgin :																
Males	4	97	109	40	18	9	5	3	2	3	3				1	294
Females	58	136	66	14	6	3	5	2	1		1				2	294
Total	62	233	175	54	24	12	10	5	3	3	4				3	588

Essex :	8	153	115	44	24	16	4	7	2	1	1	1	376
Males	98	169	71	16	11	3	2	2	2	2	376
Females	106	322	186	60	35	19	6	9	4	3	1	1	782
Total													
Frontenac :													
Males	4	97	117	35	17	9	6	3	2	4	294
Females	57	140	65	17	8	3	1	2	1	294
Total	61	237	182	52	25	12	7	5	2	4	1	588
Grey :													
Males	1	164	193	69	22	9	9	2	1	470
Females	88	249	103	20	6	2	1	1	470
Total	89	413	296	89	28	11	10	3	1	940
Haldimand :													
Males	7	74	56	20	7	3	2	2	2	2	1	1	177
Females	40	92	26	6	7	2	2	2	177
Total	47	166	82	26	14	5	4	2	4	2	1	1	354
Halton :													
Males	1	29	51	14	8	5	1	2	1	1	113
Females	14	59	27	3	4	4	2	113
Total	15	88	78	17	12	9	3	2	1	1	226
Haliburton :													
Males	17	8	2	1	28
Females	11	12	2	1	1	1	28
Total	11	29	10	1	2	1	2	56
Hastings :													
Males	5	166	144	57	21	13	11	5	6	1	1	1	431
Females	91	191	95	25	14	7	4	2	2	431
Total	96	357	239	82	35	20	15	5	8	1	1	1	862
Huron :													
Males	2	137	178	83	26	11	7	6	4	4	1	1	461
Females	58	253	112	20	7	3	4	1	2	1	461
Total	60	390	290	103	33	14	11	7	6	5	1	1	922

TABLE D.—MARRIAGES BY AGES, 1886.—*Continued.*

COUNTIES.	Under 20.	20 and under 25.	25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.	70 and under 75.	75 and under 80.	Over 80.	Ages not given.	Total.
Kent:																
Males	2	154	127	56	15	9	9	6	2	2	1	1	1	8	386
Females	80	196	72	14	8	6	2	3	8	386
Total	82	350	199	70	23	15	11	9	2	3	1	1	6	772
Lambton:																
Males	4	89	139	32	21	14	4	8	6	1	1	319
Females	62	148	74	9	10	10	4	1	1	319
Total	66	237	213	41	31	24	8	9	7	1	1	638
Lanark:																
Males	2	82	111	36	24	6	2	2	1	2	2	270
Females	34	130	67	22	12	2	3	270
Total	36	212	178	58	36	6	2	4	1	2	5	540
Leeds and Grenville:																
Males	2	118	122	38	37	14	7	6	4	3	1	9	361
Females	50	175	73	26	10	4	5	3	2	1	12	361
Total	52	293	195	64	47	18	12	9	6	3	1	1	21	722
Lennox and Addington:																
Males	2	77	61	27	17	7	8	4	1	4	1	1	1	1	212
Females	46	89	44	14	6	5	4	1	1	1	1	212
Total	48	166	105	41	23	12	12	5	2	4	2	1	1	2	424
Lincoln:																
Males	3	58	68	36	13	5	5	1	1	1	1	1	1	194
Females	31	99	42	7	5	6	1	1	1	1	194
Total	34	157	110	43	18	11	6	2	2	1	1	1	1	1	388

Middlesex:	4	210	232	120	39	23	11	6	4	14	3	1	1	668
Males	83	312	161	69	20	9	5	3	6	668
Females
Total	87	522	393	189	59	32	16	9	4	20	3	1	1	1336
Muskoka and Parry Sound:
Males	2	90	81	26	11	5	5	2	1	1	1	225
Females	76	100	32	4	5	2	1	3	1	1	225
Total	78	190	113	30	16	7	6	5	2	2	1	450
Norfolk:
Males	5	70	75	25	4	6	5	7	5	1	2	1	206
Females	54	87	34	11	2	6	5	3	2	1	206
Total	59	157	109	36	6	12	10	10	7	1	3	1	412
Northumberland and Durham:
Males	7	156	202	91	28	12	5	1	6	6	2	516
Females	66	227	146	51	9	5	4	3	1	2	2	516
Total	73	383	348	142	37	17	9	4	7	8	4	1032
Ontario:
Males	1	102	100	35	11	3	4	4	1	1	4	266
Females	22	149	67	11	3	8	1	1	4	266
Total	23	251	167	46	14	11	4	5	1	2	8	532
Oxford:
Males	3	122	143	51	12	7	7	4	3	4	1	1	2	360
Females	65	173	83	15	8	7	4	4	1	360
Total	68	295	226	66	20	14	11	8	3	4	1	1	3	720
Peel:
Males	1	38	47	31	9	5	1	2	1	1	1	137
Females	15	69	40	7	3	1	2	137
Total	16	107	87	38	12	5	1	3	3	1	1	274
Perth:
Males	2	112	154	38	16	5	4	4	2	1	1	339
Females	38	169	102	20	4	2	1	1	2	339
Total	40	281	256	58	20	7	5	4	2	1	1	3	678

TABLE D.—MARRIAGES BY AGES, 1886.—*Continued.*

COUNTIES.																Total.
	Under 20.	20 and under 25.	25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.	70 and under 75.	75 and under 80.	Over 80.	Ages not given.	
Peterborough :																
Males	2	72	102	34	15	6	4	4	1	1					1	241
Females	36	117	62	10	5	5	2	2							1	241
Total	38	189	164	44	20	11	6	6	1	1					2	482
Prescott and Russell :																
Males	2	116	73	18	7	9	6	2		3					2	238
Females	57	122	36	7	5	7	1			1					2	238
Total	59	238	109	25	12	16	7	2		4					4	476
Prince Edward :																
Males	1	63	32	12	5	1	3		4	2	1		1		125
Females	30	63	10	4	7	3	3		2	2					1	125
Total	31	126	42	16	12	4	6		6	4	1		1		1	250
Renfrew :																
Males	3	87	100	36	21	9	5	1	1	1					264
Females	66	111	60	15	6	1	3		1						1	264
Total	69	198	160	51	27	10	8	1	2	1					1	528
Simcoe :																
Males	4	180	212	50	39	16	4	4	4	3	1				517
Females	113	253	102	25	13	3	4	1		2					1	517
Total	117	433	314	75	52	19	8	5	4	5	1				1	1034
Stormont, Dundas and Glengarry :																
Males	6	145	116	46	29	11	6	4	6	2					7	378
Females	61	188	74	27	13	4	2	1							8	378
Total	67	333	190	73	42	15	8	5	6	2					15	756

DEATHS.

TABLE E.—

Distinguishing by Months, by Ages, by Sex and by Diseases, the Registered Number

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
CLASS I. ZYMOTIC DISEASES.													
ORDER I. Miasmatic Diseases. <i>Miasmatici.</i>													
Anthrax (Carbuncle).....M			1				2				1		4
.....F													
Total.....			1				2				1		4
Cholera Infantum.....M	4	2	4	2	7	5	41	91	81	18	5	4	264
.....F	1	3	2	2	2	5	38	80	46	15	2	5	201
Total.....	5	5	6	4	9	10	79	171	127	33	7	9	465
Cholera Morbus.....M	1						2	3	9	5		1	21
.....F						1		3	1	4			9
Total.....	1					1	2	6	10	9		1	30
Cynanche Trachealis (Membranous Croup) M	20	30	18	10	14	18	11	14	14	30	25	22	226
.....F	18	20	17	19	20	7	8	4	11	24	25	28	201
Total.....	38	50	35	29	34	25	19	18	25	54	50	50	427
Diarrhoea Acuta (Acute Diarrhoea).....M	2	5	5	2	7	8	52	85	82	28	6	4	286
.....F	6	3	4	9	3	8	34	70	82	28	7	5	259
Total.....	8	8	9	11	10	16	86	155	164	56	13	9	545
Diarrhoea Chronica (Chronic Diarrhoea) M			1				2	9	12	3	2	1	30
.....F			4	3	3		2	4	3	6	2	1	28
Total.....			5	3	3		4	13	15	9	4	2	58
Dysentery.....M	2	2	1	1	1	5	9	9	12	4	2	3	51
.....F		1	1	1	1	2	11	11	23	10		1	62
Total.....	2	3	2	2	2	7	20	20	35	14	2	4	113
Diphtheria.....M	74	62	62	63	41	37	29	47	70	79	66	74	704
.....F	96	69	74	43	45	26	35	47	43	72	67	85	702
Total.....	170	131	136	106	86	63	64	94	113	151	133	159	1406
Erysipelas.....M	12	9	6	8	6	3	1	4	1	4	7	6	67
.....F	5	4	9	3	3	3	2		1	2	2	1	35
Total.....	17	13	15	11	9	6	3	4	2	6	9	7	102

DEATHS.

of Deaths from various specified causes (arranged in Classes) during the year 1886.

SEX.	AGES.													Total.	
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and Over.		Unknown.
Males						1	1	1			1				4
Females															
Total						1	1	1			1				4
Males	209	53	2												264
Females	161	39	1												201
Total	370	92	3												465
Males							3	3	5	5	3	2			21
Females	1			1		1		1	1	2	1	1			9
Total	1			1		1	3	4	6	7	4	3			30
Males	41	129	47	8										1	226
Females	44	123	27	7											201
Total	85	252	74	15										1	427
Males	211	52	2	2	1		1	2	3	1	5	1		5	286
Females	180	49	3			4	4	1	3	2	5	3		5	259
Total	391	101	5	2	1	4	5	3	6	3	10	4		10	545
Males							2	1	3	3	15	6			30
Females						3	1	2	3	3	7	7	1	1	28
Total						3	3	3	6	6	22	13	1	1	58
Males	18	15				1			2	3	9	2		1	51
Females	20	9			2		6	2	1	5	5	3	1	8	62
Total	38	24			2	1	6	2	3	8	14	5	1	9	113
Males	59	308	224	67	28	6	3	2	1					6	704
Females	37	272	246	80	29	14	5	1	2	4				12	702
Total	96	580	470	147	57	20	8	3	3	4				18	1406
Males	17	4	6			5	5	4	3	10	10	2		1	67
Females	14	2		2		4	2	2	2	4	2			1	35
Total	31	6	6	2		9	7	6	5	14	12	2		2	102

TABLE E.—

CAUSE OF DEATH.	MONTHS.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Febris Biliosa (Bilious Fever).....M	1	2	1	1	2	1	1	9
.....F	1	1	1	1	2	6
Total.....	1	3	1	2	1	1	2	3	1	15
Febris Cerebro-Spinalis (Spinal Fever)..M	3	4	12	4	4	4	4	1	8	3	4	6	57
.....F	4	4	6	5	4	3	6	5	5	8	5	6	61
Total.....	7	8	18	9	8	7	10	6	13	11	9	12	118
Febris Congestiva (Congestive Fever)....M	1	1	1	3
.....F	1	1	2
Total.....	1	1	2	1	5
Febris Intermittent (Intermittent Fever).M	4	3	2	4	1	1	2	3	2	1	23
.....F	4	3	5	5	2	1	2	3	2	4	4	35
Total.....	4	3	9	8	4	4	2	3	5	5	6	5	58
Febris Remittens (Remittent Fever).....M	1	1	1	1	1	2	7
.....F	4	1	1	3	1	1	1	12
Total.....	4	1	2	4	1	1	2	1	3	19
Febris Typhoides (Typhoid Fever).....M	23	11	19	17	12	4	9	14	42	39	23	18	221
.....F	11	14	10	10	13	9	4	15	19	31	20	9	165
Total.....	24	25	29	27	25	13	13	29	61	70	43	27	386
Influenza.....M	1	2	3	1	1	2	2	15
.....F	5	4	5	1	1	2	2	20
Total.....	9	6	8	2	1	1	2	2	4	35
Morbilli (Measles).....M	6	5	6	19	20	2	3	2	6	5	1	75
.....F	5	4	9	13	13	2	9	4	2	5	6	2	74
Total.....	11	9	15	32	33	4	12	4	4	11	11	3	149
Parotitis (Mumps).....M	1	1	1	3
.....F
Total.....	1	1	1	3
Pertussis (Whooping Cough).....M	7	3	6	8	3	9	3	15	11	10	7	6	88
.....F	8	7	15	12	12	5	8	14	12	8	9	7	117
Total.....	15	10	21	20	15	14	11	29	23	18	16	13	205

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Pyæmia.....M	3	6	4	1	5	1	2	2	2	6	6	1	39
“.....F	2	4	5	5	3	4	1	5	6	2	6	7	50
Total.....	5	10	9	6	8	5	3	7	8	8	12	8	89
Scarlatina (Scarlet Fever).....M	20	20	22	7	15	9	6	9	5	3	9	6	131
“.....F	14	14	24	14	12	10	6	6	3	7	8	11	129
Total.....	34	34	46	21	27	19	12	15	8	10	17	17	260
Tonsillitis (Quinsy).....M	3	1	1	1	1	1	3	5	16
“.....F	1	1	2	1	1	6
Total.....	4	2	3	1	1	1	1	4	5	22
Variola (Small-Pox).....M	3	2	1	1	1	8
“.....F	4	2	5	11
Total.....	7	2	7	1	1	1	19
ORDER 2. ENTHETIC DISEASE. <i>Enthetici.</i>													
Syphilis.....M	1	2	1	1	1	1	7
“.....F	1	1	1	2	1	1	7
Total.....	1	2	3	1	2	1	2	1	1	14
ORDER 3. DIETIC DISEASES. <i>Dietici.</i>													
Alcoholism.....M	2	1	2	1	3	2	4	1	16
“.....F	1	1
Total.....	2	1	2	1	3	2	4	1	1	17
Bronchocele (Goitre).....M	2	2
“.....F	2	2	1	1	6
Total.....	2	2	1	3	8
Rachitis.....M	1	1
“.....F
Total.....	1	1
Scorbutis (Scurvy).....M	1	1
“.....F	1	1
Total.....	1	1	2

DEATHS.—Continued.

[illegible]

TABLE E.—

CAUSE OF DEATH.	MONTHS.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
ORDER 4. PARASITIC DISEASES. <i>Parasitici</i>.												
Apthæ (Thrush).....M	3	2	2	1	1	...	4	...	2	2	...	17
“.....F	2	1	1	2	...	3	2	3	4	4	1	23
Total.....	5	3	3	3	1	3	6	3	6	6	1	40
Vermes (Worms).....M	2	2	2	...	1	1	...	9
“.....F	3	3	1	...	1	...	3	1	1	...	1	15
Total.....	5	5	3	...	2	...	3	1	1	1	1	24
Total Zymotic Diseases.....M	185	169	183	152	145	117	186	311	360	252	274	167
“.....F	191	163	204	151	139	91	176	276	268	232	171	176
Grand Total.....	276	332	387	303	284	208	362	587	628	484	345	343
CLASS II. CONSTITUTIONAL DISEASES. <i>Cachectici</i>.												
Anæmia.....M	82	77	82	59	70	60	82	93	110	61	60	37
“.....F	60	66	90	61	61	40	75	79	86	60	61	52
Total.....	142	143	172	120	131	100	157	172	196	121	121	89
Anasarca (General Dropsy).....M	16	12	17	14	20	18	11	8	8	14	8	7
“.....F	17	17	24	16	15	21	12	16	13	25	18	11
Total.....	33	29	41	30	35	39	23	24	21	39	26	18
Asthma.....M	4	3	6	2	5	7	4	4	9	3	5	5
“.....F	3	2	4	3	2	1	4	2	1	6	3	3
Total.....	7	5	10	5	7	8	8	6	10	9	8	8
Carcinoma (Cancer).....M	13	20	19	23	21	14	21	19	20	21	16	14
“.....F	19	20	21	6	15	20	28	17	25	20	15	13
Total.....	32	40	40	29	36	34	49	36	45	41	31	27
Leucocythæmia.....M	2	1	3
“.....F	1	1	2
Total.....	2	1	...	1	1	5
Mortification.....M	...	1	1	...	1	1	1	1	...	1	2	2
“.....F	...	1	1	1	2	1	...	1	...	2
Total.....	...	2	1	...	2	2	3	2	...	2	2	4

DEATHS.—Continued.

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	99 and over.	Unknown.	
Males.....	14	3													17
Females.....	20	3													23
Total.....	34	6													40
Males.....	1	5	1			1				1					9
Females.....	1	12	2												15
Total.....	2	17	3			1				1					24
Males.....	712	758	340	111	74	93	58	56	47	47	54	15		36	2401
Females.....	629	711	346	125	73	104	65	25	30	37	25	15	2	51	2238
Grand Total.....	1341	1469	686	236	147	197	123	81	77	84	79	30	2	87	4639
Males.....	703	92	3	7	2	4	5	10	15	27				5	873
Females.....	570	74	7	5	6	25	18	23	17	42				4	791
Total.....	1273	166	10	12	8	29	23	33	32	69				9	1664
Males.....	2	4	3	1	2	7	7	12	13	30	43	20	2	7	153
Females.....	5	3	5	4	5	17	11	19	23	42	42	19	2	8	205
Total.....	7	7	8	5	7	24	18	31	36	72	85	39	4	15	358
Males.....	1	2					5	2	7	10	22	7		1	57
Females.....	2	4				1		4	6	6	4	6		1	34
Total.....	3	6				1	5	6	13	16	26	13		2	91
Males.....					4	4	13	21	38	74	46	13		8	221
Females.....					2	4	22	31	45	61	35	13		6	219
Total.....					6	8	35	52	83	135	81	26		14	440
Males.....							1			2					3
Females.....				1					1						2
Total.....				1			1		1	2					5
Males.....	1							1		2	4	3			11
Females.....			1			1		2	1		1		1	2	9
Total.....	1		1			1		3	1	2	5	3	1	2	20

TABLE E.

CAUSE OF DEATH.	MONTHS.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Noma (Canker).....M							2						2
“.....F				2			1		1		1		5
Total.....				2			3		1		1		7
Tabes Mesenterica.....M			2	1					2				5
“.....F			1			1	2		2				6
Total.....			3	1		1	2		4				11
Rheumatism.....M	5	7	8	9	10	6	8	7		3	4	4	71
“.....F	3	11	11	8	5	5	6	4	3	2	5	9	72
Total.....	8	18	19	17	15	11	14	11	3	5	9	13	143
ORDER 2. TUBERCULAR DISEASES. <i>Phthisici.</i>													
Hydrocephalus.....M	5	4	5	9	4	4	10	6	10	9	9	9	84
“.....F	6	6	6	3	5	2	4	5	6	5	3	2	53
Total.....	11	10	11	12	9	6	14	11	16	14	12	11	137
Tubercular Meningitis.....M	7	7	7	2	1	7	5	3	5	4	1	1	50
“.....F	9	7	3	3	4	5	6	4	7	6	1	4	59
Total.....	16	14	10	5	5	12	11	7	12	10	2	5	109
Scrofula.....M	2	1	1	1	1		1	1	1	2	1		12
“.....F	5	2	2	5	3	2			1	1		1	22
Total.....	7	3	3	6	4	2	1	1	2	3	1	1	34
Phthisis.....M	98	94	96	98	89	99	82	75	82	84	80	94	1071
“.....F	93	142	130	130	118	95	110	101	110	129	91	99	1348
Total.....	191	236	226	228	207	194	192	176	192	213	171	193	2419
Total Constitutional Diseases.....M	232	226	246	219	222	216	227	217	247	202	186	173	2613
“.....F	215	274	292	237	229	194	250	229	255	255	199	196	2825
Total.....	447	500	538	456	451	410	477	446	502	457	385	369	5438
CLASS III. LOCAL DISEASES.													
<i>Monorganici.</i>													
ORDER 1. DISEASES OF THE NERVOUS SYSTEM. <i>Cephalici.</i>													
Apoplexia (Apoplexy).....M	12	8	20	19	17	17	16	18	10	14	12	26	189
“.....F	10	13	19	12	11	12	12	14	10	14	16	13	156
Total.....	22	21	39	31	28	29	28	32	20	28	28	39	345

DEATHS—Continued.

SEX.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	
Males.....	2													2
Females.....	5													5
Total.....	7													7
Males.....	3	2												5
Females.....	1	1	1		1	2								6
Total.....	4	3	1		1	2								11
Males.....	1	2	5	8	4	7	5	7	4	11	9	4	1	71
Females.....	1	2	6	3	6	3	6	7	8	15	7	3	1	72
Total.....	2	4	11	11	10	10	11	14	12	26	16	7	2	143
Males.....	53	25	4			1								84
Females.....	33	15	4			1								53
Total.....	86	40	8			2								137
Males.....	15	14	4	1	4	5	1	2	2					50
Females.....	16	21	4	4	4	1	3	2	1	1				59
Total.....	31	35	8	5	8	6	4	4	3	1				109
Males.....	9	2								1				12
Females.....	21										1			22
Total.....	30	2								1	1			34
Males.....	34	23	9	6	70	366	206	120	105	67	36	4		1071
Females.....	22	18	15	30	165	506	256	141	86	55	17	6		1348
Total.....	56	41	24	36	235	872	462	261	191	122	53	10		2419
Males.....	824	166	28	23	86	394	243	175	184	224	160	51	3	2613
Females.....	676	138	43	47	189	561	316	229	188	222	107	47	4	2825
Total.....	1500	304	71	70	275	955	559	404	372	446	267	98	7	5438
Males.....						12	8	23	20	59	46	9	1	189
Females.....						7	12	16	32	32	33	13	1	156
Total.....						19	20	39	52	91	79	22	2	345

TABLE E.—

		MONTHS.												
CAUSE OF DEATH.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Atropia Musculorum (Progressive Locomotor Ataxia)	M	...	1	1	...	1	3
"	F
Total		...	1	1	...	1	3
Chorea (St. Vitus' Dance)	M	1	1	...	1	3
"	F	2	1	3
Total		3	1	...	1	1	6
Convulsions	M	20	32	32	42	19	29	36	28	26	30	18	34	346
"	F	22	22	24	24	14	22	23	27	37	19	20	22	276
Total		42	54	56	66	33	51	59	55	63	49	38	56	622
Encephalitis	M	13	11	15	14	17	14	17	21	16	6	9	13	166
"	F	14	22	18	18	7	12	12	16	15	7	12	10	163
Total		27	33	33	32	24	26	29	37	31	13	21	23	329
Epilepsy	M	7	3	2	2	1	1	4	2	3	2	7	2	36
"	F	4	4	3	1	3	7	4	4	4	2	...	4	40
Total		11	7	5	3	4	8	8	6	7	4	7	6	76
Hemiplegia	M	...	1	2	...	2	...	1	1	2	...	9
"	F	...	2	1	...	1	1	...	1	6
Total		...	3	1	...	3	1	2	1	1	1	2	...	15
Hysteria	M
"	F	1	1	2
Total		1	1	2
Insanity	M	...	1	...	1	...	3	4	...	1	2	2	...	14
"	F	1	1	2	2	1	5	1	1	14
Total		1	2	2	1	...	5	5	5	1	2	3	1	28
Meningitis	M	8	3	8	19	14	12	13	14	13	6	8	10	128
"	F	6	5	9	9	9	13	8	8	12	4	5	9	97
Total		14	8	17	28	23	25	21	22	25	10	13	19	225
Insolatio (Sunstroke)	M	1	1	1	1	2	6
"	F
Total		1	1	1	1	2	6

DEATHS.—Continued.

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males								1	2						3
Females															
Total								1	2						3
Males				1		1				1					3
Females					2			1							3
Total				1	2	1		1		1					6
Males	282	54	2	2	6										346
Females	189	64	9	1	13										276
Total	471	118	11	3	19										622
Males	52	42	17	6	3	10	7	8	8	5	3	1		4	166
Females	44	44	15	12	6	14	10	3	3	7	2	1		2	163
Total	96	86	32	18	9	24	17	11	11	12	5	2		6	329
Males						10	10	5	3	3	2	1		2	36
Females						19	7	5	2	5	1	1			40
Total ...						29	17	10	5	8	3	2		2	76
Males								2		1	5	1			9
Females						1		1			3	1			6
Total						1		3		1	8	2			15
Males															
Females								1		1					2
Total								1		1					2
Males					1	1	1	3	5		1			2	14
Females						1	3	2	3	2	2			1	14
Total					1	2	4	5	8	2	3			3	28
Males	39	34	8	3	6	7	7	6	5	7	2	1	1	2	128
Females	27	25	11	7	7	4	2	4	2	3	1			4	97
Total	66	59	19	10	13	11	9	10	7	10	3	1	1	6	225
Males		1		1			1		1	2					6
Females															
Total		1		1			1		1	2					6

DEATHS.—Continued.

SEX.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	
Males	3	1	2	1	...	4	1	4	1	1	1	19
Females	2	...	1	1	3	3	1	1	1	15
Total	5	1	3	2	3	7	2	4	1	2	2	...	2	34
Males	2	...	1	...	1	5	4	4	7	4	...	30
Females	1	1	1	...	5	6	7	5	...	26
Total	3	...	1	1	2	5	9	10	14	9	...	56
Males	8	5	4	3	2	5	18	18	27	70	72	36	5	275
Females	3	3	4	2	2	4	5	22	31	70	50	31	1	232
Total	11	8	8	5	4	9	23	40	58	140	122	67	6	507
Males	1	1	1	1	1	5
Females	1	2	3
Total	1	1	1	...	1	3	1	8
Males	1	2	1	2	3	2	11
Females	1	2	...	1	3	...	1	8
Total	1	2	...	2	2	1	5	3	3	19
Males	1	1
Females	2	3
Total	1	...	3	4
Males	1	1	1	3
Females	1	1	2
Total	2	1	2	5
Males	1	1
Females	1	2	1	3	1	...	2	10
Total	1	1	2	1	3	1	...	2	11
Males	2	2	1	5
Females	1	1
Total	1	2	2	1	6

TABLE E.—

CAUSE OF DEATH.	MONTHS.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Endocarditis (Inflammation of Membrane of Heart).....M		2	1		1						1	
“ “.....F	2	1	1		1	1	1				1	
Total	2	3	2		2	1	1				2	
Hydrops Pericardii (Dropsy of Heart) ..M	2	1	2		1	3	1		3	1	1	1
“ “.....F	1	3	3	2	3	1			2	4		1
Total	3	4	5	2	4	4	1		5	5	1	2
Hypertrophica Cordis (Enlarge't of Heart)M		1			1	1	1	1	1	3	1	1
“ “.....F	1	3					1		2			1
Total	1	4			1	1	2	1	3	3	1	2
Morbus Valvularum Cordis (Valvular Disease of the Heart).....M	52	45	53	54	34	36	33	38	24	41	47	43
“ “.....F	48	46	51	44	34	36	29	38	42	30	35	54
Total	100	91	104	98	68	72	62	76	66	71	82	97
Pericarditis.....M	1	1			1	1			1	2		1
“ “.....F			3			2	2			3		
Total	1	1	3		1	3	2		1	5		1
Syncope (Fainting).....M			1			1			2	1	3	
“ “.....F		1	1				2	1	1		1	
Total		1	2			1	2	1	3	1	4	
ORDER 3. DISEASE OF THE RESPIRATORY SYSTEM.— <i>Pneumonic.</i>												
Apoplexia Pulmonalis (Congestion of Lungs).....M	20	24	32	24	22	11	9	7	7	13	19	24
“ “.....F	24	24	21	24	14	14	5	9	11	19	13	23
Total	44	48	53	48	36	25	14	16	18	32	32	47
Bronchitis.....M	21	16	38	35	29	30	15	11	12	18	17	24
“ “.....F	24	22	27	44	17	17	10	6	10	13	20	22
Total	45	38	65	79	46	47	25	17	22	31	37	46
Emphysema (Injuries to Lungs).....M				1					1	1		
“ “.....F	1				2	1			1		1	
Total	1			1	2	1			2	1	1	

DEATHS.—*Continued.*

SEX.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Males				1				2	1	1					5
Females	1		1	1	1		1	1	1	1					8
Total	1		1	2	1		1	3	2	2					13
Males		1		1		1		2	1	6	3	1			16
Females			1			1	2	1	5	5	3	2			20
Total		1	1	1		2	2	3	6	11	6	3			36
Males				1	1	1	1			1	2	4			11
Females				1	1		2		1	1	1			1	8
Total				2	2	1	3		1	2	3	4		1	19
Males	16	10	6	9	24	35	36	36	63	114	108	33	..	10	500
Females	14	12	17	13	17	40	56	53	61	92	75	19	18	487
Total	30	22	23	22	41	75	92	89	124	206	183	52	28	987
Males		1	1					1	2	1		1		1	8
Females	1			2		1	4		1	1					10
Total	1	1	1	2		1	4	1	3	2		1		1	18
Males	2		1			1	1	1	1	1					8
Females						1	3				2			1	7
Total	2		1			2	4	1	1	1	2			1	15
Males	58	26	11	4	5	14	8	15	18	14	16	18	1	4	212
Females	52	31	11	4	4	5	17	22	13	16	9	8	1	8	201
Total	110	57	22	8	9	19	25	37	31	30	25	26	2	12	413
Males	109	44	7	2	..	7	3	6	14	25	24	9	1	15	266
Females	61	50	8	3	4	6	7	8	14	18	31	14	8	232
Total	170	94	15	5	4	13	10	14	28	43	55	23	1	23	498
Males						2		1							3
Females					1	2	2	1							6
Total					1	4	2	2							9

TABLE E.—

CAUSE OF DEATH.	MONTHS.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Hydrothorax (Dropsy of Chest)	M	1	1	1	1	3	1
.....F	1	2	1	1	2	1
Total	2	1	1	2	1	1	4	2	2
Laryngitis	M	1	1	1	2	5	2	2	2	5	3
.....F	2	3	1	2	2	2	1	3	2	2
Total	3	4	2	4	5	4	4	1	2	5	7	5
Pleurisy	M	4	3	4	2	2	1	3	3	4	2
.....F	1	2	3	4	2	1	2	3	2	1	2	2
Total	5	5	7	6	4	2	5	3	2	4	6	4
Pneumonia	M	85	78	119	123	91	43	33	23	34	47	69
.....F	63	75	82	111	64	48	37	21	33	40	48	65
Total	148	153	201	234	155	91	70	44	67	87	117	140
ORDER 4. DISEASES OF THE DIGESTIVE SYSTEM. <i>Enterici.</i>												
Ascites (Abdominal Dropsy)	M	1	2	1	4
.....F	1	1	1	1	1	1
Total	1	1	2	3	2	1
Chololithus (Gall Stones)	M	1	1	1	3
.....F	1	1
Total	1	2	1	4
Cirrhosis of Liver	M	3	3	3	3	5	1	4	2	6	4
.....F	1	2	2	1	2	1	2	1	2
Total	4	5	3	5	6	1	2	4	3	8	5	5
Colica	M	1	6	1	8
.....F	1	1	1	1
Total	1	1	1	7	1	1
Dyspepsia	M	7	3	1	8	2	2	5	5	5	2	5
.....F	2	3	2	1	2	2	2	5	5	2	4
Total	9	6	4	10	3	4	7	7	10	7	7	10

DEATHS.—Continued.

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males					1	1	3	2	1	3	1				8
Females							1	1	3	3	3				8
Total					1	1	4	3	3	4					16
Males	4	4	3	1	3	2	2	4	1	1				1	26
Females	2	6	1		1	3		2	1	1				3	20
Total	6	10	4	1	4	5	2	6	2	2				4	46
Males	1	2	2		4	2	2	7	2	3	3				28
Females	1	2	2		2	3	1	3	5	3	2	1			25
Total	2	4	4		6	5	3	10	7	6	5	1			53
Males	155	135	29	15	28	67	66	65	75	78	58	24	1	24	820
Females	103	100	37	17	31	71	62	49	59	55	51	21	5	26	687
Total	258	235	66	32	59	138	128	114	134	133	109	45	6	50	1507
Males								1	1	1	1				4
Females									1	1	4				6
Total								1	2	2	5				10
Males								1	1	1					3
Females										1					1
Total								1	1	2					4
Males						3	3	3	7	10	6	2		3	37
Females						2	3	1	2	5	1			1	14
Total						5	6	4	9	15	7	2		3	51
Males	3	4	1												8
Females	1	1						1	1						4
Total	4	5	1					1	1						12
Males						5	5	4	7	14	14			5	54
Females		2				3	3	2	3	9	2	1		5	30
Total		2				8	8	6	10	23	16	1		10	84

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Enteritis (Inflammation of the Bowels)M 													

DEATHS.—Continued.

SEX.		AGES.														
		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Males	75	32	18	4	21	33	11	22	16	18	9	2	7	268	
Females	63	20	13	17	13	20	26	15	16	19	15	5	6	248	
Total	138	52	31	21	34	53	37	37	32	37	24	7	13	516	
Males	19	2	1	3	4	3	5	9	17	11	1	3	77	
Females	13	5	4	2	2	3	9	2	9	5	7	1	4	66	
Total	32	7	4	3	5	7	12	7	18	22	18	2	7	143	
Males	2	2	3	1	9	
Females	1	1	2	1	2	2	1	10	
Total	2	1	1	2	3	5	2	2	19	
Males	1	2	2	2	1	6	5	10	14	24	13	1	81	
Females	1	1	3	7	6	12	16	9	4	2	61	
Total	2	2	2	2	2	9	12	16	26	40	22	5	2	142	
Males	1	1	1	1	1	2	1	5	2	4	19	
Females	2	1	2	2	1	4	5	1	1	19	
Total	1	1	2	2	3	3	3	5	10	3	5	38	
Males	1	3	1	3	1	6	7	2	2	1	27	
Females	6	1	1	1	1	6	5	5	1	1	28	
Total	7	4	2	4	2	12	12	7	3	2	55	
Males	5	1	6	
Females	1	1	
Total	5	1	1	7	
Males	2	2	2	1	1	1	2	11	
Females	2	1	2	2	1	2	10	
Total	2	2	2	2	1	2	1	2	4	1	2	21	
Males	4	1	4	6	9	7	4	2	5	4	1	4	51	
Females	2	4	9	3	8	18	12	5	5	2	2	6	76	
Total	6	4	10	7	14	27	19	9	7	7	6	1	10	127	
Males	1	1	2	
Females	1	1	2	
Total	1	1	2	4	

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Stomatitis (Inflammation of Mouth) M	1	1	2

DEATHS.—*Continued.*

SEX.	AGES.														Total
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males	1										1				2
Females	2														2
Total	3										1				4
Males									2	1	2				5
Females										1					1
Total									2	2	2				6
Males				1		1			2	1	1			1	7
Females						1	1			2	2			2	8
Total				1		2	1		2	3	3			3	15
Males	2				1	2	1	2	3		2				13
Females		1		1		3	1	2	2	2	1	1		3	17
Total	2	1		1	1	5	2	4	5	2	3	1		3	30
Males							1				1	1		1	4
Females															
Total							1			1	1			1	4
Males					3	2		2	4	15	15	7	1	3	52
Females								1	2	2					5
Total					3	2		3	6	17	15	7	1	3	57
Males	1	1	1	4	5	12	6	2	6	5	8	3			54
Females	1		1	3	2	4	1	2	3	6	6			1	30
Total	2	1	2	7	7	16	7	4	9	11	14	3		1	84
Males				1						1	1	2	1		6
Females															
Total				1						1	1	2	1		6
Males						1				1	4	6	7		19
Females															
Total						1				1	4	6	7		19

TABLE E.

CAUSE OF DEATH.	MONTHS.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Nephria (Bright's Disease).....M	5	15	11	14	11	5	5	7	5	8	8	7	101
.....F	6	3	3	2	3	5	3	9	4	3	5	8	59
Total	11	18	14	21	14	10	8	16	9	11	13	15	160
Nephritis (Inflammation of Kidneys)....M	10	12	8	6	12	7	8	4	6	8	8	8	97
.....F	10	7	6	3	4	6	6	4	4	5	5	5	65
Total	20	19	14	9	16	13	14	8	10	13	13	13	162
Stricture of Urethra.....M	1	1	1	1	4
.....F	1	1
Total.....	1	1	1	1	1	5
ORDER 6. DISEASES OF THE GENERATIVE ORGANS.— <i>Genetici</i> .													
Hydrops Ovarii (Ovarian Dropsy).....F	1	2	1	4
Metritis (Inflammation of Womb).....F	1	3	2	3	2	2	1	2	1	2	19
Morbus Uteri.....F	1	1	1	1	1	5
Tumor Ovarii.....F	4	2	3	5	4	4	3	2	5	6	3	41
Tumor Uteri.....F	4	5	4	4	6	1	1	5	2	3	6	2	43
ORDER 7. DISEASES OF THE LOCOMOTIVE SYSTEM.— <i>Musculici</i> .													
Arthritis (Inflammation of Joints)....M	1	3	1	1	1	2	9
.....F	1	2	1	1	5
Total	1	1	2	4	1	1	1	3	14
Caries (Bones).....M	1	2	2	1	1	7
.....F	1	1	1	1	1	5
Total	2	3	2	1	1	1	1	1	12
Synovitis.....M	1	1	2
.....F
Total	1	1	2

DEATHS.—Continued.

SEX.	AGES.												
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.
Males		2	1	2	4	6	7	9	21	26	13	2	2
Females			1	1	4	5	8	10	14	10	1	3	2
Total		2	2	3	8	11	15	19	35	36	14	11	4
Males	2	2	5	2	2	6	5	7	9	11	32	9	5
Females	4	1	7		3	8	7	6	8	9	8	1	3
Total	6	3	12	2	5	14	12	13	17	20	40	10	8
Males						2			1	1			4
Females													1
Total						2			1	1			5
Females								1	1	1			1
Females						5	4	4	2	1			3
Females						1		2	1	1			5
Females						5	8	9	11	4	3		1
Females						4	9	12	6	8	2		2
Males				2	1		1		2	1	1	1	9
Females		1		1			1		1	1			5
Total		1		3	1		2		3	2	1	1	14
Males		1	1	1	1	1	2				1		7
Females	1	1		1		1		1					5
Total	1	2	1	2		2	2	1			1		12
Males													2
Females	1					1							2
Total	1					1							2

TABLE E.—

		MONTHS.												
CAUSE OF DEATH.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
ORDER 8. DISEASES OF THE INTEGUMENTARY SYSTEM.— <i>Chrotoci.</i>														
Abscess	M	9	9	8	9	7	7	6	10	5	9		7	94
“	F	5	8	3	8	4	3	2	4	3	4	4	6	54
Total		14	17	11	17	11	10	8	14	8	13	12	13	148
Eczema	M			1										1
“	F									1				1
Total				1						1				2
Phlegmon	M													
“	F	2												2
Total		2												2
Total Local Diseases.....	M	379	370	449	448	372	316	312	306	288	313	341	399	4293
“ “ “	F	336	368	368	416	270	284	248	263	292	258	283	335	3721
Total		715	738	817	864	642	600	560	569	580	571	624	734	8014
CLASS IV. DEVELOPMENTAL DISEASES.— <i>Metamorphici.</i>														
ORDER 1. DEVELOPMENTAL DISEASES OF CHILDREN.— <i>Paidiei.</i>														
Amentia (Idiocy).....	M												1	1
“ “	F													
Total													1	1
Anus Imperforatus.....	M	1	1	1					1		1	1		6
“	F	2	2		1	1	1		1			1	1	10
Total		3	3	1	1	1	1		2		1	2	1	16
Atelectasis Pulmonum.....	M	1	2		1	1		3	1	1	2			12
“ “	F	2				2		1	2	2	2			11
Total		3	2		1	3		4	3	3	4			23
Cyanosis	M	2	1		8	3	1			1	2	3	1	22
“	F	1	3			4			2	1		2	1	14
Total		3	4		8	7	1		2	2	2	5	2	36

DEATHS—Continued.

[illegible]

TABLE E.—

CAUSE OF DEATH.	MONTHS.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Dentition (Teething).....M	7	5	7	8	3	3	4	8	11	6	6	5	73
.....F	5	4	4	3	3	2	5	13	11	3	7	4	64
Total	12	9	11	11	6	5	9	21	22	9	13	9	137
Hæmorrhagia Umbilicalis.....M	1	1	2			1		5	5	4			19
.....F			1	1							1	1	4
Total.....	1	1	3	1		1		5	5	4	1	1	23
Præternatural Birth.....M					1								1
.....F									2		1		3
Total					1				2		1		4
Still Birth.....M	16	21	25	24	25	20	17	18	27	15	21	22	251
.....F	14	17	18	23	20	11	14	18	20	12	17	9	193
Total	30	38	43	47	45	31	31	36	47	27	38	31	444
Premature Birth.....M	19	17	15	9	20	13	13	16	15	12	11	20	180
.....F	8	14	12	16	13	13	13	16	13	15	10	13	158
Total.....	27	31	27	25	33	28	26	32	28	27	21	33	338
Spina Bifida.....M		1	1	1		1	1	1		1		1	8
.....F	2	2		3		1	2			1	1		12
Total.....	2	3	1	4		2	3	1		2	1	1	20
ORDER 2. DEVELOPMENTAL DISEASES OF WOMEN.— <i>Gynæci.</i>													
Abortion and Miscarriage.....F	1	2	1	2	2	3	2	1	1	1	1	1	18
Climacteria.....F	2			1	1	1	1			1	1		8
Eclampsia Parturi.....F	6	6	3	2	9	5	4	2	1	5	4		47
Puerperal Fever.....F	14	11	14	5	9	8	9	8	8	2	4	6	98
Post Partum.....F	1		1		2	1			4	2			11
Partus (Childbirth).....F	16	20	17	22	20	8	9	14	7	7	17	17	174
Milk Leg.....F										1			1

TABLE E.—

CAUSE OF DEATH.	MONTHS.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
ORDER 3. DEVELOPMENTAL DISEASES OF OLD PEOPLE.— <i>Geriatrici</i> .												
<i>Synectris</i> (Old Age).....M	101	93	132	98	92	81	62	65	85	86	84	103
.....F	95	89	120	95	72	64	69	68	72	99	89	107
Total.....	196	182	252	193	164	145	131	133	157	185	173	210
Total Developmental Diseases.....M	148	142	183	149	145	120	100	115	145	129	126	153
.....F	169	170	191	174	158	120	129	145	142	151	156	160
Grand Total.....	317	312	374	323	303	240	229	260	287	280	282	313
CLASS V. VIOLENCE TENDING TO SUDDEN DEATH.— <i>Thanatici</i> .												
ORDER 1. ACCIDENT AND NEGLIGENCE.												
Amputa (Burns and Scalds).....M	2	3	3	1	1	4	3	3	2	3	3
.....F	3	4	1	3	3	4	2	2	1	2
Total.....	5	7	4	4	3	5	6	5	3	3	5	3
Amputation.....M	1	1	1	2
.....F
Total.....	1	1	1	2
Concussion of Brain.....M	1	1	2	1	2	1	1	9
.....F	1	1	1	1	4
Total.....	1	2	1	2	1	3	2	1	13
Contusion.....M	1	1
.....F
Total.....	1	1
Explosion.....M	1	1	1
.....F	1	1
Total.....	2	1	1
Fracture.....M	6	3	5	1	2	1	1	1	1	3
.....F	1	1	2	1	1	2
Total.....	7	4	7	1	3	1	1	2	1	5

DEATHS—Continued.

SEX.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Males											451	519	112		1082
Females											441	480	115		1039
Total											895	999	227		2121
Total Males	531	42									451	519	112		1655
Females	442	26		1	11	90	125	89	24	4	444	480	115	14	1865
Grand Total	973	68		1	11	90	125	89	24	4	895	999	227	14	3520
Males	3	18				2	2		1		1	1			28
Females	1	15		2		1	2			1	2	1			25
Total	4	33		2		3	4		1	1	3	2			53
Males		1					1	2				1			5
Females															
Total		1					1	2				1			5
Males		2	1				1		2	2				1	9
Females						1				2	1				4
Total		2	2			1	1		2	4	1			1	13
Males						1									1
Females															
Total						1									1
Males				1		1			1						3
Females						1									1
Total				1		2			1						4
Males			1	1	2	1	4	3	2	3	1	2		4	24
Females						1		1			3	3			8
Total			1	1	2	2	4	4	2	3	4	5		4	32

TABLE E.—

CAUSE OF DEATH.		MONTHS.												Total.
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Freezing	M	3	1	1							1		1	7
	F												1	1
Total		3	1	1							1		2	8
Lightning	M					1	1	1	1					4
	F													
Total						1	1	1	1					4
Suffocation	M			2	4	2		1	2	3	2	2	2	20
	F	1								1		2		4
Total		1		2	4	2		1	2	4	2	4	2	24
Drowning	M	4		7	16	11	18	27	21	15	8	7	6	140
	F		1	1	5	2	5	5	2		4	5		30
Total		4	1	8	21	13	23	32	23	15	12	12	6	170
Poison	M	2	2	1	1	2	2	2	5	3				20
	F		1			1	1	3		1			1	8
Total		2	3	1	1	3	3	5	5	4			1	28
Wounds	M	19	15	17	22	25	23	24	22	18	21	26	20	252
	F	4	5	2	3	4	6	4	1	4	7	8	1	49
Total		23	20	19	25	29	29	28	23	22	28	34	21	301
Killed by Cars	M	3	2	2	4	3	7	6	4	10	4	4	1	50
	F					1		1	1			1	1	5
Total		3	2	2	4	4	7	7	5	10	4	5	2	55
ORDER 2. HOMICIDE.														
Murder and Manslaughter	M	1	1	2					1					5
	F	1		1										2
Total		2	1	3					1					7
ORDER 3. SUICIDE.														
Submersis (Drowning)	M				1			2				1		4
	F		1							1				2
Total			1		1			2		1		1		6

DEATHS—Continued.

SEX.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Males						1		1		2	1			2	7
Females									1						1
Total						1		1	1	2	1			2	8
Males						1	1	2							4
Females															
Total						1	1	2							4
Males	2	2			1	3	3	2		4	1			2	20
Females	3								1						4
Total	5	2			1	3	3	2	1	4	1			2	24
Males		11	23	17	17	24	13	15	2	3	2	2		11	140
Females	1	10	5	5	11		5				1	1			30
Total	1	21	28	22	28	24	18	15	2	3	3	3		11	170
Males		4				4	1	5	2	3	1				20
Females	1	2				3			1	1					8
Total	1	6				7	1	5	3	4	1				28
Males	2	14	5	16	32	49	28	27	27	24	16	3	1	8	252
Females	2	4	4	2	1	3	1	4	4	10	8	3	3		49
Total	4	18	9	18	33	52	29	31	31	34	24	6	4	8	301
Males			1	2	3	16	8	6	3	5	4			2	50
Females					1		1		1	2					5
Total			1	2	4	16	9	6	4	7	4			2	55
Males						1	1	1			1			1	5
Females									1	1					2
Total						1	1	1	1	1	1			1	7
Males						2		2							4
Females									1	1					2
Total						2		2	1	1					6

TABLE E.—

	MONTHS.												Total
CAUSE OF DEATH.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total
Suspension (Hanging) M E	1	.	.	6	2	3	1	. 1	3	3	2	1	22
Total	1	.	.	6	2	3	1	1	3	3	2	1	23
Venenatio (Poison) M . F	.	1	.	2	.	.	1	. 1	. 1	.	1	2	7
Total	1	.	2	.	.	1	1	1	1	3	2	12
Vulnera (Wounds). M . F	1	1	1	1	1	3	3	.	.	1	.	.	12
Total	1	1	2	2	1	3	3	.	.	1	.	.	14
Total Violent Deaths. M . F	43 10	30 13	42 9	60 13	50 13	62 16	73 16	63 8	57 9	44 14	47 20	40 8	611 149
Total	53	43	51	73	63	78	89	71	66	58	67	48	760
Other Diseases and Cause not Specified. M . F	35 48	24 44	28 45	36 42	27 33	28 26	34 33	26 42	30 29	23 42	34 45	24 35	349 464
Total	83	68	73	78	60	54	67	68	59	65	79	59	803

DEATHS—Continued.

SEX.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.
Males					1		3	3	2	4	7			2
Females									1					
Total					1		3	3	3	4	7			2
Males					1			1	1	1				1
Females					1	3		1	1					1
Total					2	3		2	2	1				2
Males				1		1		3	2	2	2			1
Females								1				1		
Total				1		1		4	2	2	2	1		1
Males	7	52	31	37	56	105	66	67	50	51	34	19	1	35
Females	8	21	9	9	13	11	12	5	10	20	17	9	4	1
Total	15	73	40	46	69	116	78	72	60	71	51	28	5	36
Males	3	29	30	14	24	45	31	41	49	22				61
Females	1	61	41	46	37	60	41	45	42	37				53
Total	4	90	71	60	61	105	72	86	91	59				114

TABLE E.—DEATHS BY

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
CLASS I.													
Total Zymotic Diseases	M	185	169	183	152	145	117	186	311	360	252	174	2401
“ “	F	191	163	204	151	139	91	176	276	268	232	171	2238
Total		376	332	387	303	284	208	362	587	628	484	345	4639
CLASS II.													
Total Constitutional Diseases	M	232	226	246	219	222	216	227	217	247	202	186	2613
“ “	F	215	274	292	237	229	194	250	229	255	255	199	2825
Total		447	500	538	456	451	410	477	446	502	457	385	5438
CLASS III.													
Total Local Diseases	M	379	370	449	448	372	316	312	306	288	313	341	4293
“ “	F	336	368	368	416	270	284	248	263	292	258	283	3721
Total		715	738	817	864	642	600	560	569	580	571	624	8014
CLASS IV.													
Total Developmental Diseases	M	148	142	183	149	145	120	100	115	145	129	126	1655
“ “	F	169	170	191	174	158	120	129	145	142	151	156	1865
Total		317	312	374	323	303	240	229	260	287	280	282	3520
CLASS V.													
Total Violent Deaths	M	43	30	42	60	50	62	73	63	57	44	47	611
“ “	F	10	13	9	13	13	16	16	8	9	14	20	149
Total		53	43	51	73	63	78	89	71	66	58	67	760
Total Deaths from other Causes and Cause not specified	M	35	24	28	36	27	28	34	26	30	23	34	349
“ “	F	48	44	45	42	33	26	33	42	29	42	45	464
Total		83	68	73	78	60	54	67	68	59	65	79	813
Total—Males		1022	961	1131	1064	961	859	932	1038	1127	963	908	11922
“ Females		969	1032	1109	1033	842	731	852	963	995	952	874	11262
Grand Total		1991	1993	2240	2097	1803	1590	1784	2001	2122	1915	1782	23184

CLASSES.—RECAPITULATION.

SEX.	AGES.												
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.
Males	712	758	340	111	74	93	58	56	47	47	54	15	36
Females	629	711	346	125	73	104	65	25	30	37	25	15	51
Total	1341	1469	686	236	147	197	123	81	77	84	79	30	87
Males	824	166	28	23	86	394	243	175	184	224	160	51	52
Females	676	138	43	47	189	561	316	229	188	222	107	47	58
Total	1500	304	71	70	275	955	559	404	372	446	267	98	110
Males	859	420	129	80	138	298	252	307	392	579	511	195	121
Females	601	381	160	101	133	288	312	294	360	450	360	136	137
Total	1460	801	289	181	271	586	564	601	752	1029	871	331	258
Males	531	42	451	519	112
Females	442	26	1	11	90	125	89	24	4	444	480	115
Total	973	68	1	11	90	125	89	24	4	895	999	227
Males	7	52	31	37	56	105	66	67	50	51	34	19	1
Females	8	21	9	9	13	11	12	5	10	20	17	9	4
Total	15	73	40	46	69	116	78	72	60	71	51	28	5
Males	3	29	30	14	24	45	31	41	49	22	61
Females	1	61	41	46	37	60	41	45	42	37	53
Total	4	90	71	60	61	105	72	86	91	59	114
Males	2936	1467	558	265	378	935	650	646	722	923	1210	799	128
Females	2357	1338	599	329	456	1114	871	687	654	770	953	687	133
Total	5293	2805	1157	594	834	2049	1521	1333	1376	1693	2163	1486	261

H. S. CREWE,
Inspector.

TABLE F.—DEATH BY COUNTIES.—

		CLASS I.—ZYMOTIC								
COUNTIES.		Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Group).	Diarrhoea Acuta (Acute Diarrhoea).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Algoma :										
Males	6	1	5	1	9	3	1	...	2	
Females		3	2	2	9	1	...			
Total	6	4	7	3	18	4	1		2	
Brant :										
Males	4	3	4	13	1	9	1		3	
Females	4	1	6	19	2	3				
Total	8	4	10	32	3	12			4	
Bruce :										
Males	3	7	9	4	2	5	...		4	
Females	4	2	4	2	...	4				
Total	7	9	13	6	2	9			4	
Carleton :										
Males	19	1	31	3	24	6			4	
Females	14		49	2	33	6			7	
Total	33	1	80	5	57	12			11	
Dufferin :										
Males	1		2	10		1			2	
Females	1		1	5						
Total	2		3	15		1			2	
Elgin :										
Males	7		2	19	1	5			3	
Females	5		1	9	1	2				
Total	12		3	28	2	7			3	
Essex :										
Males	2		10	48	2	10			9	
Females	10		9	54	...	11			2	
Total	12		19	102	2	21			11	
Frontenac :										
Males	2	1	6	9	2	1			15	
Females	2	2	6	13	1	3			12	
Total	4	3	12	22	3	4			27	
Grey :										
Males	5	1	4	3	5	3			2	
Females	1	1	8	2	6	4			3	
Total	6	2	12	3	9	7			5	

CAUSES OF DEATHS, 1886.

DISEASES									CLASS II.—CONSTI- TUTIONAL DISEASES.					
Other Fevers.	Influenza.	Morbili (Measles).	Whooping Cough.	Pyæmia.	Varicella (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
.....	1	1	1	1	30	13	2	1	4
.....	1	2	1	1	24	9	2	1	1
.....	1	3	1	2	1	1	54	22	4	2	5
5	2	42	7	1	5	1
5	1	46	7	11	5
10	1	2	88	14	11	1	10	1
1	3	1	35	25	7	1	8	2
1	2	3	26	42	1	3	4
2	5	3	1	61	67	8	4	12	2
7	1	17	7	1	2	3	3	140	88	1	2	13	2
5	2	21	3	1	10	2	7	180	76	5	2	16	8
12	3	38	10	2	12	2	3	10	320	164	6	4	29	10
2	1	1	20	12	3	1	1
.....	3	13	10	1
2	4	1	33	22	4	1	1
1	3	2	52	17	3	5	1
1	1	1	1	29	14	7	1
2	1	4	3	1	81	31	10	6	1
1	2	1	3	109	40	5	4	3	3
7	1	11	1	1	1	132	37	7	4	2
8	1	13	2	1	4	241	77	12	4	7	5
.....	4	3	51	17	4	3	4	4
3	8	1	57	18	2	10	1
3	12	4	108	35	6	3	14	5
8	2	1	2	2	1	44	14	8	5	3	6
5	1	1	2	2	2	41	25	8	2	2
13	3	2	4	4	3	85	39	16	5	5	8

TABLE F.—DEATHS BY COUNTIES,—

COUNTIES.	CLASS II.—Continued.					CLASS III.—			
	Hydrocephalus.	Phthisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Algoma :									
Males	1	11			32	3	2	4	2
Females		6	1		20		5	2	
Total	1	17	1		52	3	7	6	2
Brant :									
Males		24	1		39	4	9		
Females		20			43	4	5	3	
Total		44	1		82	8	14	3	
Bruce :									
Males	4	31			78	1	4	3	
Females	1	29		1	81	4	5	2	1
Total	5	60		1	159	5	9	5	1
Carleton :									
Males	8	57	9	3	183	8	17	11	2
Females	3	83	16	2	211	2	8	9	
Total	11	140	25	5	394	10	25	20	2
Dufferin :									
Males		4			21	1	5		
Females	3	9			23	2	4	1	
Total	3	13			44	3	9	1	
Elgin :									
Males		17		2	45	3	6	8	
Females	1	22	1		46	2	2	6	1
Total	1	39	1	2	91	5	8	14	1
Essex :									
Males	4	35		4	98	5	5	2	
Females		42		3	95	2	2	4	2
Total	4	77		7	193	7	7	6	2
Frontenac :									
Males	1	29			62	7	15	3	3
Females	1	31		1	64	4	5	7	
Total	2	60		1	126	11	20	10	3
Grey :									
Males	2	22			60	3	8	4	1
Females		21		1	59	3	2	4	1
Total	2	43		1	119	6	10	8	2

CAUSES OF DEATHS, 1886.—*Continued.*

LOCAL DISEASES.

Insanity.	Meningitis.	Neuroencephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen.)
1			1	3 4	2 1	2 3			10 2		3 2		2	2
1			1	7	3	5			12		5		2	2
1	5 1		12 10	9 15	3 2	2 3		1	20 20		7 9	3 5	1	1 1
1	6		22	24	5	5		1	40		16	8	1	2
	3 2		7 5	7 8	3 1	4 5		1 1	22 17	2	8 9	2 3		
	5		12	15	4	9		2	39	2	17	5		
	4	4 1	14 18	41 37	10 14	15 9		2	41 30	3 1	10 17	4 3	5 2	2 3
	4	5	32	78	24	24		2	71	4	27	7	7	5
	1 1			4 3	2	5 4	1		13 5		4 3		1 2	1 1
	2			7	2	9	1		18		7	1	3	2
	1 1	1 1	7 8	13 11	5 3	1 1		2 2	11 4	1 1	3 5	1	1 1	3 1
	2	2	15	24	8	2	2	2	15	2	8	1	2	3
	6 2	1 1	7 7	14 8	1 2	2 2		2 2	23 27	2 2	7 6	1 3	1	2 3
	8	2	14	22	3	4		4	50	4	13	4	1	5
	1 1	1	7 5	23 19	9 4	9 6			7 10		8 6	2	1 1	1 2
	2	1	12	42	13	15			17		14	2	2	3
	3 1	1 1	7 7	17 13	9 8	7 15	2 1	1	22 18	4	5 7	2 2	6 3	1 3
1	4	2	14	30	17	22	3	1	40	4	12	4	9	4

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.							CLASS IV.	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus Emortuus (Still Birth).
Algoma :									
Males			1		1	4	42	1	2
Females			2			1	23	1
Total			3		1	5	65	1	3
Brant :									
Males		2		7		10	95	1
Females		1	1	1	1	5	89	1	1
Total		3	1	8	1	15	184	2	1
Bruce :									
Males	1	1		3	4	13	89	3	4
Females				2	3	9	77	4	3
Total	1	1		5	7	22	166	7	7
Carleton :									
Males			7	4	10	17	231	19	29
Females	1	2	2	2	4	5	170	17	12
Total	1	2	9	6	14	22	401	36	41
Dufferin :									
Males				1	1	3	43	1	2
Females			2		2	2	33	2
Total			2	1	3	5	76	1	4
Elgin :									
Males	1	3	1			6	78	2	2
Females		1		1	1	6	58	1
Total	1	4	1	1	1	12	136	2	3
Essex :									
Males			1	6		7	95	1	4
Females				3	2	9	89	8
Total			1	9	2	16	184	1	12
Frontenac :									
Males		3	3	2	1	13	119	3	4
Females				3	1	74	2	2
Total		3	3	5	2	13	193	5	6
Grey :									
Males		3	1	1		10	118	1	6
Females		1	1	2	2	15	111	2	1
Total		4	2	3	2	25	229	3	6

CAUSES OF DEATHS, 1886. —Continued.

DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.							Cause not Specified.	Total Number of Deaths.
Partus Intermittens (Premature Birth).	Diseases incidental to Child Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnra. Wounds.	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.		
2		6		11	10	6				17	33	5	153
	3	4		8	1					1	2	4	81
2	3	10		19	11	6				18	35	9	234
6		17	1	25		1		1		4	6		207
10	8	23		43									221
16	8	40	1	68		1		1		4	6		428
		32		39	8			2		6	16	8	265
	11	22		40	1					1	2	18	244
	11	54		79	9			2		7	18	26	509
36		53	11	148	10	1		1		14	26	30	762
14	31	53	3	130	2	1				3	6	30	724
50	31	106	14	278	12	2		1		17	32	60	1486
1		14	1	19	4					4	8	18	127
2	6	12	1	23	1						1	18	111
3	6	26	2	42	5					4	9	36	238
2		27		33	3	3		2		1	9		217
1	7	10		19				1		1	2	2	156
3	7	37		52	3	3		3		2	11	2	373
16		20	2	43	5	1				4	10	13	368
10	10	22	3	53	3			1			4	19	392
26	10	42	5	96	8	1		1		4	14	32	760
1		34	2	44	3	1				10	14	10	300
	5	30	1	40	2	1					3	18	256
1	5	64	3	84	5	2				10	17	28	556
3		26	1	37	7	1	3			6	17	6	282
1	17	41		62	3			1			4	22	299
4	17	67	1	99	10	1	3	1		6	21	28	581

TABLE F.—DEATHS BY COUNTIES—

COUNTIES.		Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Dysentaria Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Haldimand :										
Males	1		2	1		2		1		
Females			4	4		3		1		
Total	1		6	5		7		2		
Halton :										
Males	7			3		7	2	2		
Females	4		1	3	1	5		1	2	
Total	11		1	6	1	12	2	3	2	
Haliburton :										
Males						6				
Females						8				
Total					1	14				
Hastings :										
Males	4		10	2		5	1	5	2	
Females			5	1		7	2	1	6	
Total	4		15	3		12	3	6	8	
Huron :										
Males	6		4	8	6	2	1	8		
Females	6			5	4	9		4	1	
Total	12		4	13	10	11	1	12	1	
Kent :										
Males	10		11	11	1	19	4	3	1	
Females	8	1	4	13	2	21		3	2	
Total	18	1	15	24	3	40	4	6	3	
Lambton :										
Males	7	1	7	3	4	18	3	7	3	
Females	4		2	16	2	21		6	1	
Total	11	1	9	19	6	39	3	13	4	
Lamark :										
Males	4		7	4	2	10				12
Females	2		4	4		5		3		12
Total	6		11	8	2	15		3		24
Leeds and Grenville :										
Males	4	1	5	11		7	2	7	27	
Females	3		4	6	1	14		2	20	
Total	7	1	9	17	1	21	2	9	47	

CAUSES OF DEATHS.—*Continued.*

DISEASES.									CLASS II.—CONSTITUTIONAL DISEASES.					
Other Fevers.	Influenza.	Morbilli (Measles).	Whooping Cough.	Pyæmia.	Variola (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
2				1					9	6	3		6	1
									15	4	6		7	1
2				1					24	10	9		13	2
1			1				1		24	7	1	1	4	1
	1	3	1	2					24	4	2		4	
1	1	3	2	2			1		48	11	3	1	8	1
								1	7	3	1			1
									9	2				
								1	16	5	1			1
5				1			1		36	19	7	2	3	3
6	3		2					1	34	12	7	2	1	
11	3		2	1			1	1	70	31	14	4	4	3
3				1					39	16	4	1	9	4
5			3	1				1	39	21	7		10	3
8			3	2				1	78	37	11	1	19	7
2			1	1			2		66	8	2	1	5	3
2	1		1	2				1	61	8	4		3	2
4	1		2	3			2	1	127	16	6	1	8	5
4	1	11	2	3					74	21	4		9	5
	1	5	2	2				1	63	17	8		6	2
4	2	16	4	5				1	137	38	12		15	7
	1		4	1				3	48	6	1	1	2	1
2	1	2	1	2					38	6	7		1	1
2	2	2	5	3				3	86	12	8	1	3	2
6		1	2					2	75	17	1	1	7	
8		1	4	1				4	68	18	6	2	6	2
14		2	6	1				6	143	35	7	3	13	2

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS II.—Continued.					CLASS III.—			
	Hydrocephalus.	Phthisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Haldimand :									
Males		6			22	1	2		
Females		12		1	31	1	1	4	1
Total		18		1	53	2	3	4	1
Halton :									
Males		11			25		5	5	
Females		13			23	1	4	2	1
Total		24			48	1	9	7	1
Haliburton :									
Males					5				
Females	1				3	1	1		
Total	1				8	1	1		
Hastings :									
Males		24		1	59	5	10	4	3
Females	10	38		4	74	4	5	8	1
Total	10	62		5	133	9	15	12	4
Huron :									
Males	3	29		1	67	7	9	9	1
Females	1	37		2	81	6	8	5	2
Total	4	66		3	148	13	17	14	3
Kent :									
Males	1	26			46	5	2	2	
Females		32			49	1	7	5	
Total	1	58			95	6	9	7	
Lambton :									
Males	1	21		4	65	3	7	5	1
Females	1	28		1	63	5	5	6	1
Total	2	49		5	128	8	12	11	2
Lanark :									
Males	6	13		2	32	4	4	6	
Females		27		1	43	3			
Total	6	40		3	75	7	4	6	
Leeds and Grenville :									
Males	2	44			72	5	6	4	1
Females		58			92	5	4	12	1
Total	2	102			164	10	10	16	2

CAUSES OF DEATHS, 1886.—*Continued.*

LOCAL DISEASES.

Insanity.	Meningitis.	Neuroencephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen).
.....	2	6	7	2	2	9	3	4	1
.....	12	8	5	3	1	8	1	1
.....	4	14	12	5	3	17	3	5	2
.....	1	1	5	5	4	1	1	13	3	1	2	1	1
.....	4	9	3	3	10	4	1	3	1
.....	1	1	9	14	7	4	1	23	7	2	5	1	2
.....	1	1
.....	1	2	1	1
.....	1	2	1	2	1
.....	2	1	5	11	6	6	3	9	2	5	2	2	2
.....	4	10	13	4	1	12	3	1
.....	2	1	9	21	19	10	3	1	21	2	8	3	2	2
.....	2	1	7	24	6	7	18	1	8	4	2
.....	3	12	21	1	11	23	3	8	1	2
.....	5	1	19	45	7	18	41	4	16	4	3	2
.....	2	8	16	3	5	1	24	1	11	2	2
.....	1	1	6	24	5	4	1	16	2	8	1	2
.....	3	1	14	40	8	9	1	1	40	3	19	2	1	4
.....	2	3	12	5	9	1	17	2	6	3	2
.....	2	2	12	2	7	20	5	2	1	3
.....	4	5	24	7	16	1	37	2	11	2	4	5
.....	3	1	2	10	3	7	15	3	3	1
.....	2	7	4	3	2	15	2
.....	3	1	4	17	7	10	2	30	3	5	1
.....	1	1	4	23	6	4	1	16	2	12	5	3
.....	1	4	13	11	1	1	16	1	9	1	1	1
.....	2	1	8	36	17	5	2	32	3	21	6	1	4

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.							CLASS IV.	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus mortuus (Still Birth).
Haldimand :									
Males		2	2	2		3	48		
Females		1		1	1	2	41		
Total		3	2	3	1	5	89		
Halton :									
Males			3		2	2	56		
Females		1				4	51		2
Total		1	3		2	6	107		2
Haliburton :									
Males			1			1	4	1	1
Females				1			8		1
Total			1	1		1	12	1	2
Hastings :									
Males			2	4	1	8	93	2	4
Females		1		1	2	6	76		5
Total		1	2	5	3	14	169	2	9
Huron :									
Males	4	5			2	2	119	2	1
Females		1	2		2	8	119	1	2
Total	4	6	2		4	10	238	3	3
Kent :									
Males	2	3	3	1			93	3	3
Females		1	2	4		8	99	2	6
Total	2	4	5	5		8	192	5	9
Lambton :									
Males		3	1		6	7	95	1	2
Females			2	3		15	93		
Total		3	3	3	6	22	188	1	2
Lanark :									
Males	3	5	3	5			78	1	1
Females		1		1		4	44	1	2
Total	3	6	3	6		4	122	2	3
Leeds and Grenville :									
Males	3	1	3	3	5	9	118	1	1
Females			1	2		7	92	2	1
Total	3	1	4	5	5	16	210	3	2

CAUSES OF DEATHS, 1886.—*Continued.*

—DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.							Cause not specified.	Total Number of Deaths.
Pertussis (Pre-mature Birth).	Diseases incidental to Child Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.		
6		14		20	8	1				3	12	5	116
2	7	11		20								2	109
8	7	25		40	8	1				3	12	7	225
1		5		6	3			2		10	15	3	129
	1	8	1	12						1	1	3	114
1	1	13	1	18	3			2		11	16	6	243
				2	1						1	1	20
				1								2	23
				3	1						1	3	43
2		31		39	4	2		6		7	19	10	256
2	5	25		37	3			1		1	5	12	241
4	5	56		76	7	2		7		8	24	22	497
2		29	1	35		4					15	8	233
2	12	31		48	2						2	9	298
4	12	60	1	83	2	4					17	17	581
5		27		38	8	1		1		9	19	5	267
3	14	16	1	42	1					1	2	6	259
8	14	43	1	80	9	1		1		10	21	11	526
5		13		21	6	1		1		13	21	10	286
5	6	17	1	29				1		5	6	8	262
10	6	30	1	50	6	1		2		18	27	18	548
2		24	1	29	2					5	7	5	199
	5	25		33						5	5	13	176
2	5	49	1	62	2					10	12	18	375
		33		35	4			2		11	17	9	326
2	8	40		53	2	1		1		4	8	15	328
2	8	73		88	6	1		3		15	25	24	654

TABLE F.—DEATHS BY COUNTIES.—

CLASS I.—ZYMOTIC

COUNTIES.	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Dysentery, Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Lennox and Addington :									
Males	1			1		13		1	2
Females			1	1		9		3	3
Total	1		1	2		22		4	5
Lincoln :									
Males	8		1	3		3		6	
Females	11		2	6		6		3	1
Total	19		3	9		9		9	1
Middlesex :									
Males	11	1	6	14	4	27	3	16	3
Females	8	1	6	10	4	24	2	12	5
Total	19	2	12	24	8	51	5	28	8
Muskoka and Parry Sound :									
Males	2	1	2	3		10	1		
Females	2		4	3	2	18	1	1	
Total	4	1	6	6	2	28	2	1	
Norfolk :									
Males	2			8		6		12	
Females	3		3	4	2	2		4	1
Total	5		3	12	2	8		16	1
Northumberland and Durham :									
Males	4	1	3	8	2	9	4	3	10
Females	9			4		7	1	3	4
Total	13	1	3	12	2	16	5	6	14
Ontario :									
Males	12	1	5	4	2	7	1	7	
Females	5		2	4	2	9	2	6	
Total	17	1	7	8	4	16	3	13	
Oxford :									
Males	5		1	2	1	7	3	8	1
Females			4	3	2	7	1	9	
Total	5		5	5	3	14	4	17	1
Peel :									
Males			1	1	3	12	1	5	
Females	1				1	1	1	2	
Total	1		1	1	4	13	2	7	

CAUSES OF DEATHS, 1886.—*Continued.*

DISEASES.									CLASS II.—CONSTITUTIONAL DISEASES.					
Other Fevers.	Influenza.	Morbilli (Measles).	Whooping Cough.	Pyæmia.	Variola (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
1			3	1					20	5	3		1	
									20	3	2			3
1			3	1					40	8	5		1	3
2				1					24	15		1	8	1
1	1		1						32	7	3		4	1
3	1		1	1					56	22	3	1	12	2
1		1	1	3				3	94	43	7	3	7	2
7		3	1	3				1	87	21	11	2	13	3
8		4	2	6				4	181	64	18	5	20	5
2							1		22	10	3	1	1	1
3				1				4	39	23	5	1	2	
5				1			1	4	61	33	8	2	3	1
2	1		3					2	36	6	5	4	5	
6		1	2	2					30	4	2	3	4	1
8	1	1	5	2				2	66	10	7	7	9	1
	2		1	1				2	50	27	11		7	
3			4	2			1	1	39	16	7	4	6	8
3	2		5	3			1	3	89	43	18	4	13	8
		2	5	1					47	14	5		9	2
1			3						34	11	6		7	
1		2	8	1					81	25	11		16	2
1			2	1				1	33	17	4	2	8	1
1			2						29	19	4	2	10	4
2			4	1				1	62	36	8	4	18	5
	1		2	2				2	30	11	6		3	
		1	1	2					10	8	2		2	4
	1	1	3	4				2	40	19	8		5	4

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS II.— <i>Continued.</i>					CLASS III.—			
	Hydrocephalus.	Phthisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Lennox and Addington :									
Males	2	20			31	4	1	1	
Females		15			23		2		1
Total	2	35			54	4	3	1	1
Lincoln :									
Males	2	27		1	55	5	7	3	1
Females		27			42	6	5		2
Total	2	54		1	97	11	12	3	3
Middlesex :									
Males	4	49		2	117	17	13	9	3
Females	4	60		2	116	11	10	9	1
Total	8	109		4	233	28	23	18	4
Muskoka and Parry Sound :									
Males	1	11			28		5	1	
Females	1	10			42		9	5	
Total	2	21			70		14	6	
Norfolk :									
Males		15		2	37	5	9	3	1
Females		28			42	1	3	2	2
Total		43		2	79	6	12	5	3
Northumberland and Durham :									
Males	3	41		2	91	5	5	6	1
Females	2	50	1		94	5	4	6	3
Total	5	91	1	2	185	10	9	12	4
Ontario :									
Males	5	25		2	62	1	12	1	2
Females	1	26		4	55	1	9	1	1
Total	6	51		6	117	2	21	2	3
Oxford :									
Males		20			52	4	10	1	1
Females		38			77	2	8	1	2
Total		58			129	6	18	2	3
Peel :									
Males	1	8		1	30	2	1	2	
Females	1	23			40	6	1	1	2
Total	2	31		1	70	8	2	3	2

CAUSES OF DEATHS, 1886.—*Continued.*

LOCAL DISEASES.

Insanity.	Meningitis.	Neurocephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen).
		1	7	2					3		5	2	3	
	1		3	9	2				4		1	1	1	
	1	1	10	11	2				7		6	3	4	
	4		11	13	1	6	2		15		2	3	1	4
	1		6	12	2	5		1	16	3	2	1	1	3
	5		17	25	3	11	2	1	31	3	4	4	2	7
2	7		14	29	16	9			43	2	13	3	7	
	4	2	13	26	10	12			35	1	18	3	3	1
2	11	2	27	55	26	21			78	3	31	6	10	1
			1	9	5			1	14		2	1		
				5	3	2	1		10		7			
			1	14	8	2	1	1	24		9	1		
1	1		3	10	2	4			8	3	4	1	1	1
	3			11	5	1			15	3	2			1
1	4		3	21	7	5			23	6	6	1	1	2
		2	11	20	9	2			22		10		5	
	4		10	12	5	1	1	1	21		10	3	2	
	4	2	21	32	14	3	1	1	43		20	3	7	
	5		6	6	2	9		2	17	1	5		2	1
	7	1	5	8	3	6	1	1	10		6	1	3	3
	12	1	11	14	5	15	1	3	27	1	11	1	5	4
1		2	10	21	4	1	1	1	26	2	9	3	2	1
	1	2	7	18	5	5	1		26		5		1	1
1	1	4	17	39	9	6	2	1	52	2	14	3	3	2
			6	9	6	6			8	1	2			2
		1	8	6	3				13				1	1
		1	14	15	9	6			21	1	2		1	3

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.							CLASS IV.	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitis (Teething).	Partus Emortuus (Still-Birth).
Lennox and Addington :									
Males			1	1	1	3	35		
Females					1	4	30	1	
Total			1	1	2	7	65	1	
Lincoln :									
Males	1		3	1	2	7	92		9
Females		1				16	83	1	6
Total	1	1	3	1	2	23	175	1	15
Middlesex :									
Males	5	1		3	7	21	224	1	13
Females	1	1		2	1	10	174	6	9
Total	6	2		5	8	31	398	7	22
Muskoka and Parry Sound :									
Males			1		2	3	45		2
Females						3	45	2	3
Total			1		2	6	90	2	5
Norfolk :									
Males	2			2	1	5	67		1
Females		3	1	1		1	55		1
Total	2	3	1	3	1	6	122		2
Northumberland and Durham :									
Males	3		7	2	4	12	126		2
Females	1	2	3	1	2	15	112	1	
Total	4	2	10	3	6	27	238	1	2
Ontario :									
Males	2	1	7	1	2	8	93	1	1
Females		1		2	1	15	86		1
Total	2	2	7	3	3	23	179	1	2
Oxford :									
Males	2	3	2	6	3	2	118		
Females		2	1	2	1	2	93	2	3
Total	2	5	3	8	4	4	211	2	3
Peel :									
Males	1			2	1	2	51		2
Females			3			3	49		1
Total	1		3	2	1	5	100		3

CAUSES OF DEATHS, 1887.—*Continued.*

DEVELOPMENTAL DIS- EASES.					CLASS V.—VIOLENT DEATHS.							Cause not Specified.	Total Number of Deaths.
Partus Intempestivus (Pre- mature Birth).	Diseases incidental to Child- Birth.	Senectus (Old Age).	Other Developmental Dis- eases.	Total Developmental Dis- eases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.		
.....	6	13 11	1 1	14 19	2	2	1	3	8	7 2	115 94
.....	6	24	2	33	2	2	1	3	8	9	209
5	9	22 19	3	39 35	5	1 1 1	7 4	13 6	2 8	225 206
5	9	41	3	74	5	1	1	1	11	19	10	431
7 12	13	52 44	5	78 84	10 1	1	4	5 5	20 6	18 23	551 490
19	13	96	5	162	11	1	4	10	26	41	1041
1 5	9	10 10	1 1	14 30	9 1	2	1	11 2	23 3	3 10	135 169
6	9	20	2	44	10	2	1	13	26	13	304
1 2	5	14 22 3	16 33	2	2	1 3	159 163
3	5	36	3	49	2	2	4	322
2 1	7	47 45	2	53 54	6 2	3	2	13 3	24 5	8 18	352 322
3	7	92	2	107	8	3	2	16	29	26	674
1 9	8	32 21	1 3	36 42 2	1	1	2 3	4 5	3 6	245 228
10	8	53	4	78	2	1	1	5	9	9	473
4 7	14	25 25	2 4	31 55	11 2	1	3	3	18 2	3 8	255 264
11	14	50	6	86	13	1	3	3	20	11	519
.....	11	18 25	20 37	8 2	1	2 2	11 4	3 11	145 151
.....	11	43	57	10	1	4	15	14	296

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC								
	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Dysentaria Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febriis Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Perth:									
Males	5	2	3	8	3	4	1	7	3
Females	5		3	5	3	9	9	5
Total	10	2	6	13	6	13	1	16	8
Peterborough:									
Males	2	3	10	1	12	12	3
Females	2	1	8	1	9	2	2	3
Total	4	3	1	18	2	21	2	4	6
Prescott and Russell:									
Males	1	18	1	81	1	1
Females	19	4	1	78	1	2
Total	1	37	5	1	159	2	3
Prince Edward:									
Males	2	3	4	3	2
Females	2	1	1	5	2	2	3
Total	4	1	4	9	2	5	5
Renfrew:									
Males	4	6	5	25	2	2
Females	1	9	2	2	39	1	1	3
Total	5	15	7	2	64	3	3	3
Simcoe:									
Males	1	1	3	10	28	5	3
Females	2	1	1	8	1	23	2	2
Total	3	2	4	18	1	51	7	5
Stormont, Dundas and Glengarry:									
Males	4	8	16	2	20	3	2	10
Females	5	3	5	2	25	1	5	2
Total	9	11	21	4	45	4	7	12
Victoria:									
Males	3	2	5
Females	3	1	3	2	1	8	1	2	2
Total	6	1	3	2	3	13	1	2	2
Waterloo:									
Males	13	1	7	9	7	1	3
Females	8	8	17	9	2
Total	21	1	15	26	16	3	3

CAUSES OF DEATH, 1886.—*Continued.*

DISEASES.									CLASS II.—CONSTITUTIONAL DISEASES.					
Other Fevers.	Influenza.	Morbili (Measles).	Whooping Cough.	Pyæmia.	Varicella (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.
4 2 2	4 2	2 3	2 2	2	50 50	17 14	3 7	3	4 2	1 1
6	2	6	5	4	2	100	31	10	3	6	2
3 5 1 1	1	1 1	38 36	11 7 2	2	1 6 1
8	1	1	1	2	74	18	2	2	7	1
2 5	2 1	1 1	5 10 2	2 1	1 1	116 126	69 71	2 2	1 2	3 1 1
7	3	2	15	2	3	2	242	140	4	3	4	1
2	3	1	1	14 23	10 4	3 5 1	1 2 3
2	3	1	1	37	14	8	1	3	3
3 6 1	7 4 1	1	2 2	57 72	23 15	4 3	1 2	7 2	2 1
9	1	11	1	1	4	129	38	7	3	9	3
6 2	1 2	5 3 1	2 2	65 50	23 23	5 5	3 4 3
8	3	8	1	4	115	46	10	7	3
2 4	6 8	2 1	75 61	22 22	7 8 1	9 4	3 3
6	14	3	136	44	15	1	13	6
3 1 1	1	2	1	1 1	18 26	9 9	1 3	1	6 1 2
4	1	1	2	1	2	44	18	4	1	7	2
4 4	1	2 2	1 1	1	1 2	51 53	12 15	9 10	2 1	2 4	1 2
8	1	4	2	1	1	2	104	27	19	3	6	3

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS II.—Continued.					CLASS III.—			
	Hydrocephalus.	Phtisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis. (Inflammation of Brain).	Epilepsy.
Perth :									
Males	2	25			55	6	9	5	
Females		25			49	3	7	8	1
Total	2	50			104	9	16	13	1
Peterborough :									
Males	1	11			26	3	7	4	
Females		18		1	35	4	6	2	
Total	1	29		1	61	7	13	6	
Prescott and Russell :									
Males		21			96		1	4	
Females		20			97	3	4	2	
Total		41			193	3	5	6	
Prince Edward :									
Males	1	17		1	33	2	3	2	2
Females		24			39	1	2	2	
Total	1	41		1	72	3	5	4	2
Renfrew :									
Males	1	12			50	1	2	5	
Females	3	29		1	56	1	1	4	
Total	4	41		1	106	2	3	9	
Simcoe :									
Males ...	4	26			61	3	13	3	
Females	5	32		2	74		8	3	1
Total	9	58		2	135	3	21	6	1
Stormont, Dundas and Glengarry :									
Males	2	32			75	1	5	5	1
Females	4	51			93	2	4	1	
Total	6	83			168	3	9	6	1
Victoria :									
Males	2	13		2	34	5	7	6	
Females		20		1	36	3	3	4	
Total ...	2	33		3	70	8	10	10	
Waterloo :									
Males	3	22	1		52	6	12	4	
Females		27			59	9	14	1	2
Total	3	49	1		111	15	26	5	2

CAUSES OF DEATH, 1886. *Continued.*

LOCAL DISEASES.

Insanity.	Meningitis.	Necrosephalus (Softening of the Brain).	Paralysis (Palsy).	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen)
.....	2	5	14	7	13	1	28	3	1
.....	5	12	5	5	2	27	1	11	1	3
.....	2	10	26	12	18	3	55	1	14	2	3
.....	5	4	1	3	20	4	7	2
.....	1	1	2	5	1	13	1	5	2	2	1
.....	1	1	7	9	1	4	33	5	12	4	2	1
.....
.....	1	1	4	3	2	3	1	1	4	2	4
.....	1	10	5	3	1	7	1
.....	1	1	5	13	7	6	2	1	11	2	4	1
.....
.....	1	2	3	11	1	2	8	7	3	3
1	1	7	7	1	1	1	1	2	1
.....	1	2	3	18	1	9	9	1	8	4	2	4
.....
.....	2	7	7	2	7	1	4	1	1
.....	1	2	3	1	2	2	7	1	4	2
.....	1	4	10	8	4	2	14	2	8	3	1
.....
.....	2	7	4	5	8	1	18	2	10	4	1
.....	2	10	23	5	12	2	12	2	9	3
.....	2	2	17	27	10	20	3	30	4	19	4	4
.....
.....	8	3	3	7	1	13	1	3	3
.....	5	11	6	5	2	16	7	2	4	3
.....	13	14	9	12	3	29	1	10	2	7	3
.....
.....	3	7	6	2	4	12	5	1	2	3
1	1	1	7	4	1	3	9	8	1
.....
.....	4	8	13	6	5	3	21	13	1	2	4
.....
.....	2	4	11	2	12	2	27	1	6	2	5
.....	4	11	1	6	1	22	1	9	3	1	4
.....
1	2	8	22	3	18	2	1	49	2	15	5	6	4

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.— <i>Continued.</i>							CLASS IV.	
	Cystitis (Inflammation of Bladder).	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Local Diseases.	Total Local Diseases.	Dentitia (Teething).	Partus Enorbus (Still Birth).
Perth :									
Males	3	1	3	2	1	11	115	2	3
Females			1	2	1	5	100	2	2
Total	3	1	4	4	2	16	215	4	5
Peterborough :									
Males	2		2	1		4	69	1	2
Females			1	2		9	58	1	1
Total	2		3	3		13	127	2	3
Prescott and Russell :									
Males	1				2	8	42	5	9
Females					1	1	39	4	3
Total	1				3	9	81	9	12
Prince Edward :									
Males	1	1	2		1	1	56		3
Females		1		2	1	4	35		1
Total	1	2	2	2	2	5	91		4
Renfrew :									
Males		4		1	1	11	57	1	
Females			2	1		4	38		2
Total		4	2	2	1	15	95	1	2
Simcoe :									
Males		2	2	2	1	7	95	4	4
Females		2	1	3	3	7	108	1	1
Total		4	3	5	4	14	203	5	5
Stormont, Dundas and Glengarry :									
Males		1	3	5		7	70	2	2
Females				1	2	5	76	2	2
Total		1	3	6	2	12	146	4	4
Victoria :									
Males	2		1		2	4	72		4
Females	1		1	1		5	54		5
Total	3		2	1	2	9	126		9
Waterloo :									
Males	1		3	5	1	5	111	2	5
Females			1		3	8	102	1	3
Total	1		4	5	4	13	213	3	8

CAUSES OF DEATHS, 1886.—*Continued.*

—DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.							Cause not specified.	Total Number of Deaths.
Parturientes (Pre-mature Birth).	Diseases incidental to Child-Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.		
4 4 4	30 28	2 1	41 41	9 1	1 1	3	13 2	7 14	231 256
8	4	58	3	82	10	1	1	3	15	21	537
1 2 6	13 13	1 2	18 25	3 1	1	1	5	10 1	2 3	163 158
3	6	26	3	43	4	1	1	5	11	5	321
2 2 6	22 23 1	38 39	6 1 1	1	2 1	9 3	19 44	320 348
4	6	45	1	77	7	1	1	3	12	63	668
2 1 5	18 19 3	23 29	2 1	2	4 1	9 16	139 143
3	5	37	3	52	2	1	2	5	25	282
2 4 6	23 17 4	26 33	7 2	1 1	5 1	13 4	7 10	210 213
6	6	40	4	59	9	2	6	17	17	423
2 2 9	33 29 5	43 47	12 1	1	1	2	6 1	22 2	13 7	299 288
4	9	62	5	90	13	1	1	2	7	24	20	587
1 3 6	34 47	39 60	5 1	1	4 2	10 3	11 16	280 309
4	6	81	99	6	1	6	13	27	589
1 4	13 12	4	22 21	5	1	2 4	8 4	1	155 141
1	4	25	4	43	5	1	6	12	1	296
1 7	33 25 2	41 38	4	2 1	5 3	11 4	4 10	270 266
1	7	58	2	79	4	2	1	8	15	14	536

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC								
	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Dysentaria Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Typhoides (Typhoid Fever).	Scarlatina (Scarlet Fever).
Welland :									
Males	6	1	3	2	9	1	5
Females	2	2	3	1	5	5
Total	8	3	6	3	14	1	10
Wellington :									
Males	5	1	5	6	1	13	2	5	3
Females	4	2	5	2	6	2	5	1
Total	9	1	7	11	3	19	4	10	4
Wentworth :									
Males	21	1	6	27	3	64	5	13	2
Females	17	11	15	6	53	2	8	1
Total	38	1	17	42	9	117	7	21	3
York :									
Males	60	3	38	61	6	123	8	41	7
Females	43	1	29	39	8	105	7	26	14
Total	103	4	67	100	14	228	15	67	21
Total Males	264	21	226	316	51	704	67	221	134
“ Females	201	9	201	287	62	702	35	165	129
Grand Total	465	30	427	603	113	1406	102	386	260

CAUSES OF DEATHS, 1886.—*Continued.*

DISEASES.										CLASS II.— CONSTITUTIONAL DISEASES.					
Other Fevers.	Influenza.	Morbili (Measles).	Whooping Cough.	Pyæmia.	Variola (Small Pox).	Syphilis.	Alcoholism.	Other Zymotic Diseases.	Total Zymotic Diseases.	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Rheumatism.	
3 3	1	1	1	1	33 22	3 3	1 2	1	5 6	4
6	1	1	1	1	55	6	3	1	11	4
.....	1	1	2	1	1	1	48 36	25 24	5 7	1 3	6 7	3 2
1	2	3	5	3	1	1	84	49	12	4	13	5
3 3	1	2 5	5 5	1 1	3 1	156 129	30 29	1 2	2 1	12 21	2 1
6	1	7	10	2	4	285	59	3	3	33	3
9 6	1	34 23	8 14	4 7	1	5 1	3	9 12	421 335	135 113	11 16	7 1	22 30	10 4
15	1	57	22	11	1	6	3	21	756	248	27	8	52	14
99 116	15 20	75 74	88 117	39 50	8 11	7 7	16 1	53 51	2401 2238	873 791	153 205	57 34	221 219	71 72
215	35	149	205	89	19	14	17	104	4639	1664	358	91	440	143

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS II.— <i>Continued.</i>					CLASS III.—			
	Hydrocephalus.	Phtisis (Consumption).	Scrofula.	Other Constitutional Diseases.	Total Constitutional Diseases.	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsy.
Welland :									
Males	1	17		1	33	5	5	4	
Females	1	25		1	38		4	4	
Total	2	42		2	71	5	9	8	
Wellington :									
Males	2	32			74	3	12	5	1
Females	1	42		2	88	8	10	8	1
Total	3	74		2	162	11	22	13	2
Wentworth :									
Males	3	53		6	109	9	11	10	1
Females	2	84	2	7	149	14	15	8	1
Total	5	137	2	13	258	23	26	18	2
York :									
Males	11	164	1	40	401	37	80	12	8
Females	6	172	1	37	380	26	74	11	8
Total	17	336	2	77	781	63	154	23	16
Total Males	84	1065	12	77	2613	189	346	166	36
“ Females	53	1354	22	75	2825	156	276	163	40
Grand Total	137	2419	34	152	5438	345	622	329	76

CAUSES OF DEATHS, 1886.—*Continued.*

LOCAL DISEASES.

Insanity.	Meningitis.	Neuroencephalus (Softening of Brain).	Paralysis (Palsy).	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis.	Pleurisy.	Pneumonia.	Dyspepsia.	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach.)	Hepatitis (Inflammation of Liver).	Peritonitis (Inflammation of Abdomen).
.....	1	8	14	2	1	7	1	2	1	1	1
.....	2	3	10	3	2	5	3	1
.....	3	11	24	5	3	12	1	5	1	2	1
.....	3	13	13	14	16	1	36	1	9	3
1	2	7	24	11	12	1	23	6	3	2
1	5	20	37	25	28	1	1	59	1	15	3	5
8	18	3	7	20	5	10	3	2	58	14	6	7	4
5	11	6	11	25	12	15	2	37	1	16	5	8	9
13	29	9	18	54	17	25	5	2	95	1	30	11	15	13
2	59	6	31	69	37	60	6	9	135	3	37	13	9	8
2	41	5	26	68	33	47	4	6	104	1	16	13	12	22
4	80	11	57	137	70	107	10	15	239	4	53	26	21	30
14	128	30	275	546	212	266	26	28	820	54	268	77	81	51
14	97	26	232	544	201	232	20	25	687	30	248	66	61	76
28	225	56	507	1070	413	498	46	53	1507	84	516	143	142	127

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.							CLASS IV.	
	Cystitis (Inflammation of Bladder)	Diabetes.	Nephria (Bright's Disease).	Nephritis (Kidney Disease).	Abscess.	Other Diseases.	Total Local Diseases.	Dentitio (Teething).	Partus Emortuus (Still Birth).
Welland:									
Males			2	1	2	2	60	1	2
Females						2	39		4
Total			2	1	2	4	99	1	6
Wellington:									
Males	3	4	5	3	2	16	163	4	13
Females		1	4		2	6	132	3	10
Total	3	5	9	3	4	22	295	7	23
Wentworth:									
Males			11	6	7	17	246	2	29
Females		2	6	1	2	13	225		18
Total		2	17	7	9	30	471	2	47
York:									
Males	9	5	14	14	18	11	672	4	79
Females	1	3	19	17	12	70	641	5	67
Total	10	8	33	31	30	81	1313	9	146
Total Males	52	54	101	97	94	282	4293	73	251
" Females	5	30	59	65	54	314	3721	64	193
Grand Total	57	84	160	162	148	596	8014	137	444

CAUSES OF DEATHS, 1886.—*Concluded.*

—DEVELOPMENTAL DISEASES.					CLASS V.—VIOLENT DEATHS.							Cause not specified.	Total Number of Deaths.
Partus Intermittens (Premature Birth).	Diseases incidental to Child-Birth.	Senectus (Old Age).	Other Developmental Diseases.	Total Developmental Diseases.	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.	Execution (Hanging).	Other Violent Deaths.	Total Violent Deaths.		
.....	24	1	25	3	4	1	1	3	12	6	172
1	4	15	1	25	2	1	1	3	7	4	135
1	4	39	2	53	5	4	2	2	6	19	10	307
3	37	1	58	9	1	4	14	17	374
3	8	37	5	66	1	1	2	4	328
6	8	74	6	124	10	1	5	16	21	702
13	46	4	94	15	1	6	22	627
6	12	40	2	78	2	2	4	12	597
19	12	86	6	172	17	1	8	26	12	1224
37	118	21	259	30	4	3	38	75	59	1887
40	33	122	14	281	6	1	21	28	34	1699
77	33	240	35	540	36	4	4	59	103	93	3586
180	1082	69	1655	252	50	5	43	261	611	349	11922
158	348	1039	63	1865	49	5	2	12	81	149	464	11262
338	348	2121	132	3520	301	55	7	55	342	760	813	23184

H. S. CREWE,
Inspector.

TABLE G.—CITIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1886.

TORONTO.—POPULATION, 118,403.

SEX.	MONTHS.												CAUSE OF DEATH.	AGES.														
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		Total.	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and Over.	Unknown.
Males ..	1	1	1	1	1	1	19	12	4	4	1	1	39	34	5													
Females ..	1	1	1	1	1	2	18	12	2	1	1	1	37	31	6													
Males ..	5	5	5	5	3	1	1	1	1	5	3	4	38	3	20	15												
Females ..	7	4	2	5	2	2	1	2	1	1	1	2	30	3	21	6												
Males ..	1	2	2	1	1	3	17	12	18	3	1	1	60	40	12	1					3	2		1			1	
Females ..	1	1	2	2	6	14	11	11	8	1	1	1	46	22	4	9			3	1	1							
Males ..	13	8	10	10	5	5	3	4	6	5	5	10	84	10	50	12	5	1	2			1					1	
Females ..	9	14	9	12	9	5	5	5	4	5	10	9	93	12	41	20	13	4	1	1							1	
Males ..	2	2	8	2	2	2	2	2	2	8	2	2	32	1	3	2	6	7	5	3			2				3	
Females ..	3	4	1	2	2	2	1	1	4	14	1	1	22	2	1	3	1	2	3	5		1	1				2	
Males ..	1	1	1	1	1	1	1	1	1	1	1	1	5	1	4	2											3	
Females ..	4	1	1	2	1	1	1	1	1	1	1	1	10	1	6	2	1	1									2	
Males ..	1	1	1	3	1	1	1	1	1	1	1	1	12	3	5	1	1	2						1			3	
Females ..	1	1	1	1	1	1	1	1	1	1	1	1	5	1	2	1	1										2	
Males ..	6	6	4	18	8	1	1	1	1	1	1	1	37	16	16	4		1									3	
Females ..	2	2	5	11	5	1	1	1	1	1	1	1	24	5	18												5	
Males ..	1	1	2	2	1	1	1	1	1	1	1	1	7	6	1												4	
Females ..	1	3	2	2	3	1	1	1	1	1	2	1	14	8	6												3	
Males ..	1	1	1	1	1	1	1	1	1	1	1	1	1						1								2	
Females ..	1	1	1	1	1	1	1	1	1	1	1	1	1														5	
Males ..	13	7	15	11	15	8	17	17	16	10	4	2	135	106	14		3										3	
Females ..	11	8	10	14	11	4	17	11	12	7	5	5	116	87	9	1											4	
																											1	
																											5	
																											3	
																											4	
																											2	
																											5	
																											3	
																											4	
																											5	
																											3	
																											4	
																											5	
																											3	
																											4	
																											5	
																											3	
																											4	
																											5	
																											3	
																											4	
																											5	
																											3	
																											4	
																											5	
																											3	
																											4	
																											5	
																											3	
																											4	
																											5	
																											3	
																											4	
																											5	
																											3	
																											4	
																											5	
																											3	
																											4	
																											5	
																											3	
																											4	
																											5	
																											3	

[illegible]

TABLE C.—CITIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1886.—Continued.

HAMILTON.—POPULATION, 41,712.

SEX.	MONTHS.												CAUSE OF DEATH.	AGES.														
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		Total.	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and Over.	Unknown.
Males ..							4	11	3				18	15	3													
Females ..							2	6	2				10	8	2													
Males ..	1	1				1		2				1	6		4	2												
Females ..			1	2	1						1	1	7		5	2												
Males ..		1					7	9	6	2		1	26	22	2	1							1					
Females ..							2	9	4	3			18	14	3													
Males ..	5	3	3	2	3	7	3	2	4	5	1	5	43	1	25	16	1											1
Females ..	2	4	4	1	3	2	2	4	2	5	6	6	35		16	17	1	1										
Males ..					1				3	3	1	1	9				2	6										
Females ..											2		2		1				1									
Males ..					1					1			2		2													
Females ..					1								1		1													
Males ..		1										1	1	1														
Females ..													3		1	1												
Males ..													1															
Females ..																												
Males ..	1												1	1														
Females ..																												
Males ..																												
Females ..																												
Males ..	1												1	1														
Females ..																												
Males ..																												
Females ..																												
Males ..	2		3	1	4		5	3	3	2	3	2	28	25	2													
Females ..	1	1	3		1	1	1	5	2	1	1	1	18	11	2													

Males .. Females ..	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Males .. Females ..	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Males .. Females ..	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Males .. Females ..	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Males .. Females ..	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Males .. Females ..	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74																										

[illegible]

[illegible]

TABLE C. CITIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1886.—*Continued.*
KINGSTON.—Population, 15,827.

SEX.	MONTHS.												CAUSE OF DEATH.	AGES.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and Over.	
Males ..								2					} Cholera Infantum. ... {	2													
Females ..								2						3													
Males ..						1				1		2	} Croup..... {	1	5												
Females ..	1	1	1	1						1				4	1	1											
Males ..							1	1	1				} Diarrhoea and Dysentery ... {	4								1					
Females ..								1						4													
Males ..	1		1	1	1					1			} Diphtheria..... {		3	1											2
Females ..	2	1	1	1											2	2											
Males ..					2								} Typhoid Fever {			1	1										
Females ..																											
Males ..	2	1	1	1						1			} Scarlet Fever..... {		1	3	1										
Females ..	3	1	1	1	1										5	2											
Males ..	1	1			1							1	} Other Fevers..... {		1												
Females ..											1				1	1											
Males ..													} Measles..... {														
Females ..																											
Males ..			1	1	1		1	1	1				} Whooping Cough..... {	2	1												
Females ..							2	1	1	1				4	2												
Males ..													} Small Pox..... {														
Females ..																											
Males ..	2	3	1	1	2			1	1				} Anæmia, including Infantile Debility..... {	6	2												
Females ..	2	1	1	1						1				6	1			1			1		1				

[illegible]

[illegible]

TABLE C.—CITIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1886.—(Continued.)

ST. CATHARINES.—POPULATION, 9,779.

[illegible]

[illegible]

TABLE G.—CITIES.—DEATHS BY AGES, MONTHS AND DISEASES, 1886.

RECAPITULATION.

MONTHS.												AGES.														
												CAUSE OF DEATH.	Under 1 year.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			Total.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and Over.
1	1	3	2	1	4	58	72	25	8	2	3	180	Cholera Infantum	145	35
16	17	14	14	8	6	3	7	5	14	13	14	131	Croup	11	88	28	4
7	4	7	7	5	15	54	75	65	20	9	4	272	Diarrhea and Dysentery	177	40	15	9	2	4	2	5	4	3	6	3	2
37	42	32	31	20	26	18	16	28	29	24	52	335	Diphtheria	27	179	103	28	8	3	2	1	4
8	5	10	5	8	5	1	4	22	22	11	8	109	Typhoid Fever	3	6	6	7	14	24	22	8	5	5	2	7
10	5	5	6	4	3	2	3	2	2	1	43	Scarlet Fever	3	25	10	4	1
3	5	6	6	4	5	4	3	2	2	6	5	51	Other Fevers	10	16	6	4	7	5	1	1	1
2	8	12	36	27	5	1	1	3	2	97	Measles	31	53	10	1	1	1
3	3	9	7	6	1	3	5	6	4	3	2	52	Whooping Cough	36	16
4	4	4	12	Small Pox	3	1	3	2	1	2
55	39	53	56	55	25	67	55	54	34	29	30	552	Anemia, including Infantile Debility	430	52	5	3	4	9	4	12	15	14	2	2
8	1	7	1	5	7	4	10	6	5	5	4	63	Dropsy	4	3	3	3	3	3	4	4	7	10	9	6	4
9	16	8	8	13	12	15	10	13	17	13	11	145	Cancer	2	2	3	3	17	30	27	32	26	2	1
63	63	65	53	55	47	47	47	53	50	42	57	642	Phthisis	32	52	17	9	51	210	114	62	46	23	16	4	6
48	77	61	57	51	64	65	60	73	43	51	57	707	Nervous Diseases, including Convulsions	245	102	29	11	13	31	40	38	35	71	63	22	5
34	32	24	35	25	20	19	18	20	23	31	30	311	Heart Diseases	23	9	12	9	16	25	37	42	42	45	45	11	1

83	70	76	99	74	44	36	24	30	49	55	56	696	Pneumonia	164	159	25	12	12	38	46	52	58	50	49	22	1	8
21	14	17	24	9	13	22	29	27	14	21	7	218	Enteritis and Gastritis	77	22	11	3	5	23	19	9	24	10	9	3	3
5	8	5	1	8	7	5	8	5	6	4	7	69	Liver Diseases	1	2	1	1	4	6	14	15	10	11	3	1
9	14	9	8	14	11	18	16	9	7	10	13	138	Kidney Diseases ..	6	2	2	7	3	13	16	14	26	24	14	8	1	2
3	11	3	2	12	2	4	2	4	1	7	4	55	Child Birth	4	23	24	2	2
29	26	32	31	26	26	31	27	26	14	26	39	333	Old Age	162	135	35	1	
11	9	11	11	10	13	16	13	14	10	7	8	133	Violent Deaths	6	13	12	4	9	21	7	19	9	13	8	4	8
.....	1	1	1	1	4	2	10	Suicide	1	1	1	5	1	1
80	72	78	98	113	80	80	69	74	79	68	83	974	{ Other diseases and cause { not specified	583	111	21	19	20	34	26	39	33	13	6	1	31	
549	546	552	599	553	442	574	573	564	460	440	496	6348		2016	990	320	141	170	476	387	355	352	344	437	231	40	89

TABLE G.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1886.
KINCARDINE.—POPULATION, 2,886.

SEX.	MONTHS.												CAUSE OF DEATH.	AGES.																		
	January.		February.	March.	April.	May.	June.	July.	August.	September.	October.	November.		December.	Total.																	
Males ..	1	1	1	1	1	1	1	1	1	1	1	1	1	{ Cholera Infantum ... }	{ Under 1 year. }	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.				
Females ..	1	1	1	1	1	1	1	1	1	1	1	1	1			{ Croup ... }																
Males ..	1	1	1	1	1	1	1	1	1	1	1	1	1	{ Diarrhoea and Dysentery ... }	{ }																	
Females ..	1	1	1	1	1	1	1	1	1	1	1	1	1			{ Diphtheria... }																
Males ..	1	1	1	1	1	1	1	1	1	1	1	1	1	{ Typhoid Fever ... }	{ }																	
Females ..	1	1	1	1	1	1	1	1	1	1	1	1	1			{ Scarlet Fever ... }																
Males ..	1	1	1	1	1	1	1	1	1	1	1	1	1	{ Other Fevers ... }	{ }																	
Females ..	1	1	1	1	1	1	1	1	1	1	1	1	1			{ Measles ... }																
Males ..	1	1	1	1	1	1	1	1	1	1	1	1	1	{ Whooping Cough... }	{ }																	
Females ..	1	1	1	1	1	1	1	1	1	1	1	1	1			{ Anemia, including Infantile Debility... }	4	1														
Males ..	1	1	1	1	1	1	1	1	1	1	1	1	1	{ Dropsy ... }	{ }																	
Females ..	1	1	1	1	1	1	1	1	1	1	1	1	1																			

TABLE G.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1886.—Continued.

OWEN SOUND.—POPULATION, 5,672.

Males..					1	1						2	Cancer.....{							1		
Females														{								
Males..					1							2	Phthisis.....{							1		
Females						1								{								
Males..	1											2	Nervous Diseases, in- cluding Convulsions..{							1		
Females						2								{								
Males..													Heart Diseases .. . {									
Females						1								{								
Males..	1												Pneumonia									
Females													3	{						1		
Males..													Enteritis and Gastritis.{							1		
Females													2	{						2		
Males..													Liver Diseases.....{									
Females													1	{								
Males..													Kidney Diseases.....{							1		
Females													2	{								
Females													Child Birth.....									
Males..	1												Old Age.....{							1		
Females													1	{								
Males..													Violent Deaths									
Females													1	{								
Males..													Suicide									
Females														{								
Males..													Other diseases and cause not specified..{									
Females														{								
Total Males.	4	2	2	2	1								18	.						2	1	
Total Females	3		5	1	4	1	4	2					1	22	.					4	2	
Grand Total.	7	2	7	3	5	1	6	2					3	1	40	.				5	4	

[illegible]

[illegible]

[illegible]

TABLE G.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1886.—Continued.

NAPANEE.—POPULATION, 3,414.

[illegible]

Males Females	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Males Females	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Males Females	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Males Females	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Males Females	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Males Females	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77																							

TABLE G.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1886.—Continued.

COBOURG.—POPULATION, 4,940.

[illegible]

[illegible]

Males..	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									</
---------	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

TABLE C.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1886.—Continued.

BARRIE.—POPULATION 1,412.

SEX.	MONTHS.												CAUSE OF DEATH.	AGES.														
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		Total.	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and Over.	Unknown.
Males ..																												
Females																												
Males ..																												
Females																												
Males ..							1	1					2		2													
Females								1				1																
Males ..	1			1				1					2		1													
Females													1															
Males ..													2															
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												
Females																												
Males ..																												

TABLE G. TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1886.—Continued.

BERLIN.—POPULATION, 5,343.

TABLE G.—TOWNS.—DEATHS BY AGES, MONTHS AND DISEASES, 1886.

RECAPITULATION.

MONTHS.												AGES.															
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	CAUSE OF DEATH.	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and Over.	Unknown.
1	1	1	1	1	1	2	16	6	1	1	1	28	Cholera Infantum	24	4												
2	5	1	2		1	1	3	1	7	6	2	31	Croup.....	8	17	6											
1	1					12	27	15	8	2		66	Diarrhea and Dysentery	41	10	1	3			1	1	1	2	5	1		
6	12	12	11	8	3	7	10	12	7	17	13	118	Diphtheria	10	56	37	8		5	1							1
1		1		4	1		2	5	11	4	1	30	Typhoid Fever		6		3	4	7	6	2	2					
5		2	1	1	9	3	2	1		2		26	Scarlet Fever.....	3	16	4	2				1						
3	2	2	2	1	3	2	2	2	1	1		21	Other Fevers	1	9	3	3				2		2	1			
	1					1						2	Measles		2												
1			1	1	1	2	1			1	1	9	Whooping Cough.....	6	3												
8	14	13	7	11	13	11	10	18	9	8	10	132	{ Anæmia, including Infantile Debility	104	12	2		2	2	1	3	2	3				1
5	4	3		1	1	3	2	1	2	1	1	24	Dropsy		2			1	4	1	2	4	3	6	1		
3	1	2	5	4	4	4	2	3	7	1	2	38	Cancer					1	1	4	5	11	9	5	1		1
19	17	22	21	22	19	15	15	11	13	14	11	199	Phthisis	8	3	1	7	27	61	51	39	15	11	2	1		2
11	14	16	20	19	22	20	15	10	14	15	13	189	{ Nervous Diseases, including Convulsions	50	26	9	5	7	9	6	21	15	19	10	11		1
6	9	12	4	10	8	5	9	11	7	7	3	91	Heart Diseases	1	1	4	3	1	8	10	8	9	23	18	4		1
18	14	19	28	20	14	12	5	8	7	13	14	172	Pneumonia*	37	35	10	1	5	12	13	11	14	19	9	6		

TABLE H.—DEATHS BY

COUNTIES.	Agents.		Artists.		Brickmakers.		Blacksmiths.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma								
Brant	2	106					3	157
Bruce			1	36			1	63
Carleton	4	228	2	88	1	61	2	69
Dufferin	1	31						
Elgin							1	76
Essex								
Frontenac							3	233
Grey	1	36					1	24
Haldimand							1	70
Haliburton							1	21
Halton							1	21
Hastings	1	74			1	68	3	211
Huron			1	36			2	87
Kent							1	62
Lambton							6	294
Lanark	1	60						
Leeds and Grenville	1	37			1	46	5	175
Lennox and Addington	1	32						
Lincoln								
Middlesex	3	156			1	51	5	258
Muskoka and Parry Sound	1	26						
Norfolk							4	186
Northumberland and Durham					1	66	5	234
Ontario	1	76	1	32			2	97
Oxford							1	39
Peel	1	44					1	42
Perth	2	103	1	38			1	77
Peterborough								
Pr-scott and Russell	1	29						
Prince Edward	1	27					2	44
Renfrew								
Simcoe	3	115					2	46
Stormont, Dundas and Glengarry	1	30					2	83
Victoria					1	48		
Waterloo	1	54						
Welland							2	82
Wellington	1	30					7	355
Wentworth							2	150
York	10	492	5	197	2	75	8	428
Totals	38	1786	11	427	8	415	75	368

OCCUPATIONS, 1886.

Brewers and Distillers.		Bricklayers.		Barbers.		Butchers.		Book-keepers and Clerks.		Bankers.		Bakers and Confectioners.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
								1	38			1	57
						2	115	1	37	1	50		
								2	62			1	56
		2	107	1	65	5	185	4	141			4	283
								3	94				
				1	54	1	80	1	30				
						1	71	2	42			1	36
						1	86	2	83	1	68	1	48
1	27							2	60				
1	76							1	48				
						1	74	1	21	1	33	1	27
				1	29	1	51	3	140				
								3	121				
		1	34			1	45	3	132			2	101
								3	85				
				1	52			2	100			1	49
								5	242				
1	72	1	48	2	71	1	55	3	122			1	24
								2	94				
								6	118			1	57
						1	59						
						1	72	3	139				
				1	23	2	82	6	176	1	59	1	67
						1	43	3	149				
		2	119	1	45	1	42	3	175			1	75
						1	45	1	45				
		1	74	1	44			1	24	2	58		
						1	37	3	125				
						1	71	3	97	1	88		
						1		1	25				
								1	61				
				1	21	5	246	2	47				
						2	132	1	30				
								1	35				
1	86							3	78	1	60	1	46
		2	145	1	30			2	70	1	34		
2	73			1	39	2	102	2	84			1	75
1	45					5	236	8	241	3	151		
4	209	2	109	4	126	8	457	29	1095	2	100	3	157
11	588	11	636	16	599	45	2386	123	4606	14	701	21	1158

TABLE H.—DEATHS BY

COUNTIES.	Carpenters.		Cabinet-makers.		Coopers.		Cooks.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma								
Brant	5	264			1	60		
Bruce	4	267	1	28	2	123		
Carleton	9	465	2	108				
Dufferin.....	2	122						
Elgin	4	240			1	87		
Essex	5	251			1	121		
Frontenac	6	333	2	113	2	115		
Grey	7	342						
Haldimand	1	45			1	79		
Haliburton.....								
Halton	3	206			1	44		
Hastings	5	272	2	136				
Huron	3	157			1	63		
Kent	3	96					1	45
Lambton.....	7	375						
Lanark	9	557						
Leeds and Grenville	2	75						
Lennox and Addington	5	333						
Lincoln	5	289			1	82		
Middlesex	11	577	2	80	1	77		
Muskoka and Parry Sound.....	2	97						
Norfolk	1	74						
Northumberland and Durham.....	6	327						
Ontario			1	29	1	55		
Oxford	4	282	1	77			1	21
Peel	1	81						
Perth	6	358						
Peterborough	2	92			1	74		
Prescott and Russell								
Prince Edward	3	187						
Renfrew								
Simcoe	6	288						
Stormont, Dundas and Glengarry					1	50		
Victoria.....	2	109						
Waterloo.....	3	204			2	133		
Welland	2	124			2	169		
Wellington.....	5	282			1	72		
Wentworth.....	11	558	3	106				
York.....	23	1248	4	238	1	65	1	71
Totals.....	173	9577	18	915	21	1469	3	137

OCCUPATIONS, 1886.—*Continued.*

Chemists and Druggists.		Clergymen.		Contractors and Builders.		Carriage and Wagon Makers.		Dentists.		Engineers.		Editors.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
		1	37	1	57					3	112		
1	29	1	71	1	29					1	60		
1	67	1	74			1	22						
				4	214					4	197		
										1	30		
		1	83							1	50		
		1	79	1	24					1	56		
						2	124						
				1	54	1	61						
1	59	1	39	1	73			1	77	1	36		
						1	28						
		2	167							3	154		
										2	95		
		2	70	1	38	2	103						
1	65			1	41	2	85						
1	73			2	121					1	28		
		2	149	2	109	2	83			2	76		
						2	94						
						2	122			1	31		
1	33	1	63	1	70	1	86						
		2	101			1	63			1	48		
1	21	2	120										
						1	65						
1	47									2	56		
1	25	1	58										
1	84			1	48					1	71		
						1	37			1	21		
1	64					2	100						
		1	36	1	52					1	38		
		1	80			1	63						
				1	68	1	78			1	26		
						2	97						
						1	43						
				1	34	1	47						
		3	209	2	115	3	140			1	35	1	37
1	72	2	140	1	74	3	96			1	75		
2	71	8	520	7	455	4	249			5	265	2	96
15	782	33	2096	30	1676	37	1886	1	77	35	1560	3	133

TABLE H.—DEATHS BY

COUNTIES.	Farmers.		Farmers' Wives.		Gardeners.		Gentlemen.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma	31	1609	12	684	1	50	3	161
Brant	44	2772	38	2198	1	43	6	390
Bruce	99	6079	65	3585			4	314
Carleton	87	5694	46	2768	2	139	2	171
Dufferin	37	2468	29	1617			2	117
Elgin	52	3308	28	1855			5	325
Essex	65	3742	60	3506			4	294
Frontenac	56	3467	50	2800	1	48	3	182
Grey	121	7611	99	5876			4	241
Haldimand	42	2834	41	2501				
Haliburton	14	643	15	751			5	394
Halton	34	2076	39	2218			10	663
Hastings	70	4223	30	1766	1	52	8	551
Huron	100	6471	108	6518				
Kent	70	4278	42	2050			5	404
Lambton	59	3436	63	3295	3	226	3	239
Lanark	56	3790	59	3285	1	86	2	147
Leeds and Grenville	99	6493	68	4391			9	549
Lennox and Addington	41	2571	25	1606			3	204
Lincoln	47	2977	37	2286	2	49	6	370
Middlesex	136	8313	95	5742	6	359	17	1141
Muskoka and Parry Sound	42	2294	32	1834				
Norfolk	59	3768	68	3932			3	203
Northumberland and Durham	108	6595	87	5146	1	76	12	907
Ontario	60	3743	64	3775	1	69	12	942
Oxford	97	5886	88	5379			4	285
Peel	40	2465	57	3471			6	405
Perth	90	6046	61	3807			7	495
Peterborough	61	3427	28	1624			2	149
Prescott and Russell	40	2475	58	3555				
Prince Edward	54	3276	42	2446			2	140
Renfrew	52	3543	31	1899			1	87
Simcoe	89	5512	79	4936	2	169	4	286
Stormont, Dundas and Glengarry	105	7147	97	6129			1	35
Victoria	38	2363	37	2120	1	68	4	340
Waterloo	55	3510	65	4151	1	29	14	1038
Welland	48	3322	27	1581			4	280
Wellington	100	6360	86	5694			7	512
Wentworth	50	3189	53	3253	2	127	2	77
York	94	6359	84	5272	8	439	28	1725
Totals	2642	166135	2193	131602	34	2029	214	14763

OCCUPATIONS, 1886.—*Continued.*

Hunters and Fishermen.		Housewives.		Laborers.		Lumbermen.		Lawyers.		Milliners and Dressmakers.		Masons.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
2	51	5	285	12	395	2	93	2	107
3	191	56	2878	20	1210	2	87	1	55	1	21	2	141
.....	21	1136	11	576	1	42	2	119
.....	36	1864	29	1594	2	108	2	119
.....	11	550	3	142
1	45	28	1465	12	587	1	68	2	92
1	63	43	2103	37	1652	2	104
.....	34	2011	30	1751	1	48	1	27
1	48	45	2511	11	576	1	86	1	64
.....	11	651	11	622	1	40
2	50	3	161	2	53	1	65
.....	24	1455	9	490	1	71
.....	46	2759	25	1614	1	23	1	59	1	28	1	71
.....	29	1483	22	1232
.....	14	723	23	1247	1	64
1	32	39	1849	6	289	3	141	2	50	1	31	1	65
.....	26	1244	11	553	1	67	1	65
2	113	59	3153	25	1277	1	25	2	45	1	75
.....	15	663	8	357	1	65	2	92
.....	48	2882	19	1061	2	92
.....	104	5969	40	2167	2	58	1	56
.....	5	182	9	301	1	40
.....	4	232	10	588	1	53	1	34	1	24	2	157
.....	57	3190	37	2072	2	112
.....	41	2197	25	1487	1	52	2	67	3	168
.....	41	2052	11	673	1	23	3	165
.....	40	2239	6	360	1	32	1	69
.....	40	2377	14	891
.....	44	2525	9	440	2	98	1	46	1	85
.....	11	566	12	675	1	48
.....	27	1519	4	162
.....	14	810	22	967	3	98	1	45	1	89
.....	31	1597	20	1123	2	57	2	129
.....	27	1389	10	457	1	32
.....	23	1258	7	330	3	185
.....	34	2051	15	881	1	26	3	173
.....	32	1805	22	1326	1	52	1	21	4	271
.....	33	1795	25	1507	1	66	2	134
.....	88	5545	53	2809	1	43	4	173	4	234
.....	308	18762	118	6060	2	97	5	233	6	208	3	164
13	593	1597	89886	795	42554	30	1402	22	990	27	962	46	2832

TABLE H.—DEATHS BY

COUNTIES.	Machinists.		Moulders.		Millers.		Millwrights.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma								
Brant	1	26			4	215		
Bruce	1	28						
Carleton					1	23		
Dufferin								
Elgin								
Essex								
Frontenac	1	26						
Grey	1	21						
Haldimand					1	21		
Haliburton								
Halton								
Hastings	1	22						
Huron					2	118	1	80
Kent					1	30	1	73
Lambton			1	55				
Lanark	1	23						
Leeds and Grenville	1	43	2	69	1	38	1	57
Lennox and Addington	1	34	1	55				
Lincoln			1	62	1	64		
Middlesex	2	48	4	135	2	161	1	34
Muskoka and Parry Sound								
Norfolk	1	45			2	76	1	31
Northumberland and Durham					1	48		
Ontario			1	25	2	103		
Oxford					1	70		
Peel					1	70		
Perth					1	35		
Peterborough	2	86	1	22				
Prescott and Russell					1	32		
Prince Edward								
Renfrew								
Simcoe			1	45	1	33		
Stormont, Dundas and Glengarry								
Victoria								
Waterloo	1	21	1	74				
Welland			1	65				
Wellington	2	109	1	21	2	139		
Wentworth	14	627	2	78	2	135		
York	10	456	3	149	4	266	2	125
Totals	40	1615	20	855	31	1677	7	400

OCCUPATIONS, 1886.—Continued.

Musicians.		Manufacturers.		Merchants.		Miners.		Other Mechanics.		Painters.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
				1	45	2	127			1	26
				2	141			2	69	2	99
		4	169	2	79					2	93
		1	39	6	322			1	75	2	88
								1	24		
		2	103	2	112			2	132		
				1	55			1	42		
		2	148	1	170			1	32	1	29
				3	154			1	74		
				3	126						
				5	224			1	54		
		3	172	6	249			2	132		
								4	138	1	29
				2	77					1	35
		2	83	4	205	1	81	3	156	1	25
		2	129	2	118	1	28				
		1	35	4	284			3	131	2	124
						1	76				
		2	83	3	183			10	601		
1	34	4	251	7	323			3	97		
1	31	1	52	1	45						
				4	177			2	50		
		1	46	4	173			1	22		
		3	93	4	223			1	64		
		1	65	3	198			1	47		
		1	57	8	356			1	31		
1	49			3	176						
		1	68	1	23					1	34
		1	26	2	100					1	31
				3	174			1	27		
				1	33			2	120		
				3	187			4	201		
				2	108			1	56	1	47
		2	143	1	40	1	63	3	96		
		2	154	2	109	1	50	1	22	2	160
		1	29	5	322			3	195		
1	26	3	174	13	751			8	272	2	85
3	161	6	365	36	1982	3	177	18	836	8	324
7	301	46	2484	150	7944	10	602	82	3796	28	1229

TABLE H.—DEATHS BY

COUNTIES.	Printers.		Provincial Land Surveyors.		Physicians.		Pedlars.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma							1	28
Brant					1	74		
Bruce					1	70		
Carleton	1	67	1	38	1	69	1	29
Dufferin								
Elgin					1	78		
Essex								
Frontenac.. ..	1	21			1	45		
Grey								
Haldimand					1	62		
Haliburton					1	52		
Halton	2	69						
Hastings					2	53		
Huron								
Kent								
Lambton	1	55						
Lanark					1	29		
Leeds and Grenville					2	75		
Lennox and Addington	1	28			3	208	1	24
Lincoln	1	21	1	32	3	218	1	63
Middlesex								
Muskoka and Parry Sound								
Norfolk	1	33			1	80		
Northumberland and Durham					5	229		
Ontario								
Oxford	1	29			1	41		
Peel					1	23		
Perth					1	44		
Peterborough	1	21			2	143		
Prescott and Russell					1	34		
Prince Edward							2	118
Renfrew								
Simcoe								
Stormont, Dundas and Glengarry	2	84						
Victoria					1	62		
Waterloo	2	76			1	27		
Welland								
Wellington					2	131		
Wentworth	3	92						
York	5	246			2	96	1	51
Totals	22	842	2	70	36	1943	7	313

OCCUPATIONS, 1886.—*Continued.*

Plasterers.		Public Officials.		Railroad Employees.		Servants, Female.		Stonecutters.		Shoemakers.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
				5	176	4	109			1	70
1	57			2	48	2	91			1	37
				1	32					2	148
1	65	28	580	3	93	4	118	1	27	1	64
						1	22				
1	69	1	87	2	65					1	67
				2	73	3	270				
1	86	2	83			9	327	1	39	4	250
		2	82	1	41	1	51			1	86
		2	103								
		2	158			1	28	1	33		
		1	68	1	24	2	55				
				1	43	2	84			2	99
2	158	2	111	1	46					2	105
		3	201	2	70					2	160
		1	27			1	40			4	225
1	74	2	126	1	60			1	30	4	268
				1	23					1	65
		5	305			2	159	2	61	2	118
				4	188	6	223			5	308
				1	40	1	51			1	70
				1	29						
		4	301	3	82						
		2	90	1	26	1	27			1	39
		2	143	1	50	3	185	1	36	5	234
						2	100			2	147
				3	73	3	147				
		1	178			1	24				
										1	66
										4	196
		1	85			3	84			1	76
		2	126	2	66	2	115			1	51
1	27					3	164			4	302
		1	64	1	44	2	65			1	23
		2	145	3	160			1	52	3	231
		3	234	4	119	2	112	2	81	4	264
3	129	3	176	2	58	4	185			5	255
1	24	2	138	3	97	1	64			3	121
3	151	16	992	3	132	11	393	3	175	20	1131
15	840	90	4503	55	1958	77	3293	13	534	89	5276

TABLE H.—DEATHS BY

COUNTIES.	Sailors.		Saddlers and Harness-makers.		Seamstresses.		Tinsmiths.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma			1	27				
Brant					3	117		
Bruce							1	23
Carleton			1	41				
Dufferin								
Elgin	1	72			1	24		
Essex	2	100						
Frontenac	5	245						
Grey	1	60					1	22
Haldimand								
Haliburton								
Halton					1	23		
Hastings	1	26			2	83		
Huron			1	27			1	54
Kent	2	74	1	62				
Lambton	1	50	1	29			1	30
Lanark			1	43			1	46
Leeds and Grenville	3	134	1	36	1	30	1	27
Lennox and Addington								
Lincoln	4	160						
Middlesex	1	45	1	61	6	278	1	68
Muskoka and Parry Sound								
Norfolk								
Northumberland and Durham	1	22	2	107	3	81	1	27
Ontario					1	23		
Oxford	1	37	1	44	1	25		
Peel			2	145				
Perth								
Peterborough								
Prescott and Russell								
Prince Edward					1	24		
Renfrew					1	25	1	23
Simcoe	1	70					1	64
Stormont, Dundas and Glengarry							1	36
Victoria			1	41				
Waterloo							1	21
Welland								
Wellington			1	47			1	77
Wentworth	6	340	2	61	3	81	2	110
York	5	210	1	29	6	232	4	160
Totals	35	1645	18	800	30	1046	19	788

OCCUPATIONS, 1886.—*Continued.*

Teamsters.		Tavern Keepers.		Tobacconists and Cigar- makers.		Teachers.				Telegraph Operators.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	Male.		Female.		No.	Total Ages.
						No.	Total Ages.	No.	Total Ages.		
		3	138	1	21	1	52				
		1	39								
		2	70					1	21		
3	141	2	72			4	215				
		1	58								
		2	80			1	80	1	24	1	23
1	80	1	49	1	40			1	23		
		3	157								
1	62	2	88			2	102				
						2	113				
		2	107								
1	73	2	95	1	21						
		3	155								
		3	153					1	28		
										1	41
1	25							3	85		
2	108	1	50			1	80				
1	56	3	120								
		1	64			2	78				
4	176	3	107			2	151	2	43	1	21
1	34	1	32								
1	72	3	161					1	21		
		2	60			1	30	2	56		
		2	108	1	34	1	42				
						2	58				
				1	37	2	98				
						1	86			1	41
						1	24				
4	121					2	130				
1	21					1	84				
		2	103								
		2	105								
		1	32			1	55				
2	62	2	100	1	31	4	252				
2	109	1	35	1	30	4	291				
13	618	5	231	2	49	3	188	4	103		
38	1758	56	2569	9	263	38	2209	16	404	4	126

TABLE H.—DEATHS BY

COUNTIES.	Tailors.		Tanners and Curriers.		Volunteers, Soldiers and Pensioners.		Watchmakers and Jewellers.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma					2	123		
Brant			1	47			1	31
Bruce	1	26			1	34		
Carleton	1	60			7	478		
Dufferin								
Elgin	3	238						
Essex					4	302		
Frontenac					4	247		
Grey								
Haldimand					2	115		
Haliburton								
Halton					2	111		
Hastings								
Huron	2	113	1	46				
Kent	3	187						
Lambton	2	122	1	34				
Lanark							1	74
Leeds and Grenville	2	105						
Lennox and Addington								
Lincoln					2	170	1	84
Middlesex	5	269			3	207	1	53
Muskoka and Parry Sound							3	119
Norfolk	1	62			1	89		
Northumberland and Durham	4	246						
Ontario			1	85				
Oxford								
Peel								
Perth	3	212						
Peterborough	1	60						
Prescott and Russell								
Prince Edward					1	75		
Renfrew	1	65						
Simcoe	1	63			1	97		
Stormont, Dundas and Glengarry	1	58	1	34				
Victoria	5	260					1	42
Waterloo	1	69						
Welland					1	64		
Wellington	1	80	2	143	1	73		
Wentworth	1	79			4	307	1	44
York	9	558			11	728	4	115
Totals	48	2932	7	389	47	3220	13	562

OCCUPATIONS, 1886.—*Concluded.*

Weavers.		Other Occupations.		Total Number of Deaths.	Total Ages.	
No.	Total Ages.	No.	Total Ages.		Aggregate.	Average.
.....	100	4678	46.7 years.
.....	2	121	211	11706	55.5 "
.....	243	13793	56.7 "
.....	3	118	324	17490	54.0 "
1	75	92	5320	57.8 "
1	44	160	9484	59.3 "
.....	241	13175	54.6 "
1	66	1	69	235	13486	57.2 "
2	140	317	18644	58.8 "
.....	1	36	125	7666	61.3 "
.....	35	1629	48.6 "
.....	138	7924	57.4 "
1	88	226	13278	58.1 "
.....	312	18363	55.6 "
.....	194	10741	55.3 "
1	57	1	37	227	11928	52.5 "
2	48	192	10943	57.0 "
.....	319	18681	58.3 "
.....	118	6715	56.8 "
.....	224	13247	59.1 "
1	77	4	205	519	29593	57.0 "
.....	101	5207	51.5 "
1	49	2	145	175	10254	58.6 "
.....	369	21202	57.4 "
2	148	246	14146	57.5 "
2	164	1	25	296	17126	57.8 "
.....	171	10205	60.0 "
1	67	255	15611	61.2 "
.....	172	9563	55.6 "
1	70	137	8076	59.0 "
1	80	156	8836	56.6 "
2	137	145	8517	58.7 "
4	281	276	16130	58.5 "
.....	273	17184	63.0 "
.....	138	7868	57.0 "
3	222	229	14108	61.6 "
.....	180	10914	60.6 "
1	23	1	41	333	20240	60.8 "
.....	6	309	392	22028	56.2 "
2	106	2	79	1018	57656	56.6 "
30	1942	24	1185	9614	553355	57.5 years.

